

**This Page Is Inserted by IFW Operations
and is not a part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- **BLACK BORDERS**
- **TEXT CUT OFF AT TOP, BOTTOM OR SIDES**
- **FADED TEXT**
- **ILLEGIBLE TEXT**
- **SKEWED/SLANTED IMAGES**
- **COLORED PHOTOS**
- **BLACK OR VERY BLACK AND WHITE DARK PHOTOS**
- **GRAY SCALE DOCUMENTS**

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C12N 15/57, C11D 3/386, C12N 9/54	A1	(11) International Publication Number: WO 95/30010 (43) International Publication Date: 9 November 1995 (09.11.95)
(21) International Application Number: PCT/US95/03176 (22) International Filing Date: 16 March 1995 (16.03.95) (30) Priority Data: 08/237,939 2 May 1994 (02.05.94) US 08/287,461 11 August 1994 (11.08.94) US 08/394,011 3 March 1995 (03.03.95) US (71) Applicant: THE PROCTER & GAMBLE COMPANY [US/US]; One Procter & Gamble Plaza, Cincinnati, OH 45202 (US). (72) Inventors: BRODE, Philip, Frederick, III; 5780 Squirrelsne Lane, Cincinnati, OH 45252 (US). BARNETT, Bobby, Lee; 12175 Elkwood Drive, Cincinnati, OH 45240 (US). RUBINGH, Donn, Nelson; 8224 Sheed Road, Cincinnati, OH 45247 (US). GHOSH, Chanchal, Kumar; 7005 Pinehill Drive, West Chester, OH 45069 (US). (74) Agents: REED, T., David et al.; The Procter & Gamble Company, 5299 Spring Grove Avenue, Cincinnati, OH 45217 (US).		(81) Designated States: AM, AU, BB, BG, BR, BY, CA, CN, CZ, EE, FI, GE, HU, JP, KG, KP, KR, KZ, LK, LR, LT, LV, MD, MG, MN, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TJ, TT, UA, UG, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG), ARIPO patent (KE, MW, SD, SZ, UG). Published <i>With international search report.</i>
(54) Title: SUBTILISIN BPN' VARIANTS HAVING DECREASED ADSORPTION AND INCREASED HYDROLYSIS (57) Abstract The present invention relates to subtilisin BPN' variants having a modified amino acid sequence of wild-type BPN' amino acid sequence, the wild-type amino acid sequence comprising a first loop region, a second loop region, a third loop region, a fourth loop region and a fifth loop region; wherein the modified amino acid sequence comprises different amino acids than that occurring in wild-type subtilisin BPN' (i.e., substitution) at specifically identified positions in one or more of the loop regions whereby the BPN' variant has decreased adsorption to, and increased hydrolysis of, an insoluble substrate as compared to the wild-type subtilisin BPN'. The present invention also relates to the genes encoding such subtilisin BPN' variants. The present invention also relates to compositions comprising such subtilisin BPN' variants for cleaning a variety of surfaces.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

Subtilisin BPN' variants having decreased adsorption and increased hydrolysis

5

TECHNICAL FIELD

10 The present invention relates to novel enzyme variants useful in a variety of cleaning compositions, and the genes encoding such enzyme variants.

BACKGROUND

Enzymes make up the largest class of naturally occurring proteins. Each class of enzyme generally catalyzes (accelerates a reaction without being
15 consumed) a different kind of chemical reaction. One class of enzymes known as proteases, are known for their ability to hydrolyze (break down a compound into two or more simpler compounds with the uptake of the H and OH parts of a water molecule on either side of the chemical bond cleaved) other proteins. This ability to hydrolyze proteins has been taken advantage of by incorporating
20 naturally occurring and protein engineered proteases as an additive to laundry detergent preparations. Many stains on clothes are proteinaceous and wide-specificity proteases can substantially improve removal of such stains.

Unfortunately, the efficacy level of these proteins in their natural, bacterial environment, frequently does not translate into the relatively unnatural wash
25 environment. Specifically, protease characteristics such as thermal stability, pH stability, oxidative stability and substrate specificity are not necessarily optimized for utilization outside the natural environment of the enzyme.

The amino acid sequence of the protease determines the characteristics of the protease. A change of the amino acid sequence of the protease may alter
30 the properties of the enzyme to varying degrees, or may even inactivate the enzyme, depending upon the location, nature and/or magnitude of the change in the amino acid sequence. Several approaches have been taken to alter the wild-type amino acid sequence of proteases in an attempt to improve their properties, with the goal of increasing the efficacy of the protease in the wash
35 environment. These approaches include altering the amino acid sequence to

enhance thermal stability and to improve oxidation stability under quit divers conditions.

Despite the variety of approaches described in the art, there is a continuing need for new effective variants of proteases useful for cleaning a
5 variety of surfaces.

Objects of the Present Invention

It is an object of the present invention to provide subtilisin enzyme variants having improved hydrolysis versus the wild-type of the enzyme.

It is also an object of the present invention to provide cleaning
10 compositions comprising these subtilisin enzyme variants.

SUMMARY

The present invention relates to subtilisin BPN' variants having a modified amino acid sequence of wild-type BPN' amino acid sequence, the wild-type amino acid sequence comprising a first loop region, a second loop region, a
15 third loop region, a fourth loop region and a fifth loop region; wherein the modified amino acid sequence comprises different amino acids than that occurring in wild-type subtilisin BPN' (i.e., substitution) at specifically identified positions in one or more of the loop regions whereby the BPN' variant has decreased adsorption to, and increased hydrolysis of, an insoluble substrate as
20 compared to the wild-type subtilisin BPN'. The present invention also relates to the genes encoding such subtilisin BPN' variants. The present invention also relates to compositions comprising such subtilisin BPN' variants for cleaning a variety of surfaces.

DESCRIPTION

I. Subtilisin Variants

This invention pertains to subtilisin enzymes, in particular BPN', that have been modified by mutating the various nucleotide sequences that code for the enzyme, thereby modifying the amino acid sequence of the enzyme. The modified subtilisin enzymes (hereinafter, "BPN' variants") of the present
30 invention have decreased adsorption to and increased hydrolysis of an insoluble substrate as compared to the wild-type subtilisin. The present invention also pertains to the mutant genes encoding for such BPN' variants.

The subtilisin enzymes of this invention belong to a class of enzymes known as proteases. A protease is a catalyst for the cleavage of peptide bonds.
35 One type of protease is a serine protease. A serine protease is distinguished by

the fact that there is an essential serine residue at the active site.

The observation that an enzyme's rate of hydrolysis of soluble substrates increases with enzyme concentration is well documented. It would therefore seem plausible that for surface bound substrates, such as is encountered in many cleaning applications, the rate of hydrolysis would increase with increasing surface concentration. This has been shown to be the case. (Brode, P.F. III and D. S. Rauch, LANGMUIR, "Subtilisin BPN': Activity on an Immobilized Substrate", Vol. 8, pp. 1325-1329 (1992)). In fact, a linear dependence of rate upon surface concentration was found for insoluble substrates when the surface concentration of the enzyme was varied. (Rubingh, D. N. and M. D. Bauer, "Catalysis of Hydrolysis by Proteases at the Protein-Solution Interface," in POLYMER SOLUTIONS, BLENDS AND INTERFACES, Ed. by I. Noda and D. N. Rubingh, Elsevier, p. 464 (1992)). Surprisingly, when seeking to apply this principle in the search for variant proteases which give better cleaning performance, we did not find that enzymes which adsorb more give better performance. In fact, we surprisingly determined the opposite to be the case: decreased adsorption by an enzyme to a substrate resulted in increased hydrolysis of the substrate (i.e., better cleaning performance).

While not wishing to be bound by theory, it is believed that improved performance, when comparing one variant to another, is a result of the fact that enzymes which adsorb less are also less tightly bound and therefore more highly mobile on the surface from which the insoluble protein substrate is to be removed. At comparable enzyme solution concentrations, this increased mobility is sufficient to outweigh any advantage that is conferred by delivering a higher concentration of enzyme to the surface.

The mutations described herein are designed to change (i.e., decrease) the adsorption of the enzyme to surface-bound soils. In BPN', certain amino acids form exterior loops on the enzyme molecule. For purposes of discussion, these loops shall be referred to as first, second, third, fourth and fifth loop regions. Specifically, positions 59-66 form the first loop region; positions 95-107 form the second loop region; positions 126-133 form the third loop region; positions 154-167 form the fourth loop region; positions 187-191 form the fifth loop region; and positions 199-220 form the sixth loop region (position numbering analogous to positions in the amino acid sequence for wild-type subtilisin BPN' (SEQ ID NO:1)).

It believed that these loop regions play a significant role in the adsorption of the enzyme molecule to a surface-bound peptide, and specific mutations in one or more of these loop regions will have a significant effect on this adsorption. While not wishing to be bound by theory, it is believed that the loop regions are important to the adsorption of the BPN' molecule for at least two reasons. First, the amino acids which comprise the loop regions can make close contacts with any surfaces to which the molecule is exposed. Second, the proximity of the loop regions to the active-site and binding pocket of the BPN' molecule gives them a role in the catalytically productive adsorption of the enzyme to surface-bound substrates (peptides/protein soils).

As used herein, "variant" means an enzyme having an amino acid sequence which differs from that of wild-type.

As used herein, "mutant BPN' gene" means a gene coding for a BPN' variant.

As used herein, "wild-type subtilisin BPN'" refers to a subtilisin enzyme represented by SEQ ID NO:1. The amino acid sequence for subtilisin BPN' is further described by Wells, J. A., E. Ferrari, D. J. Henner, D. A. Estell and E. Y. Chen, NUCLEIC ACIDS RESEARCH, Vol. II, 7911-7925 (1983), incorporated herein by reference.

As used herein, the term "wild-type amino acid sequence" encompasses SEQ ID NO:1 as well as SEQ ID NO:1 having modifications to the amino acid sequence other than at any of positions 59-66, 95-107, 126-133, 154-167, 187-191 and 199-220.

As used herein, "more hydrophilic amino acid" refers to any other amino acid having greater hydrophilicity than a subject amino acid with reference to the hydrophilicity table below. The following hydrophilicity table (Table 1) lists amino acids in descending order of increasing hydrophilicity (see Hopp, T.P., and Woods, K.R., "Prediction of Protein Antigenic Determinants from Amino Acid Sequences", PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCE USA, Vol. 78, pp. 3824-3828, 1981, incorporated herein by reference).

TABLE 1

Amino Acid	Hydrophilicity Value
Trp	-3.4
Phe	-2.5
Tyr	-2.3
Leu, Ile	-1.8
Val	-1.5
Met	-1.3
Cys	-1.0
Ala, His	-0.5
Thr	-0.4
Pro, Gly	-0.0
Gln, Asn	0.2
Ser	0.3
Arg ⁺ , Lys ⁺ , Glu ⁻ , Asp ⁻	3.0

Table 1 also indicates which amino acids carry a charge (this characteristic being based on a pH of from about 8-9). The positively charged amino acids are Arg and Lys, the negatively charged amino acids are Glu and Asp, and the remaining amino acids are neutral. In a preferred embodiment of the present invention, the substituting amino acid is either neutral or negatively charged, more preferably negatively charged (i.e., Glu or Asp).

Therefore, for example, the statement "substitute Gln with an equally or more hydrophilic amino acid which is neutral or has a negative charge" means Gln would be substituted with Asn (which is equally hydrophilic to Gln), or Ser, Glu or Asp (which are more hydrophilic than Gln); each of which are neutral or have a negative charge, and have a greater hydrophilicity value as compared to Gln. Likewise, the statement "substitute Pro with a more hydrophilic amino acid which is neutral or has a negative charge" means Pro would be substituted with Gln, Asn, Ser, Glu or Asp.

In one embodiment of the present invention, the BPN' variant has a modified amino acid sequence of wild-type amino acid sequence, wherein the modified amino acid sequence comprises a substitution at one or more positions in one or more of the first, second, third, fourth or fifth loop regions; whereby the BPN' variant has decreased adsorption to, and increased hydrolysis of, an insoluble substrate as compared to the wild-type subtilisin BPN'.

In another embodiment of the present invention, the BPN' variant further comprises one or more substitutions to the sixth loop region.

In a preferred embodiment of the present invention, the substituting amino acid for one or more of the positions in one or more of the loop regions is, with reference to Table 1, neutral or negatively charged and equally or more hydrophylic, preferably more hydrophylic, than the amino acid at the subject position in the wild-type amino acid sequence.

A. Substitutions in the First Loop Region

When a substitution occurs in the first loop region, the substitution occurs at one or more of positions 59, 60, 61, 62, 63, 65 or 66.

When a substitution occurs at position 59, the substituting amino acid is Asn, Asp, Glu or Ser.

When a substitution occurs at position 60, the substituting amino acid is Glu.

When a substitution occurs at position 61, the substituting amino acid is Asp, Gln, Glu or Ser.

When a substitution occurs at position 62, the substituting amino acid is Asp, Gln, Glu or Ser.

When a substitution occurs at position 63, the substituting amino acid is Asp or Glu.

When a substitution occurs at position 65, the substituting amino acid is Asn, Asp, Gln, Glu, Pro or Ser.

When a substitution occurs at position 66, the substituting amino acid is Asn, Asp, Gln, Glu, Gly, Pro or Ser.

B. Substitutions in the Second Loop Region

When a substitution occurs in the second loop region, the substitution occurs at one or more of positions 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106 or 107.

When a substitution occurs at position 95, the substituting amino acid is Ala, Asn, Asp, Cys, Gln, Glu, Gly, His, Met, Pro, Ser or Thr.

When a substitution occurs at position 96, the substituting amino acid is Ala, Asn, Asp, Cys, Gln, Glu, Gly, His, Ile, Met, Pro, Ser, Thr or Val.

When a substitution occurs at position 97, the substituting amino acid is Asn, Asp, Gln, Glu, Pro or Ser.

When a substitution occurs at position 98, the substituting amino acid is Asn, Asp, Gln, Glu, Gly, His, Pro, Ser or Thr.

When a substitution occurs at position 99, the substituting amino acid is

Glu.

When a substitution occurs at position 100, the substituting amino acid is Asn, Asp, Gln, Glu, Pro or Ser.

When a substitution occurs at position 101, the substituting amino acid is Asp or Glu.

When a substitution occurs at position 102, the substituting amino acid is Asn, Asp, Gln, Glu, Pro or Ser.

When a substitution occurs at position 103, the substituting amino acid is Asn, Asp, Glu or Ser.

When a substitution occurs at position 104, the substituting amino acid is Ala, Asn, Asp, Cys, Gln, Glu, Gly, His, Ile, Leu, Met, Pro, Ser, Thr or Val.

When a substitution occurs at position 105, the substituting amino acid is Asp or Glu.

When a substitution occurs at position 106, the substituting amino acid is Ala, Asn, Asp, Cys, Gln, Glu, Gly, His, Ile, Leu, Met, Phe, Pro, Ser, Thr, Tyr or Val.

When a substitution occurs at position 107, the substituting amino acid is Ala, Asn, Asp, Cys, Gln, Glu, Gly, His, Leu, Met, Pro, Ser, Thr or Val.

C. Substitutions in the Third Loop Region

When a substitution occurs in the third loop region, the substitution occurs at one or more of positions 126, 127, 128, 129, 130, 131, 132 or 133.

When a substitution occurs at position 126, the substituting amino acid is Ala, Asn, Asp, Cys, Gln, Glu, Gly, His, Ile, Met, Pro, Ser, Thr or Val.

When a substitution occurs at position 127, the substituting amino acid is Asn, Asp, Gln, Glu, Pro or Ser.

When a substitution occurs at position 128, the substituting amino acid is Asn, Asp, Gln, Glu, Gly or Ser.

When a substitution occurs at position 129, the substituting amino acid is Asn, Asp, Gln, Glu, Gly or Ser.

When a substitution occurs at position 130, the substituting amino acid is Asp or Glu.

When a substitution occurs at position 131, the substituting amino acid is Asn, Asp, Gln, Glu, Gly or Ser.

When a substitution occurs at position 132, the substituting amino acid is Asp or Glu.

When a substitution occurs at position 133, the substituting amino acid is Asn, Asp, Gln, Glu, Gly, His, Pro, Ser or Thr.

D. Substitutions in the Fourth Loop Region

When a substitution occurs in the fourth loop region, the substitution
5 occurs at one or more of positions 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166 or 167.

When a substitution occurs at position 154, the substituting amino acid is Asn, Asp, Gln, Glu, Pro or Ser.

When a substitution occurs at position 155, the substituting amino acid is
10 Asp, Gln, Glu or Ser.

When a substitution occurs at position 156, the substituting amino acid is Asp.

When a substitution occurs at position 157, the substituting amino acid is Asn, Asp, Gln, Glu, Pro or Ser.

When a substitution occurs at position 158, the substituting amino acid is
15 Asn, Asp, Gln, Glu, Gly, Pro or Ser.

When a substitution occurs at position 159, the substituting amino acid is Asp or Glu.

When a substitution occurs at position 160, the substituting amino acid is
20 Asn, Asp, Gln, Glu, Pro or Ser.

When a substitution occurs at position 161, the substituting amino acid is Asp or Glu.

When a substitution occurs at position 162, the substituting amino acid is Asp or Glu.

When a substitution occurs at position 163, the substituting amino acid is
25 Asp or Glu.

When a substitution occurs at position 164, the substituting amino acid is Asn, Asp, Gln, Glu, Gly, Pro or Ser.

When a substitution occurs at position 165, the substituting amino acid is
30 Ala, Asn, Asp, Cys, Gln, Glu, Gly, His, Met, Pro, Ser or Thr.

When a substitution occurs at position 166, the substituting amino acid is Asn, Asp, Gln, Glu, Pro or Ser.

When a substitution occurs at position 167, the substituting amino acid is Ala, Asn, Asp, Cys, Gln, Glu, Gly, His, Ile, Leu, Met, Pro, Ser, Thr or Val.

E. Substitutions in the Fifth Loop Region

When a substitution occurs in the fifth loop region, the substitution occurs at one or more of positions 187, 188, 189, 190 or 191.

When a substitution occurs at position 187, the substituting amino acid is
5 Asn, Asp, Gln, Glu, Gly, His, Pro, Ser and Thr.

When a substitution occurs at position 188, the substituting amino acid is Asp or Glu.

When a substitution occurs at position 189, the substituting amino acid is Ala, Asn, Asp, Cys, Gln, Glu, Gly, His, Ile, Leu, Met, Pro, Ser, Thr, Tyr or Val.

10 When a substitution occurs at position 190, the substituting amino acid is Asp or Glu.

When a substitution occurs at position 191, the substituting amino acid is Asp or Glu.

F. Substitutions in the Sixth Loop Region

15 When a substitution occurs in the sixth loop region, the substitution occurs at one or more of positions 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219 or 220.

When a substitution occurs at position 199, the substituting amino acid for position 199 is Cys, Ala, His, Thr, Pro, Gly, Gln, Asn, Ser, Asp or Glu.

20 When a substitution occurs at position 200, the substituting amino acid for position 200 is His, Thr, Pro, Gly, Gln, Asn, Ser, Asp or Glu.

When a substitution occurs at position 201, the substituting amino acid for position 201 is Gly, Gln, Asn, Ser, Asp or Glu.

25 When a substitution occurs at position 202, the substituting amino acid for position 202 is Pro, Gln, Asn, Ser, Asp or Glu.

When a substitution occurs at position 203, the substituting amino acid for position 203 is Met, Cys, Ala, His, Thr, Pro, Gly, Gln, Asn, Ser, Asp or Glu.

When a substitution occurs at position 204, the substituting amino acid for position 204 is Asp, or Glu.

30 When a substitution occurs at position 205, the substituting amino acid for position 205 is Leu, Val, Met, Cys, Ala, His, Thr, Pro, Gly, Gln, Asn, Ser, Asp or Glu.

When a substitution occurs at position 206, the substituting amino acid for position 206 is Pro, Asn, Ser, Asp, or Glu.

35 When a substitution occurs at position 207, the substituting amino acid for

position 207 is Asp or Glu.

When a substitution occurs at position 208, the substituting amino acid for position 208 is Pro, Gly, Gln, Asn, Ser, Asp or Glu.

When a substitution occurs at position 209, the substituting amino acid for position 209 is Ile, Val, Met, Cys, Ala, His, Thr, Pro, Gly, Gln, Asn, Ser, Asp or Glu.

When a substitution occurs at position 210, the substituting amino acid for position 210 is Ala, Gly, Gln, Asn, Ser, Asp or Glu.

When a substitution occurs at position 211, the substituting amino acid for position 211 is Ala, Pro, Gln, Asn, Ser, Asp or Glu.

When a substitution occurs at position 212, the substituting amino acid for position 212 is Gln, Ser, Asp or Glu.

When a substitution occurs at position 213, the substituting amino acid for position 213 is Trp, Phe, Tyr, Leu, Ile, Val, Met, Cys, Ala, His, Thr, Pro, Gly, Gln, Asn, Ser, Asp or Glu.

When a substitution occurs at position 214, the substituting amino acid for position 214 is Phe, Leu, Ile, Val, Met, Cys, Ala, His, Thr, Pro, Gly, Gln, Asn, Ser, Asp or Glu.

When a substitution occurs at position 215, the substituting amino acid for position 215 is Thr, Pro, Gln, Asn, Ser, Asp or Glu.

When a substitution occurs at position 216, the substituting amino acid for position 216 is His, Thr, Pro, Gly, Gln, Asn, Ser, Asp or Glu.

When a substitution occurs at position 217, the substituting amino acid for position 217 is Leu, Ile, Val, Met, Cys, Ala, His, Thr, Pro, Gly, Gln, Asn, Ser, Asp or Glu.

When a substitution occurs at position 218, the substituting amino acid for position 218 is Gln, Ser, Asp or Glu.

When a substitution occurs at position 219, the substituting amino acid for position 219 is Pro, Gln, Asn, Ser, Asp or Glu.

When a substitution occurs at position 220, the substituting amino acid for position 220 is Pro, Gly, Gln, Asn, Ser Asp or Glu.

G. Preparation of enzyme variants

Example 1

Mutant BPN' Genes

A phagemid (pSS-5) containing the wild type subtilisin BPN' gene

(Mitchinson, C. and J. A. Wells, (1989), "Protein Engineering of Disulfide Bonds in Subtilisin BPN", *BIOCHEMISTRY*, Vol. 28, pp. 4807-4815) is transformed into *Escherichia coli* ung-strain CJ236 and a single stranded uracil-containing DNA template is produced using the VCSM13 helper phage (Kunkel, T.A., J.D. Roberts and R.A. Zakour, "Rapid and efficient site-specific mutagenesis without phenotypic selection", *METHODS IN ENZYMOLOGY*, Vol. 154, pp. 367-382, (1987); as modified by Yuckenberg, P.D., F. Witney, J. Geisselsoder and J. McClary, "Site-directed in vitro mutagenesis using uracil-containing DNA and phagemid vectors", *DIRECTED MUTAGENESIS - A PRACTICAL APPROACH*, ed. M.J. McPherson, pp. 27-48, (1991); both of which are incorporated herein by reference). A single primer site-directed mutagenesis modification of the method of Zoller and Smith (Zoller, M.J., and M. Smith, "Oligonucleotide-directed mutagenesis using M13-derived vectors: an efficient and general procedure for the production of point mutations in any fragment of DNA", *NUCLEIC ACIDS RESEARCH*, Vol. 10, pp. 6487-6500, (1982), incorporated herein by reference) is used to produce all mutants (basically as presented by Yuckenberg, *et al.*, 1991, above). Oligonucleotides are made using an Applied Biosystem Inc. 380B DNA synthesizer. Mutagenesis reaction products are transformed into *Escherichia coli* strain MM294 (American Type Culture Collection *E. Coli*. 33625). All mutants are confirmed by DNA sequencing and the isolated DNA is transformed into the *Bacillus subtilis* expression strain BG2036 (Yang, M. Y., E. Ferrari and D. J. Henner, (1984), "Cloning of the Neutral Protease Gene of *Bacillus subtilis* and the Use of the Cloned Gene to Create an *In Vitro*-derived Deletion Mutation", *JOURNAL OF BACTERIOLOGY*, Vol. 160, pp. 15-21). For some of the mutants a modified pSS-5 with a frameshift-stop codon mutation at amino acid 217 is used to produce the uracil template. Oligonucleotides are designed to restore the proper reading frame at position 217 and also encoded for random substitutions at positions 59, 60, 61, 62, 63, 64, 65, 66; 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107; 126, 127, 128, 129, 130, 131, 132, 133; 154, 155, 156, 157, 158, 159, 160, 161, 162; 163, 164, 165, 166, 167; 187, 188, 189, 190, 191; 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219 and 220 (equimolar and/or variable mixtures of all four nucleotides for all three bases at these codons). Mutations that correct for the frameshift-stop and produce a functional enzyme are identified by their ability to digest casein. The random substitutions are determined by DNA sequencing.

Example 2

Fermentation

The *Bacillus subtilis* cells (BE2036) containing a subtilisin mutant of interest are grown to mid-log phase in a one liter culture of LB-glucose broth and inoculated into a Biostat ED fermenter (B. Braun Biotech, Inc., Allentown, Pennsylvania) in a total volume of 10 liters. The fermentation media contains Yeast Extract, starch, antifoam, buffers and trace minerals (see FERMENTATION: A PRACTICAL APPROACH, Ed. B. McNeil and L. M. Harvey, 1990). The broth is kept at a constant pH of 7.0 during the fermentation run. Chloramphenicol is added for antibiotic selection of mutagenized plasmid. The cells are grown overnight at 37°C to an A₆₀₀ of about 60 and harvested.

Example 3

Purification

The fermentation broth is taken through the following steps to obtain pure enzyme. The broth is cleared of *Bacillus subtilis* cells by centrifugation, and clarified by removing fine particulates with a 100K cutoff membrane. This is followed by concentration on a 10K cutoff membrane, and flow dialysis to reduce the ionic strength and adjust the pH to 5.5 using 0.025M MES buffer (2-(*N*-morpholino)ethanesulfonic acid). The enzyme is further purified by loading it onto either a cation exchange chromatography column or an affinity adsorption chromatography column and eluting it from the column with a NaCl or a propylene glycol gradient (see Scopes, R. K., PROTEIN PURIFICATION PRINCIPLES AND PRACTICE, Springer-Verlag, New York (1984), incorporated herein by reference).

The *p*NA assay (DelMar, E.G., C. Largman, J.W. Brodrick and M.C. Geokas, ANAL. BIOCHEM., Vol. 99, pp. 316-320, (1979), incorporated herein by reference) is used to determine the active enzyme concentration for fractions collected during gradient elution. This assay measures the rate at which *p*-nitroaniline is released as the enzyme hydrolyzes the soluble synthetic substrate, succinyl-alanine-alanine-proline-phenylalanine-*p*-nitroanilide (sAAPF-*p*NA). The rate of production of yellow color from the hydrolysis reaction is measured at 410 nm on a spectrophotometer and is proportional to the active enzyme concentration. In addition, absorbance measurements at 280 nm are used to determine the total protein concentration. The active enzyme/total-protein ratio gives the enzyme purity, and is used to identify fractions to be

pooled for the stock solution.

To avoid autolysis of the enzyme during storage, an equal weight of propylene glycol is added to the pooled fractions obtained from the chromatography column. Upon completion of the purification procedure the
5 purity of the stock enzyme solution is checked with SDS-PAGE (sodium dodecyl sulfate polyacrylamide gel electrophoresis) and the absolute enzyme concentration is determined via an active site titration method using trypsin inhibitor type II-T: turkey egg white purchased from Sigma Chemical Company (St. Louis, Missouri). The measured conversion factors will show which changes
10 made in the enzyme molecule at the various positions result in the enzyme variant having increased activity over the wild-type, against the soluble substrate pNA.

In preparation for use, the enzyme stock solution is eluted through a Sephadex-G25 (Pharmacia, Piscataway, New Jersey) size exclusion column to
15 remove the propylene glycol and exchange the buffer. The MES buffer in the enzyme stock solution is exchanged for 0.1 M Tris buffer (Tris(hydroxymethyl-aminomethane) containing 0.01M CaCl_2 and pH adjusted to 8.6 with HCl. All experiments are carried out at pH 8.6 in Tris buffer thermostated at 25°C.

H. Characterization of enzyme variants

20 Example 4

Model Surface Preparation

Aminopropyl controlled pore glass (CPG) purchased from CPG Inc. (Fairfield, New Jersey) is used as a support for covalently attaching the sAAPF-pNA substrate purchased from Bachem, Inc. (Torrence, California). The reaction
25 is carried out in dimethyl sulfoxide and (1-ethyl-3-[3-(dimethylamino)propyl] carbodiimide hydrochloride) (EDC) is used as a coupling agent. Upon completion (monitored by pNA assay), the excess solvent is removed, and the CPG:sAAPF-pNA is rinsed with dimethyl sulfoxide (DMSO) and doubly-distilled water. This is followed by oven drying with a N_2 purge at about 70°C. The
30 reaction scheme and preparation of the immobilized substrate are conducted as described by Brode, P.F. III, and D.S. Rauch, "Subtilisin BPN": Activity on an Immobilized Substrate," LANGMUIR, Vol. 8, p. 1325-1329, (1992), incorporated herein by reference.

The CPG surface will have $62,000 \pm 7,000$ pNA molecules/ μm^2 . The
35 surface area will remain unchanged from the value of 50.0m²/g reported by CPG

Inc. for the CPG as received. This suggests that the procedure used to add sAAPF-pNA to CPG does not damage the porous structure (mean diameter is 486 Å).

Example 5

Surface Hydrolysis Assay

5 Using CPG:sAAPF-pNA, adsorption of an enzyme variant and hydrolysis of a CPG-bound peptide can be measured in a single experiment. A small volume of enzyme variant stock solution is added to a flask containing Tris buffer and CPG:sAAPF-pNA which has been degassed. The flask is shaken on a
10 wrist-action shaker for a period of 90 minutes during which the shaker is stopped at various time intervals (for example, every 2 minutes during the early stages of adsorption hydrolysis - e.g., the first 20 minutes - and every 10 minutes towards the end of the experiment). The CPG:sAAPF-pNA is allowed to settle and the solution is sampled. Both the experimental procedure and the calculation of the
15 adsorption and hydrolysis are conducted as described by Brode *et al.*, 1992, above.

All enzymes are monitored for stability against autolysis and should show no appreciable autolytic loss over the time course of this experiment. Therefore, enzyme adsorption can be determined by measuring solution depletion. The
20 difference between the initial enzyme variant concentration and the concentration measured at each individual time point gives the amount of enzyme variant adsorbed. The amount of pNA hydrolyzed from the surface is measured by taking an absorbance reading on an aliquot of the sample at 410 nm. The total amount of pNA hydrolyzed is calculated by adding the amount
25 sampled and the amount remaining in the flask. This value is corrected by subtracting the amount of pNA that is hydrolyzed by Tris buffer at pH 8.6 when no enzyme is present. This base-hydrolysis ranges from 7-29% of the total hydrolysis depending on the efficiency of the enzyme.

Example 6

Soluble Substrate Kinetic Analysis

30 The rates of hydrolysis of the soluble substrate sAAPF-pNA are monitored by measuring the adsorbance increase as a function of time at 410 nm on a DU-70 spectrophotometer. The enzyme concentration is held constant and is prepared to be in the range of 6-10 nanomolar while the substrate concentration
35 is varied from 90-700 µM sAAPF-pNA for each kinetic determination. An

adsorbance data point is taken each second over a period of 900 seconds and the data are transferred to a LOTUS™ spreadsheet (Lotus Development Corporation, Cambridge, Massachusetts). Analysis for kinetic parameters is conducted by the standard Lineweaver Burk analysis in which the data in the initial part of the run (generally the first minute) are fit to a linear regression curve to give v_0 . The v_0 and s_0 data are plotted in the standard inverse fashion to give K_M and k_{cat} .

I. Example BPN' variants

BPN' variants of the present invention which have decreased adsorption to and increased hydrolysis of surface bound substrates are exemplified in Tables 2-25, below. In describing the specific mutations, the original amino acid occurring in wild-type is given first, the position number second, and the substituted amino acid third.

TABLE 2

15	Loop 1 - Single Mutation Variants
	Gln59Asn
	Gln59Asp
	Gln59Glu
	Gln59Ser
20	Asp60Glu
	Asn61Asp
	Asn61Gln
	Asn61Glu
	Asn61Ser
25	Asn62Asp
	Asn62Gln
	Asn62Glu
	Asn62Ser
	Ser63Asp
30	Ser63Glu
	Gly65Asn
	Gly65Asp
	Gly65Gln
	Gly65Glu
35	Gly65Pro
	Gly65Ser
	Thr66Asn
	Thr66Asp
	Thr66Gln
40	Thr66Glu
	Thr66Gly
	Thr66Pro
	Thr66Ser

TABLE 3

Loop 1 - Double Mutation Variants	
5	Gln59Ser + Asn62Glu
	Asp60Glu + Asn61Ser
	Asn61Glu + Asn62Ser
	Gln59Ser + Gly65Gln
	Asn61Gln + Gly65Asn
10	Asn61Ser + Asn62Asp
	Gln59Glu + Asn61Gln
	Asp60Glu + Gly65Gln
	Gln59Asp + Gly65Pro
	Asn61Asp + Gly65Asn
15	Gln59Ser + Asn62Asp
	Gln59Asn + Gly65Gln
	Asn62Asp + Thr66Gly
	Gln59Asn + Asn62Glu
	Asn61Ser + Ser63Glu
20	Gln59Ser + Asp60Glu
	Asp60Glu + Thr66Gln
	Asn61Glu + Thr66Gly
	Asp60Glu + Asn62Gln
	Asn62Gln + Gly65Pro
25	Asn61Ser + Thr66Ser
	Asp60Glu + Gly65Pro
	Ser63Glu + Gly65Pro
	Asp60Glu + Thr66Ser
	Gln59Ser + Asn61Glu
30	Asn62Asp + Gly65Gln
	Asn61Gln + Ser63Asp
	Gln59Asp + Gly65Asn
	Ser63Asp + Thr66Pro
	Ser63Glu + Thr66Asn
35	Asn62Glu + Thr66Asn
	Asn61Asp + Gly65Ser
	Gly65Pro + Thr66Ser
	Gln59Ser + Asn62Ser
	Asp60Glu + Gly65Ser
40	Ser63Asp + Gly65Ser
	Asn61Gln + Ser63Glu
	Asn61Asp + Asn62Ser
	Gln59Glu + Gly65Pro
	Gln59Ser + Asn61Asp
45	Gln59Asp + Asn62Ser
	Gln59Asn + Gly65Ser
	Ser63Glu + Thr66Ser
	Asn61Ser + Ser63Asp
	Asn62Ser + Gly65Pro

TABLE 4

Loop 1 - Triple Mutation Variants			
5	Gln59Ser + Ser63Asp + Gly65Pro		
	Asn62Gln + Gly65Ser + Thr66Asp		
	Gln59Ser + Asp60Glu + Thr66Gln		
	Gln59Asn + Ser63Glu + Thr66Pro		
	Asn61Ser + Gly65Asn + Thr66Glu		
10	Ser63Glu + Gly65Ser + Thr66Asn		
	Asn62Asp + Gly65Ser + Thr66Gly		
	Gln59Ser + Asn62Asp + Thr66Pro		
	Gln59Ser + Asp60Glu + Asn61Gln		
	Asn61Gln + Ser63Asp + Gly65Ser		
15	Asn62Glu + Gly65Asn + Thr66Gln		
	Asp60Glu + Gly65Asn + Thr66Ser		
	Asn62Ser + Ser63Asp + Thr66Gln		
	Gln59Asp + Asn62Gln + Gly65Pro		
	Asn62Ser + Ser63Glu + Thr66Gly		
20	Asn61Asp + Asn62Ser + Gly65Asn		
	Asp60Glu + Asn61Gln + Asn62Ser		
	Asp60Glu + Asn61Gln + Gly65Ser		
	Asp60Glu + Gly65Pro + Thr66Asn		
	Gln59Ser + Asn61Glu + Asn62Asp		
25	Asn61Asp + Asn62Asp + Gly65Pro		
	Asn61Glu + Asn62Glu + Thr66Gln		
	Gln59Asp + Asp60Glu + Thr66Gln		
	Gln59Asp + Asp60Glu + Thr66Pro		
	Asn62Asp + Ser63Asp + Gly65Asn		
30	Asn62Glu + Ser63Glu + Gly65Asn		
	Asn62Asp + Ser63Glu + Gly65Gln		
	Gln59Ser + Asn62Asp + Ser63Glu		
	Asn62Glu + Ser63Asp + Gly65Ser		
	Asn61Asp + Asn62Asp + Ser63Glu		
35	Gln59Glu + Asp60Glu + Asn61Glu		
	Asp60Glu + Asn62Glu + Ser63Asp		
	Asp60Glu + Asn61Glu + Ser63Glu		
	Gln59Ser + Asp60Glu + Asn62Glu		

TABLE 5

Loop 1 - Quadruple Mutation Variants			
40	Gln59Ser + Asp60Glu + Gly65Gln + Thr66Gln		
	Gln59Ser + Asn62Ser + Ser63Asp + Gly65Gln		
	Asp60Glu + Asn62Ser + Gly65Pro + Thr66Gln		
	Asn62Gln + Ser63Glu + Gly65Pro + Thr66Gln		
	Asn61Gln + Asn62Gln + Ser63Asp + Gly65Pro		
45	Gln59Asn + Asp60Glu + Asn61Gln + Gly65Asn		
	Gln59Glu + Asn62Ser + Gly65Pro + Thr66Ser		

	Gln59Asn + Asn61Asp + Asn62Asp + Thr66Asn
	Gln59Asp + Asp60Glu + Asn62Ser + Gly65Ser
	Asn61Gln + Asn62Asp + Ser63Glu + Thr66Gln
5	Asp60Glu + Asn61Asp + Asn62Glu + Gly65Ser
	Asn61Asp + Asn62Glu + Ser63Glu + Thr66Ser
	Asn61Asp + Asn62Glu + Ser63Asp + Gly65Ser
	Gln59Glu + Asp60Glu + Asn61Asp + Gly65Ser
	Asp60Glu + Asn62Asp + Ser63Glu + Thr66Pro
10	Asp60Glu + Asn62Glu + Ser63Glu + Thr66Asn
	Asp60Glu + Asn62Glu + Ser63Asp + Gly65Ser
	Asp60Glu + Asn61Asp + Ser63Glu + Thr66Asn
	Gln59Ser + Asp60Glu + Asn61Asp + Ser63Asp
	Asp60Glu + Asn61Asp + Ser63Asp + Gly65Pro
15	Asp60Glu + Asn61Asp + Ser63Asp + Thr66Gly
	Asp60Glu + Asn61Asp + Ser63Glu + Gly65Asn
	Gln59Ser + Asp60Glu + Asn62Asp + Thr66Gly
	Asp60Glu + Asn62Asp + Gly65Ser + Thr66Pro
	Asp60Glu + Asn61Gln + Asn62Glu + Gly65Ser
20	Gln59Ser + Asp60Glu + Asn62Asp + Gly65Gln
	Asp60Glu + Asn61Ser + Asn62Gln + Ser63Glu
	Asp60Glu + Asn61Ser + Ser63Asp + Thr66Pro
	Gln59Ser + Asp60Glu + Asn61Gln + Ser63Glu
	Asp60Glu + Ser63Glu + Gly65Ser + Thr66Asn
25	Gln59Asn + Asp60Glu + Ser63Asp + Gly65Gln
	Asp60Glu + Ser63Glu + Gly65Pro + Thr66Ser

TABLE 6

Loop 2 - Single Mutation Variants

	Val95Ala
30	Val95Asn
	Val95Asp
	Val95Cys
	Val95Gln
	Val95Glu
35	Val95Gly
	Val95His
	Val95Met
	Val95Pro
	Val95Ser
40	Val95Thr
	Leu96Ala
	Leu96Asn
	Leu96Asp
	Leu96Cys
45	Leu96Gln
	Leu96Glu
	Leu96Gly
	Leu96His
	Leu96Ile

	Leu96Met
	Leu96Pro
	Leu96Ser
	Leu96Thr
5	Leu96Val
	Gly97Asn
	Gly97Asp
	Gly97Gln
	Gly97Glu
10	Gly97Pro
	Gly97Ser
	Ala98Asn
	Ala98Asp
	Ala98Gln
15	Ala98Glu
	Ala98Gly
	Ala98His
	Ala98Pro
	Ala98Ser
20	Ala98Thr
	Asp99Glu
	Gly100Asn
	Gly100Asp
	Gly100Gln
25	Gly100Glu
	Gly100Pro
	Gly100Ser
	Ser101Asp
	Ser101Glu
30	Gly102Asn
	Gly102Asp
	Gly102Gln
	Gly102Glu
	Gly102Pro
35	Gly102Ser
	Gln103Asn
	Gln103Asp
	Gln103Glu
	Gln103Ser
40	Tyr104Ala
	Tyr104Asn
	Tyr104Asp
	Tyr104Cys
	Tyr104Gln
45	Tyr104Glu
	Tyr104Gly
	Tyr104His
	Tyr104Ile
	Tyr104Leu
50	Tyr104Met

	Tyr104Pro
	Tyr104Ser
	Tyr104Thr
	Tyr104Val
5	Ser105Asp
	Ser105Glu
	Trp106Ala
	Trp106Asn
	Trp106Asp
10	Trp106Cys
	Trp106Gln
	Trp106Glu
	Trp106Gly
	Trp106His
15	Trp106Ile
	Trp106Leu
	Trp106Met
	Trp106Phe
	Trp106Pro
20	Trp106Ser
	Trp106Thr
	Trp106Tyr
	Trp106Val
	Ile107Ala
25	Ile107Asn
	Ile107Asp
	Ile107Cys
	Ile107Gln
	Ile107Glu
30	Ile107Gly
	Ile107His
	Ile107Leu
	Ile107Met
	Ile107Pro
35	Ile107Ser
	Ile107Thr
	Ile107Val

TABLE 7

	Loop 2 - Double Mutation Variants
40	Val 95Gln + Ser101Glu
	Gly 97Ser + Gly100Gln
	Ser105Glu + Trp106Gly
	Asp 99Glu + Gln103Asn
45	Ala 98Gln + Trp106Thr
	Gly 97Asp + Ile107Thr
	Gly100Ser + Gly102Gln
	Leu 96Ser + Ser101Glu
	Asp 99Glu + Ile107Ala

	Leu 96Asn + Asp 99Glu
	Gly102Gln + Trp106Asp
	Tyr104Leu + Trp106Glu
	Tyr104Pro + Ile107Asp
5	Gly 97Ser + Ser101Asp
	Gly100Pro + Ser101Glu
	Val 95Asn + Ala 98Asp
	Val 95Met + Ile107Gly
	Asp 99Glu + Trp106Cys
10	Gly100Asn + Trp106Thr
	Gln103Ser + Trp106Pro
	Gly102Asp + Gln103Ser
	Gly102Ser + Trp106Gln
	Ser101Asp + Gly102Pro
15	Leu 96Cys + Trp106Asp
	Asp 99Glu + Gly102Ser
	Gly102Asp + Trp106Val
	Gly 97Ser + Trp106Phe
	Gln103Asp + Tyr104Thr
20	Ala 98His + Gly100Gln
	Ser105Glu + Trp106Leu
	Leu 96His + Tyr104Thr
	Gly 97Pro + Ser101Glu
	Val 95Thr + Trp106Ile
25	Gly100Asp + Tyr104Ile
	Val 95Pro + Gln103Asn
	Gln103Asn + Trp106Ile
	Ala 98His + Gly102Pro
	Trp106Asn + Ile107His
30	Val 95Gln + Leu 96Asp
	Gly 97Asp + Ala 98Gln
	Gly100Ser + Ser101Glu
	Val 95Asp + Tyr104Gly
	Tyr104Ala + Ser105Asp
35	Gly100Pro + Ser105Glu
	Leu 96Cys + Tyr104Leu
	Val 95Gly + Gly100Ser
	Gly102Gln + Tyr104Ser
	Ala 98Gly + Trp106Phe
40	Gly100Asp + Trp106Phe
	Val 95Glu + Ala 98Gln
	Ser101Glu + Tyr104Asn
	Leu 96Val + Ser101Asp
	Gly102Glu + Gln103Asn
45	Gly102Glu + Trp106Gly
	Ala 98Gln + Gly100Asp
	Gly100Gln + Gln103Ser
	Gly 97Glu + Tyr104Leu
	Ser101Asp + Gly102Ser
50	Ala 98His + Ser101Asp

Gly 97Asp + Gln103Asn

TABLE 8

Loop 2 - Triple Mutation Variants

5	Val 95Gln + Leu 96Thr + Ser101Glu
	Ala 98His + Gln103Glu + Trp106Cys
	Ala 98Gln + Ser101Glu + Tyr104Met
	Ser101Asp + Gln103Ser + Ile107Cys
	Ala 98Pro + Asp 99Glu + Gly102Pro
10	Val 95Pro + Gly 97Glu + Gly100Gln
	Ser101Glu + Gly102Pro + Ile107His
	Leu 96Pro + Gly100Pro + Gly102Asn
	Gly100Glu + Gly102Asn + Trp106Tyr
	Ala 98Asn + Gln103Glu + Ile107Ser
15	Gly 97Pro + Gly100Asp + Trp106Met
	Gln103Asn + Tyr104Leu + Ser105Asp
	Gly 97Pro + Ala 98Gln + Tyr104Cys
	Ala 98Gly + Gly100Glu + Gln103Ser
	Leu 96Ile + Gly 97Pro + Ser105Asp
20	Ala 98Pro + Gly100Pro + Ile107Ala
	Val 95Pro + Gln103Asp + Ile107Met
	Val 95Gln + Ser101Glu + Trp106Phe
	Leu 96Val + Ser101Glu + Ile107Pro
	Leu 96Gly + Gly 97Glu + Trp106Thr
25	Gly 97Asp + Tyr104Ser + Trp106His
	Gly 97Ser + Gly100Pro + Tyr104Cys
	Gln103Ser + Ser105Asp + Ile107His
	Ala 98Glu + Tyr104Cys + Trp106Phe
	Val 95Gln + Gly100Pro + Gly102Ser
30	Val 95Ala + Gly102Asp + Tyr104Ser
	Val 95Ala + Leu 96Met + Ser105Asp
	Gly102Gln + Trp106Leu + Ile107Gly
	Leu 96Asn + Gly 97Glu + Ile107Pro
	Gly100Pro + Gly102Gln + Gln103Glu
35	Gly 97Asp + Ala 98Asn + Trp106Leu
	Ala 98Gln + Gly100Pro + Trp106His
	Leu 96Thr + Gly100Asn + Ser105Glu
	Val 95Ser + Leu 96Asn + Gly 97Pro
	Gly100Gln + Ser105Glu + Trp106Gln
40	Gly 97Glu + Tyr104Thr + Trp106Val
	Leu 96Ala + Ala 98Gln + Gly100Glu
	Val 95His + Gly 97Gln + Ser101Glu
	Val 95Pro + Gly102Asn + Gln103Glu
	Gln103Asn + Trp106Ile + Ile107Ala
45	Gly 97Ser + Ala 98Glu + Tyr104Gln
	Val 95Glu + Leu 96Ile + Ile107Gln
	Leu 96Gln + Ala 98Ser + Asp 99Glu
	Leu 96Pro + Ser101Glu + Gly102Pro
	Gly 97Asn + Ala 98Pro + Gly100Pro

	Gly 97Asn + Ala 98Glu + Gly100Asn
	Gly102Pro + Trp106Ala + Ile107Pro
	Gly100Ser + Gly102Glu + Trp106Cys
5	Leu 96Thr + Gly102Glu + Ile107Val
	Leu 96Cys + Trp106Leu + Ile107Pro
	Leu 96Thr + Ser105Glu + Trp106Tyr
	Leu 96Ala + Gly100Asp + Ser101Asp
	Gly 97Asn + Ser101Glu + Gly102Asp
10	Val 95Gln + Ser101Asp + Gly102Asp
	Asp 99Glu + Gly100Asp + Trp106Phe
	Tyr104Glu + Ser105Asp + Ile107Asp
	Leu 96Glu + Ser101Glu + Trp106Val
	Tyr104Met + Ser105Asp + Ile107Asp
15	Gly 97Asp + Gly100Asp + Trp106Pro
	Val 95Ala + Gly 97Asp + Asp 99Glu

TABLE 9

Loop 2 - Quadruple Mutation Variants	
20	Leu 96Gln + Gly 97Ser + Ser101Glu + Trp106Val
	Val 95Ala + Ala 98Gln + Gly100Asn + Gln103Asp
	Val 95Gln + Tyr104Ile + Trp106Gly + Ile107Pro
	Val 95Met + Leu 96Gly + Gly100Pro + Trp106Gly
	Ala 98Gln + Gly100Pro + Tyr104Thr + Trp106His
25	Gly 97Pro + Ala 98His + Gly100Pro + Ile107Asp
	Ala 98Pro + Gly100Glu + Trp106Ser + Ile107Met
	Leu 96Gln + Gly 97Ser + Ser105Asp + Ile107Val
	Ala 98Gly + Ser101Asp + Trp106Ala + Ile107Gln
	Val 95Ser + Gly 97Ser + Asp 99Glu + Gln103Ser
30	Leu 96Thr + Gly 97Ser + Asp 99Glu + Tyr104Asn
	Val 95Thr + Leu 96Gln + Ala 98Pro + Ser105Glu
	Val 95Gly + Gly 97Ser + Tyr104Asn + Trp106Glu
	Leu 96Gln + Gly 97Ser + Tyr104Thr + Ile107Glu
	Val 95Ser + Leu 96Pro + Gly100Gln + Ser101Asp
	Leu 96Met + Gly100Ser + Ser101Asp + Trp106Asn
35	Leu 96Ile + Ala 98Ser + Gly100Pro + Gly102Glu
	Val 95Asn + Ala 98Gly + Gln103Ser + Tyr104Val
	Gly 97Asn + Asp 99Glu + Gly102Asn + Trp106His
	Gly 97Ser + Gly102Asp + Gln103Asp + Ile107His
	Val 95Pro + Gly100Glu + Ser101Glu + Tyr104Gly
40	Ala 98Pro + Gly100Asp + Ser101Asp + Ile107Cys
	Leu 96Gly + Ser101Asp + Gly102Asp + Ile107Gly
	Val 95His + Tyr104Asp + Ser105Asp + Trp106Ala
	Gly102Pro + Ser105Asp + Trp106Asp + Ile107Thr
	Leu 96Glu + Ala 98Gln + Gly102Asp + Tyr104Pro
45	Ala 98Thr + Asp 99Glu + Gly100Glu + Ser101Glu
	Gly 97Ser + Ala 98Glu + Asp 99Glu + Gly100Glu
	Leu 96Asp + Gly 97Glu + Gly100Glu + Ile107Asn
	Leu 96Asn + Gly100Asp + Ser101Asp + Gly102Glu
	Val 95Gly + Ser101Glu + Gly102Asp + Gln103Asp

	Val 95His + Leu 96Glu + Gly100Gln + Ser101Glu
	Leu 96Glu + Gly100Gln + Ser101Asp + Gly102Ser
	Gly 97Asp + Gly100Asp + Gly102Pro + Ile107Gly
	Gly 97Glu + Asp 99Glu + Gly100Pro + Tyr104Ser
5	Leu 96Ile + Gly 97Gln + Gln103Glu + Ser105Glu
	Gln103Asp + Ser105Asp + Trp106Asn + Ile107His
	Val 95Pro + Ala 98Pro + Gln103Glu + Ser105Asp
	Val 95His + Asp 99Glu + Ser101Glu + Gly102Pro
	Leu 96Asn + Asp 99Glu + Gly100Asn + Ser101Glu
10	Ala 98Asp + Asp 99Glu + Ser101Asp + Ile107Pro
	Leu 96Thr + Gly 97Glu + Gly100Glu + Gly102Asp
	Val 95Glu + Gly102Asp + Tyr104Ser + Ile107Glu
	Leu 96Gly + Gly102Asp + Gln103Asp + Ser105Glu
	Gly102Glu + Gln103Glu + Ser105Glu + Trp106Cys
15	Asp 99Glu + Ser101Glu + Gly102Glu + Gln103Asn
	Asp 99Glu + Ser101Glu + Gly102Glu + Trp106Gly
	Gly102Glu + Gln103Asn + Tyr104Asp + Ile107Thr
	Val 95His + Leu 96Val + Gln103Glu + Ile107Glu
	Gly 97Ser + Gly102Ser + Gln103Glu + Ile107Glu
20	Val 95Glu + Leu 96Asp + Gln103Asp + Ile107Asn
	Val 95Thr + Gly102Glu + Trp106Tyr + Ile107Asp
	Val 95Glu + Gly 97Glu + Ala 98Gly + Gly100Asp
	Leu 96Ala + Gly 97Pro + Ala 98Asp + Ser101Asp
	Val 95Asp + Leu 96Asp + Tyr104Glu + Ile107Ser
25	Val 95Pro + Gly102Glu + Tyr104Pro + Ser105Asp
	Leu 96Asn + Gly102Asp + Gln103Asn + Ser105Glu
	Leu 96Asn + Gly102Asp + Tyr104Ala + Ser105Glu
	Leu 96Ser + Gly 97Gln + Gly102Glu + Ser105Asp
	Leu 96Thr + Asp 99Glu + Gly102Asp + Ile107Gly

30

TABLE 10

Loop 3 - Single Mutation Variants

35

Leu126Ala
 Leu126Asn
 Leu126Asp
 Leu126Cys
 Leu126Gln
 Leu126Glu
 Leu126Gly
 Leu126His
 Leu126Ile
 Leu126Met
 Leu126Pro
 Leu126Ser
 Leu126Thr
 Leu126Val
 Gly127Asn
 Gly127Asp
 Gly127Gln

45

	Gly127Glu
	Gly127Pro
	Gly127Ser
	Gly128Asn
5	Gly128Asp
	Gly128Gln
	Gly128Glu
	Gly128Pro
	Gly128Ser
10	Pro129Asn
	Pro129Asp
	Pro129Gln
	Pro129Glu
	Pro129Gly
15	Pro129Ser
	Ser130Asp
	Ser130Glu
	Gly131Asn
	Gly131Asp
20	Gly131Gln
	Gly131Glu
	Gly131Pro
	Gly131Ser
	Ser132Asp
25	Ser132Glu
	Ala133Asn
	Ala133Asp
	Ala133Gln
	Ala133Glu
30	Ala133Gly
	Ala133His
	Ala133Pro
	Ala133Ser
	Ala133Thr

35

TABLE 11

 Loop 3 - Double Mutation Variants

	Leu126Gln + Ser130Glu
	Gly131Gln + Ala133Asn
40	Pro129Asp + Gly131Gln
	Gly128Ser + Ser130Glu
	Leu126Pro + Ala133Gly
	Gly127Asp + Ala133Gly
	Leu126Asp + Pro129Gln
45	Gly131Asn + Ala133Gln
	Gly127Pro + Gly131Glu
	Gly128Asn + Gly131Asp
	Pro129Gln + Ser130Glu
	Gly128Pro + Ser130Asp

	Gly128Gln + Pro129Ser
	Gly128Asn + Pro129Gly
	Leu126Val + Ser130Asp
5	Leu126Val + Pro129Ser
	Leu126Cys + Pro129Glu
	Gly127Asp + Ala133Thr
	Gly128Pro + Pro129Glu
	Gly127Ser + Gly131Asp
	Leu126His + Pro129Asp
10	Gly131Pro + Ala133Glu
	Gly127Ser + Gly128Ser
	Pro129Asn + Gly131Glu
	Leu126Val + Pro129Asp
	Pro129Gly + Ala133Asp
15	Leu126Val + Ser130Glu
	Pro129Glu + Ala133Pro
	Pro129Gly + Ser130Asp
	Leu126His + Gly128Glu
	Gly128Asn + Ser132Glu
20	Gly127Pro + Ser132Asp
	Gly127Gln + Pro129Gln
	Gly128Pro + Pro129Asp
	Gly128Asn + Ser130Glu
	Leu126Cys + Pro129Asn
25	Pro129Asn + Ser132Glu
	Leu126Ser + Ser132Asp
	Gly128Glu + Gly131Ser
	Pro129Asn + Ser130Asp
	Leu126Ser + Ser132Glu
30	Pro129Gln + Gly131Pro
	Gly127Asp + Gly128Gln
	Gly128Gln + Pro129Glu
	Gly127Pro + Pro129Gly
	Pro129Gln + Ala133Gln
35	Leu126Val + Gly128Asp
	Gly128Ser + Ser132Glu
	Leu126Asn + Pro129Gly
	Leu126Ile + Ala133Gly
	Gly128Ser + Gly131Gln
40	Gly127Ser + Ser130Asp
	Leu126Cys + Ser132Asp
	Gly127Pro + Ser130Glu
	Leu126His + Ala133Asp
	Gly131Ser + Ala133Glu
45	Gly131Pro + Ala133Gln
	Gly131Asp + Ala133Ser
	Leu126Asp + Ala133Asn
	Leu126Glu + Pro129Gln

TABLE 12

Loop 3 - Triple Mutation Variants		
5	Leu126His + Pro129Glu + Ala133Asn	
	Leu126Asp + Gly128Ser + Gly131Gln	
	Pro129Asn + Gly131Ser + Ser132Glu	
	Gly128Pro + Pro129Asn + Ser130Glu	
	Gly128Gln + Ser130Glu + Ala133Ser	
10	Gly131Gln + Ser132Glu + Ala133Gln	
	Gly128Asp + Gly131Ser + Ala133Asn	
	Gly131Ser + Ser132Asp + Ala133Pro	
	Pro129Ser + Gly131Gln + Ala133Glu	
	Gly128Asn + Ser130Glu + Gly131Gln	
15	Leu126Gly + Gly127Gln + Gly131Pro	
	Leu126Pro + Gly127Glu + Gly128Pro	
	Leu126Ser + Pro129Ser + Ser132Asp	
	Gly128Ser + Ser132Glu + Ala133Asn	
	Leu126Val + Ser132Glu + Ala133Gln	
20	Pro129Gly + Ser130Glu + Gly131Pro	
	Leu126Thr + Gly127Pro + Ala133Asn	
	Leu126His + Ser130Asp + Ala133Pro	
	Leu126Cys + Gly127Ser + Pro129Ser	
	Leu126Gly + Ser132Asp + Ala133Ser	
25	Gly128Gln + Pro129Gln + Gly131Asn	
	Gly128Asp + Gly131Asn + Ala133His	
	Leu126Cys + Ser130Glu + Ala133Gly	
	Gly127Ser + Ser130Asp + Ala133Gly	
	Leu126His + Pro129Asn + Ser130Asp	
30	Leu126Asn + Gly131Asp + Ala133Gln	
	Leu126Met + Gly128Asn + Ser132Asp	
	Leu126Glu + Gly127Gln + Ala133His	
	Leu126Met + Ser132Asp + Ala133His	
	Ser130Glu + Gly131Gln + Ala133Gln	
35	Gly127Pro + Gly128Ser + Ala133Ser	
	Leu126Ala + Pro129Gly + Ser132Glu	
	Gly131Asn + Ser132Asp + Ala133Asn	
	Leu126Val + Gly131Asp + Ala133Ser	
	Leu126Ser + Gly127Asn + Ala133Gln	
40	Pro129Gln + Ser130Glu + Ala133His	
	Leu126Met + Gly127Ser + Ser130Asp	
	Leu126Cys + Pro129Asn + Gly131Asp	
	Pro129Ser + Ser130Asp + Ala133Asn	
	Leu126Ser + Pro129Gly + Ser132Glu	
45	Gly127Ser + Pro129Gln + Ser132Asp	
	Gly127Pro + Gly128Asn + Pro129Gln	
	Leu126His + Ser132Asp + Ala133Asn	
	Gly128Pro + Pro129Glu + Ala133Thr	
	Pro129Ser + Gly131Glu + Ala133Pro	
	Leu126His + Gly128Pro + Pro129Gln	

5 Leu126Met + Gly127Asp + Gly128Asp
 Gly128Pro + Gly131Glu + Ser132Asp
 Gly131Asp + Ser132Glu + Ala133Pro
 Gly128Glu + Pro129Glu + Ala133Asn
 Pro129Ser + Ser132Glu + Ala133Glu
 Leu126Asn + Ser130Glu + Gly131Asp
 Pro129Asn + Ser130Glu + Gly131Asp
 Leu126His + Ser130Glu + Gly131Glu
 10 Pro129Glu + Ser130Asp + Gly131Asn
 Gly127Ser + Pro129Asp + Ser130Asp
 Ser130Asp + Gly131Asp + Ser132Asp
 Gly128Asp + Ser130Glu + Gly131Asn
 Leu126Met + Gly128Glu + Ser130Asp
 Gly128Asp + Pro129Asn + Ser130Glu

15

TABLE 13

Loop 3 - Quadruple Mutation Variants

20 Leu126Ser + Pro129Asn + Ser130Asp + Ala133His
 Leu126Met + Pro129Ser + Ser132Glu + Ala133Asn
 Gly127Ser + Gly131Gln + Ser132Glu + Ala133Gln
 Leu126Asn + Gly127Pro + Gly128Glu + Pro129Gly
 Leu126Asn + Pro129Gly + Gly131Asp + Ala133Gly
 Leu126Gly + Pro129Gly + Ser132Glu + Ala133Pro
 Leu126Gly + Gly127Asp + Pro129Gly + Gly131Pro
 25 Gly127Asn + Pro129Gln + Gly131Asp + Ala133Gly
 Leu126Pro + Gly127Ser + Gly128Gln + Ser130Glu
 Leu126Ala + Gly127Gln + Pro129Asn + Ser130Glu
 Leu126Asn + Gly127Ser + Ser130Glu + Ala133Thr
 Gly128Gln + Pro129Gln + Ser130Asp + Gly131Ser
 30 Leu126His + Gly128Ser + Gly131Ser + Ser132Asp
 Leu126Gln + Pro129Ser + Ser130Asp + Ala133His
 Leu126Val + Gly128Pro + Pro129Asn + Ala133Asp
 Leu126Val + Pro129Gly + Ser130Glu + Ala133Thr
 Leu126Thr + Gly127Pro + Ser132Glu + Ala133Thr
 35 Gly128Asp + Pro129Gly + Gly131Pro + Ala133Ser
 Leu126Asn + Gly128Glu + Pro129Gln + Gly131Pro
 Leu126Pro + Gly127Pro + Pro129Ser + Ser130Asp
 Gly127Pro + Gly128Gln + Gly131Glu + Ser132Glu
 Leu126Ile + Gly127Gln + Gly131Asp + Ser132Glu
 40 Leu126Val + Gly131Asp + Ser132Asp + Ala133Pro
 Gly128Asp + Pro129Asp + Gly131Asn + Ala133Pro
 Pro129Asn + Gly131Ser + Ser132Asp + Ala133Asp
 Leu126Gln + Gly131Pro + Ser132Asp + Ala133Asp
 Gly127Pro + Ser130Glu + Gly131Glu + Ala133His
 45 Leu126Gln + Pro129Gln + Ser130Asp + Gly131Glu
 Gly127Ser + Ser130Asp + Gly131Glu + Ala133Gln
 Leu126Ser + Gly127Pro + Pro129Glu + Ser130Glu
 Ser130Glu + Gly131Glu + Ser132Glu + Ala133Ser
 Gly127Gln + Ser130Glu + Gly131Asp + Ser132Asp

	Gly128Gln + Ser130Glu + Gly131Asp + Ser132Asp
	Gly127Asn + Ser130Glu + Gly131Asp + Ser132Asp
	Gly127Ser + Pro129Asp + Ser130Glu + Gly131Glu
	Gly127Asn + Pro129Asp + Ser130Asp + Gly131Asp
5	Gly128Asn + Pro129Glu + Ser130Glu + Gly131Asp
	Leu126Ser + Gly128Asp + Ser130Glu + Ala133Pro
	Gly127Asn + Gly128Asp + Ser130Glu + Ala133Pro
	Gly128Glu + Ser130Glu + Gly131Pro + Ala133His
	Leu126Val + Ser130Asp + Ser132Asp + Ala133Asn
10	Pro129Ser + Ser130Glu + Ser132Asp + Ala133Gly
	Leu126His + Ser130Glu + Ser132Asp + Ala133His
	Leu126Ala + Ser130Glu + Ser132Glu + Ala133Asn
	Gly127Pro + Gly128Gln + Ser130Asp + Ser132Glu
	Leu126Ser + Ser130Asp + Gly131Pro + Ser132Asp
15	Ser130Glu + Gly131Pro + Ser132Glu + Ala133Ser
	Gly128Gln + Ser130Asp + Gly131Ser + Ser132Glu
	Leu126Ala + Pro129Asn + Ser130Asp + Ser132Glu
	Gly127Gln + Gly128Pro + Pro129Glu + Gly131Asp
	Gly128Gln + Pro129Asp + Gly131Glu + Ala133Asn
20	Leu126Asn + Pro129Glu + Gly131Asp + Ala133Ser
	Leu126Met + Pro129Glu + Gly131Glu + Ala133Thr
	Gly127Asp + Gly128Gln + Pro129Asp + Ala133Gln
	Leu126His + Pro129Gly + Gly131Glu + Ala133Glu
	Gly128Glu + Pro129Gly + Gly131Asp + Ala133Asn
25	Pro129Gly + Ser130Glu + Ser132Asp + Ala133Glu
	Leu126Gln + Ser130Glu + Ser132Glu + Ala133Glu
	Leu126Gly + Pro129Asp + Ser130Glu + Ser132Glu
	Pro129Asp + Ser130Glu + Gly131Ser + Ser132Asp

30

TABLE 14

Loop 4 - Single Mutation Variants

	Gly154Asn
	Gly154Asp
	Gly154Gln
35	Gly154Glu
	Gly154Pro
	Gly154Ser
	Asn155Asp
	Asn155Gln
40	Asn155Glu
	Asn155Ser
	Glu156Asp
	Gly157Asn
	Gly157Asp
45	Gly157Gln
	Gly157Glu
	Gly157Pro
	Gly157Ser
	Thr158Asn

	Thr158Asp
	Thr158Gln
	Thr158Glu
	Thr158Gly
5	Thr158Pro
	Thr158Ser
	Ser159Asp
	Ser159Glu
	Gly160Asn
10	Gly160Asp
	Gly160Gln
	Gly160Glu
	Gly160Pro
	Gly160Ser
15	Ser161Asp
	Ser161Glu
	Ser162Asp
	Ser162Glu
	Ser163Asp
20	Ser163Glu
	Thr164Asn
	Thr164Asp
	Thr164Gln
	Thr164Glu
25	Thr164Gly
	Thr164Pro
	Thr164Ser
	Val165Ala
	Val165Asn
30	Val165Asp
	Val165Cys
	Val165Gln
	Val165Glu
	Val165Gly
35	Val165His
	Val165Met
	Val165Pro
	Val165Ser
	Val165Thr
40	Gly166Asn
	Gly166Asp
	Gly166Gln
	Gly166Glu
	Gly166Pro
45	Gly166Ser
	Tyr167Ala
	Tyr167Asn
	Tyr167Asp
	Tyr167Cys
50	Tyr167Gln

	Tyr167Glu
	Tyr167Gly
	Tyr167His
	Tyr167Ile
5	Tyr167Leu
	Tyr167Met
	Tyr167Pro
	Tyr167Ser
	Tyr167Thr
10	Tyr167Val

TABLE 15

Loop 4 - Double Mutation Variants

	Asn155Ser + Glu156Asp
15	Gly154Ser + Tyr167Gln
	Gly154Glu + Val165Ala
	Asn155Glu + Thr164Pro
	Gly157Pro + Ser159Asp
	Gly154Ser + Ser161Asp
20	Ser161Glu + Val165Pro
	Gly154Gln + Ser161Glu
	Asn155Asp + Thr158Pro
	Thr164Asn + Gly166Gln
	Asn155Glu + Tyr167His
25	Glu156Asp + Thr158Gly
	Gly154Pro + Gly157Glu
	Asn155Ser + Tyr167Asp
	Thr158Pro + Gly166Asp
	Thr164Gln + Tyr167Glu
30	Gly157Gln + Thr158Glu
	Thr158Asn + Ser162Asp
	Gly154Asn + Tyr167Glu
	Gly157Gln + Ser161Asp
	Thr164Asp + Tyr167Ala
35	Gly160Asp + Val165His
	Gly154Glu + Gly157Ser
	Glu156Asp + Tyr167Ile
	Asn155Ser + Thr158Asp
	Gly157Gln + Thr164Pro
40	Thr164Ser + Tyr167Ile
	Ser159Glu + Tyr167Thr
	Thr164Glu + Val165Gln
	Thr158Gly + Gly160Ser
	Ser161Asp + Gly166Pro
45	Gly154Glu + Gly166Ser
	Gly160Asp + Val165Asn
	Ser162Glu + Val165Gln
	Gly157Asn + Ser159Glu
	Ser161Asp + Val165Asn

	Asn155Asp + Val165Pro
	Glu156Asp + Gly166Ser
	Gly154Pro + Ser159Asp
	Gly154Ser + Tyr167Cys
5	Gly160Pro + Thr164Asp
	Ser161Glu + Val165Gly
	Ser162Glu + Tyr167Asn
	Gly154Asn + Gly166Glu
	Ser161Glu + Tyr167Ala
10	Gly160Gln + Val165Pro
	Gly154Glu + Val165Gly
	Gly160Ser + Ser163Asp
	Gly157Glu + Thr158Asn
	Gly160Asp + Val165Pro
15	Gly160Asn + Ser162Asp
	Thr164Gln + Gly166Gln
	Asn155Ser + Thr158Gln
	Ser161Glu + Tyr167Gly
	Ser162Asp + Gly166Ser
20	Gly154Glu + Thr158Gly
	Gly154Ser + Thr158Ser
	Gly157Asp + Gly160Pro
	Ser163Glu + Val165His
	Gly154Pro + Gly166Asp

25

TABLE 16

Loop 4 - Triple Mutation Variants

	Gly154Gln + Asn155Ser + Glu156Asp
	Gly154Ser + Gly160Asp + Tyr167Gln
30	Asn155Glu + Gly157Ser + Thr164Pro
	Gly157Asn + Ser159Asp + Gly160Ser
	Glu156Asp + Gly160Ser + Val165Thr
	Gly160Pro + Ser162Glu + Thr164Asn
	Gly154Ser + Glu156Asp + Thr158Gln
35	Gly160Asn + Ser162Glu + Gly166Ser
	Gly160Ser + Val165Gly + Gly166Gln
	Thr158Gln + Ser162Asp + Tyr167Val
	Gly157Gln + Ser162Glu + Tyr167Leu
	Ser162Glu + Thr164Gln + Val165Cys
40	Gly157Ser + Val165Met + Gly166Glu
	Gly154Ser + Glu156Asp + Gly166Pro
	Thr158Ser + Ser161Asp + Thr164Gly
	Glu156Asp + Gly157Ser + Gly160Asn
	Gly154Gln + Asn155Asp + Gly166Ser
45	Ser163Glu + Val165Thr + Tyr167Pro
	Gly157Asp + Thr158Gln + Val165Ser
	Gly157Asn + Ser159Asp + Gly166Ser
	Gly160Gln + Ser163Glu + Val165Met
	Gly154Asn + Asn155Asp + Gly157Pro

	Glu156Asp + Thr158Asn + Val165Cys
	Thr158Asn + Gly160Glu + Thr164Pro
	Gly154Asn + Gly157Pro + Thr158Gln
	Asn155Glu + Gly157Ser + Thr158Gln
5	Thr158Glu + Gly160Ser + Tyr167Val
	Asn155Gln + Glu156Asp + Thr164Ser
	Asn155Ser + Ser162Glu + Val165Met
	Gly154Gln + Thr158Gly + Gly166Asp
	Ser163Glu + Val165Ala + Gly166Asn
10	Asn155Ser + Gly160Glu + Thr164Gln
	Gly157Asp + Thr164Ser + Gly166Pro
	Ser163Asp + Thr164Glu + Tyr167Met
	Ser163Asp + Thr164Asp + Val165Met
	Glu156Asp + Gly157Asp + Thr164Gln
15	Gly157Gln + Gly166Asp + Tyr167Glu
	Ser161Asp + Ser162Glu + Tyr167His
	Gly154Asn + Ser159Glu + Ser162Glu
	Ser159Asp + Ser162Glu + Val165Cys
	Ser159Glu + Gly160Ser + Ser161Asp
20	Thr158Asp + Ser161Glu + Ser162Glu
	Ser161Glu + Ser163Asp + Thr164Ser
	Ser161Glu + Ser163Glu + Val165His
	Asn155Glu + Glu156Asp + Thr158Glu
	Gly157Glu + Thr164Glu + Val165Gly
25	Ser161Asp + Ser163Glu + Thr164Glu
	Gly157Glu + Thr158Gln + Ser159Glu
	Gly157Glu + Ser159Asp + Tyr167Cys
	Gly157Asp + Ser163Glu + Thr164Glu
	Ser159Glu + Ser163Asp + Thr164Gly
30	Ser159Asp + Ser163Asp + Thr164Asn
	Thr158Asp + Ser161Asp + Ser163Glu
	Thr158Glu + Ser162Asp + Thr164Asn
	Thr158Glu + Ser162Asp + Val165Thr
	Gly157Ser + Thr158Asp + Ser162Glu
35	Thr158Asp + Ser163Glu + Thr164Asn
	Thr158Glu + Ser163Asp + Tyr167Gly
	Glu156Asp + Gly166Glu + Tyr167Ile
	Asn155Glu + Gly157Pro + Thr164Asp

TABLE 17

Loop 4 - Quadruple Mutation Variants

	Ser159Glu + Thr164Ser + Val165Thr + Gly166Pro
	Asn155Ser + Gly157Pro + Val165Ser + Gly166Glu
	Gly157Asn + Val165Pro + Gly166Glu + Tyr167Val
45	Thr158Ser + Gly160Gln + Val165His + Gly166Asp
	Gly154Ser + Gly157Pro + Ser163Glu + Thr164Ser
	Gly157Gln + Gly160Asp + Thr164Ser + Val165Asn
	Gly157Asn + Gly160Asp + Val165Cys + Tyr167Leu
	Glu156Asp + Thr158Ser + Val165Asn + Gly166Pro

5 Glu156Asp + Thr158Pro + Thr164Gln + Val165Pro
Asn155Gln + Glu156Asp + Thr164Gly + Val165Thr
Thr158Gly + Gly160Ser + Ser163Asp + Tyr167Asn
Ser159Asp + Gly160Gln + Gly166Ser + Tyr167Pro
Gly154Pro + Thr164Gln + Val165Gly + Gly166Asp
Gly154Asn + Gly160Pro + Ser161Glu + Gly166Pro
Asn155Ser + Gly157Asn + Thr164Gln + Tyr167Asp
Gly157Asn + Thr158Asn + Ser163Glu + Val165Gln
Gly160Glu + Ser161Asp + Val165Met + Tyr167Pro
10 Asn155Glu + Glu156Asp + Thr158Gln + Gly166Pro
Asn155Asp + Glu156Asp + Val165Asn + Gly166Asn
Asn155Asp + Glu156Asp + Gly160Ser + Thr164Asn
Gly154Ser + Thr158Gln + Ser162Glu + Ser163Glu
Gly154Asn + Asn155Gln + Ser163Glu + Thr164Glu
15 Glu156Asp + Gly157Glu + Gly160Gln + Thr164Gly
Glu156Asp + Gly157Glu + Thr158Ser + Val165Cys
Gly154Pro + Gly157Pro + Thr158Asp + Ser159Asp
Gly154Ser + Gly157Asn + Thr158Glu + Ser159Glu
Gly157Pro + Gly160Pro + Gly166Asp + Tyr167Glu
20 Gly154Asn + Ser161Glu + Ser162Glu + Tyr167Asn
Gly154Asp + Asn155Asp + Thr164Gln + Gly166Asn
Gly154Gln + Ser159Glu + Gly160Glu + Ser161Asp
Thr158Ser + Ser159Asp + Gly160Asp + Ser161Asp
Asn155Ser + Glu156Asp + Gly157Asp + Thr158Glu
25 Gly157Asn + Ser159Asp + Ser161Glu + Ser162Glu
Gly154Asn + Glu156Asp + Gly157Glu + Thr164Glu
Gly157Gln + Gly160Asp + Ser162Asp + Val165Thr
Gly160Glu + Ser162Asp + Thr164Asn + Gly166Gln
Gly154Asp + Asn155Ser + Glu156Asp + Thr164Ser
30 Gly154Asp + Glu156Asp + Gly157Glu + Thr158Gly
Gly154Gln + Gly157Pro + Ser159Asp + Ser161Asp
Ser159Glu + Ser161Asp + Gly166Ser + Tyr167His
Ser159Asp + Ser161Asp + Gly166Pro + Tyr167Ser
Glu156Asp + Thr158Glu + Val165Ala + Gly166Gln
35 Glu156Asp + Thr158Asp + Gly166Pro + Tyr167Ala
Asn155Gln + Thr158Asp + Thr164Asp + Tyr167Val
Ser163Glu + Thr164Asp + Val165Met + Gly166Glu
Ser161Asp + Ser163Asp + Val165Thr + Tyr167His
Ser161Asp + Ser163Glu + Thr164Gln + Gly166Asn
40 Gly157Pro + Ser159Glu + Ser161Asp + Ser163Glu
Gly154Pro + Glu156Asp + Ser163Asp + Thr164Glu
Asn155Asp + Glu156Asp + Thr158Asp + Thr164Asn
Glu156Asp + Ser159Asp + Thr164Asp + Val165Ala
Thr158Gln + Ser159Asp + Ser163Glu + Val165Cys
45 Gly154Gln + Ser159Asp + Ser163Asp + Gly166Pro
Asn155Ser + Gly160Asp + Ser162Glu + Thr164Asp
Gly154Gln + Gly160Asp + Ser162Glu + Thr164Glu
Glu156Asp + Gly160Pro + Val165Pro + Gly166Glu
Gly160Glu + Ser163Asp + Thr164Gly + Tyr167Leu
50 Gly160Glu + Ser163Glu + Thr164Pro + Gly166Gln

Asn155Asp + Thr158Pro + Ser163Glu + Thr164Asp
 Asn155Ser + Glu156Asp + Ser163Asp + Gly166Glu

TABLE 18

5 Loop 5 - Single Mutation Variants

	Ala187Asn
	Ala187Asp
	Ala187Gln
	Ala187Glu
10	Ala187Gly
	Ala187His
	Ala187Pro
	Ala187Ser
	Ala187Thr
15	Ser188Asp
	Ser188Glu
	Phe189Ala
	Phe189Asn
	Phe189Asp
20	Phe189Cys
	Phe189Gln
	Phe189Glu
	Phe189Gly
	Phe189His
25	Phe189Ile
	Phe189Leu
	Phe189Met
	Phe189Pro
	Phe189Ser
30	Phe189Thr
	Phe189Tyr
	Phe189Val
	Ser190Asp
	Ser190Glu
35	Ser191Asp
	Ser191Glu

TABLE 19

40 Loop 5 - Double Mutation Variants

	Ala187Asp + Phe189Gln
	Ala187Ser + Ser188Asp
	Ser188Glu + Phe189Pro
	Ala187Asp + Phe189His
	Ala187Asn + Ser191Glu
45	Ala187Gln + Ser191Asp
	Ala187Glu + Phe189Pro
	Ala187Pro + Phe189Asp

	Ser188Asp + Phe189Cys
	Phe189His + Ser191Asp
	Ser188Glu + Phe189Ala
5	Ala187His + Ser188Asp
	Ala187Asn + Ser188Glu
	Ser188Glu + Phe189Gln
	Ala187Asp + Phe189Ser
	Ser188Asp + Phe189Val
	Ala187Gln + Ser188Glu
10	Ala187Ser + Ser188Glu
	Ala187Pro + Ser191Asp
	Ser188Glu + Phe189Val
	Phe189Ser + Ser191Glu
	Ala187Gly + Ser191Glu
15	Ala187Asn + Ser191Asp
	Ala187Thr + Ser191Asp
	Ala187His + Ser188Glu
	Ser188Glu + Phe189Gly
	Ala187Ser + Phe189Ile
20	Ser188Glu + Phe189Met
	Phe189Asn + Ser191Asp
	Ala187Gln + Phe189Tyr
	Ala187Gln + Ser191Glu
	Ala187Ser + Phe189Ala
25	Phe189Val + Ser191Asp
	Ser188Glu + Phe189Leu
	Ala187Pro + Ser188Glu
	Phe189Asn + Ser191Glu
	Phe189Ile + Ser191Asp
30	Ala187Glu + Phe189Met
	Ala187His + Ser191Glu
	Ser188Asp + Phe189Tyr
	Ala187Gly + Phe189Val
	Ser188Asp + Phe189Gln
35	Ala187Gly + Phe189Tyr
	Ala187Gln + Phe189Asp
	Phe189Tyr + Ser191Glu
	Ala187Ser + Ser191Asp
	Ala187Thr + Ser188Glu
40	Ala187Asn + Ser188Asp
	Ala187Gly + Ser188Asp
	Ala187Gly + Phe189Cys
	Phe189Cys + Ser191Glu
	Ala187Asp + Phe189Gly
45	Ser188Asp + Phe189Leu
	Ser188Asp + Phe189Gly
	Ala187Asn + Phe189Asp
	Ala187Pro + Ser191Glu
	Phe189Met + Ser191Asp
50	Ala187Thr + Ser188Asp

Phe189Ala + Ser191Glu
Phe189Leu + Ser191Glu

TABLE 20

Loop 5 - Triple Mutation Variants

5	Ala187Pro + Phe189Cys + Ser191Glu
	Ala187Thr + Phe189Tyr + Ser191Glu
	Ala187Ser + Ser188Glu + Phe189Ser
	Ala187Gln + Phe189Asn + Ser191Glu
	Ala187Gln + Ser188Asp + Phe189His
10	Ala187Gln + Ser188Glu + Phe189His
	Ala187Gly + Ser188Asp + Phe189Met
	Ala187Gly + Ser188Asp + Phe189Cys
	Ala187Pro + Phe189His + Ser191Glu
	Ala187Pro + Phe189Gln + Ser191Glu
15	Ala187Asn + Ser188Asp + Phe189Asn
	Ala187Gly + Ser188Glu + Phe189Ser
	Ala187Gln + Phe189Met + Ser191Asp
	Ala187Gly + Ser188Asp + Phe189Pro
	Ala187Thr + Phe189His + Ser191Asp
20	Ala187Asn + Ser188Glu + Phe189Cys
	Ala187Gln + Phe189Val + Ser191Glu
	Ala187Pro + Phe189Met + Ser191Glu
	Ala187Ser + Ser188Glu + Phe189His
	Ala187Ser + Phe189Gln + Ser191Asp
25	Ala187Gln + Ser188Asp + Phe189Pro
	Ala187Gly + Ser188Asp + Phe189Gly
	Ala187His + Phe189Gln + Ser191Glu
	Ala187Thr + Ser188Glu + Phe189Ile
	Ala187Pro + Phe189Gly + Ser191Glu
30	Ala187Thr + Phe189Met + Ser191Glu
	Ala187Gly + Phe189Thr + Ser191Glu
	Ala187Gln + Phe189Leu + Ser191Glu
	Ala187Thr + Phe189Thr + Ser191Asp
	Ala187Gln + Ser188Asp + Phe189Met
35	Ala187Pro + Phe189Ser + Ser191Glu
	Ala187Asp + Ser188Glu + Phe189Val
	Ala187Glu + Ser188Glu + Phe189Ser
	Ala187Asp + Ser188Glu + Phe189Met
	Ala187Asp + Ser188Asp + Phe189Gln
40	Ala187Asp + Ser188Glu + Phe189Cys
	Ala187Asp + Ser188Glu + Phe189Tyr
	Ala187Glu + Ser188Glu + Phe189Tyr
	Ala187Asp + Ser188Asp + Phe189Gly
	Ala187Glu + Ser188Glu + Phe189Leu
45	Ala187Asp + Ser188Glu + Phe189Ser
	Ala187Glu + Ser188Asp + Phe189Gly
	Ala187Asp + Ser188Asp + Phe189Pro
	Ala187Asp + Ser188Glu + Phe189His
	Ala187Glu + Ser188Glu + Phe189Thr

	Ala187Glu + Ser188Asp + Phe189Ile
	Ala187Glu + Ser188Asp + Phe189Asn
	Ala187Ser + Ser188Glu + Phe189Glu
	Ala187Gly + Ser188Asp + Phe189Glu
5	Ala187Gly + Ser188Glu + Phe189Asp
	Ala187Pro + Ser188Glu + Phe189Asp
	Ala187Asp + Ser188Glu + Phe189Glu
	Ala187Glu + Ser188Asp + Phe189Asp
	Ala187Asp + Ser188Glu + Phe189Asp
10	Ala187Glu + Ser188Glu + Phe189Glu
	Ala187Gly + Phe189Glu + Ser191Asp
	Ala187Gly + Phe189Glu + Ser191Glu
	Ala187Thr + Phe189Glu + Ser191Glu
	Ser188Glu + Phe189Glu + Ser191Glu
15	Ser188Glu + Phe189Glu + Ser191Asp

TABLE 21

Loop 5 - Quadruple Mutation Variants	
20	Ala187Ser + Ser188Glu + Phe189Asp + Ser191Asp
	Ala187Pro + Ser188Glu + Phe189Glu + Ser191Glu
	Ala187His + Ser188Glu + Phe189Asp + Ser191Glu
	Ala187Gly + Ser188Asp + Phe189Asp + Ser191Glu
	Ala187His + Ser188Glu + Phe189Glu + Ser191Asp
	Ala187Thr + Ser188Asp + Phe189Asp + Ser191Glu
25	Ala187Asn + Ser188Glu + Phe189Glu + Ser191Glu
	Ala187Pro + Ser188Asp + Phe189Glu + Ser191Glu
	Ala187Pro + Ser188Asp + Phe189Asp + Ser191Asp
	Ala187Ser + Ser188Glu + Phe189Asp + Ser191Glu
	Ala187His + Ser188Asp + Phe189Glu + Ser191Asp
30	Ala187Thr + Ser188Glu + Phe189Asp + Ser191Asp
	Ala187Asn + Ser188Asp + Phe189Glu + Ser191Glu
	Ala187Gln + Ser188Glu + Phe189Asp + Ser191Glu
	Ala187Gly + Ser188Asp + Phe189Glu + Ser191Glu
	Ala187Glu + Ser188Asp + Phe189Gly + Ser191Asp
35	Ala187Glu + Ser188Glu + Phe189Met + Ser191Asp
	Ala187Asp + Ser188Asp + Phe189Ile + Ser191Glu
	Ala187Asp + Ser188Glu + Phe189Leu + Ser191Asp
	Ala187Asp + Ser188Glu + Phe189Thr + Ser191Asp
	Ala187Glu + Ser188Glu + Phe189Leu + Ser191Asp
40	Ala187Glu + Ser188Asp + Phe189Tyr + Ser191Asp
	Ala187Glu + Ser188Glu + Phe189Gln + Ser191Asp
	Ala187Glu + Ser188Glu + Phe189Cys + Ser191Glu
	Ala187Glu + Ser188Glu + Phe189Gln + Ser191Glu
	Ala187Glu + Ser188Glu + Phe189Pro + Ser191Glu
45	Ala187Asp + Ser188Glu + Phe189Ser + Ser191Glu
	Ala187Glu + Ser188Glu + Phe189Cys + Ser191Asp
	Ala187Asp + Ser188Asp + Phe189Leu + Ser191Asp
	Ala187Glu + Ser188Asp + Phe189Ile + Ser191Asp
	Ala187Asp + Ser188Asp + Phe189His + Ser191Glu

	Ala187Glu + Ser188Asp + Phe189His + Ser191Asp
	Ala187Glu + Ser188Asp + Phe189Val + Ser191Asp
	Ala187Asp + Ser188Glu + Phe189Gly + Ser191Glu
	Ala187Asp + Ser188Asp + Phe189Cys + Ser191Asp
5	Ala187Glu + Ser188Glu + Phe189Asn + Ser191Glu
	Ala187Asp + Ser188Asp + Phe189Thr + Ser191Glu
	Ala187Asp + Ser188Asp + Phe189Ile + Ser191Asp
	Ala187Asp + Ser188Asp + Phe189Ala + Ser191Glu
	Ala187Asp + Ser188Asp + Phe189Val + Ser191Glu
10	Ala187Glu + Ser188Glu + Phe189Ala + Ser191Glu
	Ala187Asp + Ser188Asp + Phe189Ser + Ser191Asp
	Ala187Glu + Ser188Asp + Phe189Asn + Ser191Asp
	Ala187Asp + Ser188Asp + Phe189Cys + Ser191Glu
	Ala187Asp + Ser188Glu + Phe189Cys + Ser191Asp
15	Ala187Glu + Ser188Asp + Phe189Ser + Ser191Glu
	Ala187Asp + Ser188Glu + Phe189Tyr + Ser191Glu
	Ala187Asp + Ser188Glu + Phe189Ala + Ser191Asp
	Ala187Gly + Ser188Glu + Phe189Thr + Ser191Asp
	Ala187His + Ser188Asp + Phe189Met + Ser191Glu
20	Ala187Thr + Ser188Asp + Phe189Ser + Ser191Asp
	Ala187Ser + Ser188Glu + Phe189Met + Ser191Asp
	Ala187Ser + Ser188Asp + Phe189Ser + Ser191Asp
	Ala187Thr + Ser188Asp + Phe189Tyr + Ser191Glu
	Ala187Ser + Ser188Glu + Phe189Ala + Ser191Asp
25	Ala187Asn + Ser188Glu + Phe189Gly + Ser191Asp
	Ala187Gln + Ser188Asp + Phe189Asn + Ser191Glu
	Ala187Asn + Ser188Asp + Phe189His + Ser191Glu
	Ala187Gly + Ser188Asp + Phe189Ser + Ser191Glu
	Ala187His + Ser188Asp + Phe189Val + Ser191Asp

30

TABLE 22

Multi-loop Double Mutation Variants	
	Leu 96Gly + Ser204Glu
	Gln 59Ser + Asn 62Ser
35	Val 95Gln + Asn218Asp
	Tyr104Cys + Lys213Glu
	Gly127Gln + Ala216Pro
	Ser188Glu + Gly215Asn
	Gly 97Gln + Ile107Ala
40	Gln206Asp + Tyr217Thr
	Asp 60Glu + Gln206Asn
	Thr158Asp + Gln206Ser
	Pro210Gln + Gly215Asn
	Tyr104Glu + Ile107Leu
45	Tyr167Pro + Gly211Glu
	Ile107Leu + Ala187Asp
	Gly 97Glu + Thr164Pro
	Thr 66Pro + Val203Cys
	Ala133Gly + Tyr217Ser

	Ser105Glu + Phe189Val
	Tyr167Asp + Ala187Thr
	Ser161Glu + Ala216Thr
5	Ser 63Asp + Gln103Ser
	Leu 96Gln + Pro129Glu
	Ala 98Gly + Tyr214Glu
	Leu 96Asn + Asn212Ser
	Ser 63Asp + Phe189Leu
10	Thr158Gln + Lys213Glu
	Leu126Gln + Gly160Asp
	Ser159Asp + Tyr217Gln
	Ser101Asp + Val203Ala
	Gly100Asn + Gly215Glu
	Gln 59Asp + Gly131Gln
15	Gly157Glu + Leu209Pro
	Trp106Pro + Tyr217Ile
	Ala216Ser + Gly219Asp
	Thr 66Gln + Leu126Asn
	Gly102Gln + Gly219Asp
20	Asn212Ser + Lys213Asp
	Gln206Ser + Lys213Glu
	Tyr104Glu + Asn155Gln
	Val 95Asp + Leu126Ser
	Tyr104Asp + Gly166Gln
25	Thr 66Pro + Ser204Glu
	Asn 61Glu + Phe189Pro
	Asp 60Glu + Tyr167Ala
	Pro129Gln + Gln206Asp
	Gly160Asp + Ala216Asn
30	Ser161Glu + Gly166Asn
	Leu 96Pro + Gly100Asp
	Trp106Asn + Val203Asn
	Ser101Asp + Gly127Ser
	Ala133Gln + Val203Asp
35	Ser101Asp + Gly202Ser
	Ile107Ala + Gly160Asn
	Ala133Thr + Tyr214Ile
	Phe189Ser + Ser204Asp
	Gly 97Asp + Trp106Phe
40	Gln 59Asn + Glu156Asp
	Pro201Ser + Lys213Glu
	Ser162Glu + Gly202Gln
	Gly 65Ser + Gln206Asp
	Lys213Asp + Ala216Pro
45	Val203Ala + Lys213Asp
	Ala216Thr + Tyr217Pro
	Gly131Asn + Asn218Glu
	Tyr104Glu + Gly131Pro
	Gly127Ser + Thr158Asp
50	Trp106Gly + Ser132Asp

	Asn 62Ser + Ala187Ser
	Ser163Asp + Phe189Ser
	Pro201Gln + Gly215Glu
5	Gly100Gln + Tyr217Thr
	Ser130Glu + Gly154Asn
	Asp 60Glu + Tyr214Thr
	Asn155Glu + Tyr217Gln
	Ala 98Gln + Gly102Asn
10	Pro201Asn + Gly219Asp
	Thr 66Ser + Gly127Gln
	Leu126Glu + Ala216Thr
	Asn 61Ser + Asn155Glu
	Thr 66Ser + Gly157Asp
15	Pro129Ser + Thr164Gln
	Ala216Asp + Tyr217Val
	Ser130Glu + Tyr217Leu
	Asn 62Asp + Tyr214Leu
	Val 95Ser + Phe189Val
20	Gly100Pro + Ser159Asp
	Asn155Gln + Ser204Glu
	Pro129Asp + Val203Ser
	Ser101Glu + Thr158Asn
	Ala187Pro + Asn218Asp
25	Val 95Gly + Ser161Asp
	Gly202Pro + Ala216Gln
	Gly 97Ser + Gly215Asp
	Tyr167Asp + Gln206Ser
	Thr 66Ser + Asn212Glu
30	Ala216Thr + Tyr217Gln
	Ala200Asn + Tyr217Ala
	Asp 60Glu + Val203Pro
	Val 95Thr + Tyr217Met
	Val203Asn + Lys213Glu
35	Gly102Asp + Val203Gly
	Ser130Asp + Ala133Thr
	Tyr104Ala + Gly166Ser
	Leu 96Met + Tyr217Asp
	Ser101Asp + Gly102Pro
40	Ser101Asp + Thr220Pro
	Val 95Asn + Ala216Pro
	Tyr104Asn + Pro129Asp
	Gly202Asn + Gln206Asp
	Gln 59Glu + Ile107Cys
45	Thr 66Glu + Tyr104Pro
	Val 95Met + Asp 99Glu
	Ser204Glu + Gly211Pro
	Pro210Glu + Gly219Ser
	Leu126Pro + Ser204Glu
50	Pro129Asp + Ala200His
	Ile107Gly + Gly215Pro

5 Thr 66Glu + Gln206Asn
Asn155Asp + Leu209His
Gly211Asp + Tyr217Val
Ala216Asp + Thr220Gln
Thr158Gly + Ser204Asp
Gly100Glu + Ile107Ser
Ala 98Ser + Gly154Asn
Gln103Asn + Ala216Glu
10 Gly154Gln + Pro210Gln
Leu126Pro + Ala216His
Ala216His + Tyr217Leu
Gly154Glu + Tyr217Ser
Gly 97Ser + Tyr167Thr
Trp106Ile + Ala216Gly
15 Gly102Ser + Phe189Gly
Gly154Glu + Gly219Asn
Lys213Glu + Ala216Pro
Asn 62Asp + Leu126Ser
Thr 66Gly + Gln206Glu
20 Gly157Pro + Val203Cys
Gln 59Asp + Tyr214Ser
Leu 96Met + Gly100Ser
Ala 98Gly + Lys213Asp
Asn 62Gln + Leu 96Asp
25 Gly127Asn + Gln206Glu
Gly160Pro + Gly219Asn
Leu 96Thr + Tyr217Ala
Trp106Phe + Tyr217Thr
Gly131Pro + Lys213Glu
30 Gly 65Gln + Asp 99Glu
Gly127Asn + Gly128Gln
Ala133Asn + Gly154Asn
Ser204Glu + Gly215Ser
Glu156Asp + Pro210Ser
35 Asp 60Glu + Gln206Ser
Asn 61Gln + Ala216Asn
Pro210Asn + Asn212Asp
Ala133Asp + Val203Asn
Gly219Ser + Thr220Gly
40 Ser191Asp + Val203Thr
Gly160Glu + Ala216Thr
Ser162Glu + Ala216Gln
Ala 98Gln + Tyr217Asn
Val 95Asp + Gln206Asn
45 Tyr104Ser + Ser204Asp
Gly100Pro + Phe189Gln
Gly 97Asp + Tyr217His
Gln206Ser + Gly211Asn
Ala187Asn + Ser188Asp
50 Ala 98Gly + Asp 99Glu

	Thr164Asn + Phe189Cys
	Val203Gln + Gln206Ser
	Trp106Cys + Gly157Ser
	Thr158Ser + Gly160Ser
5	Ser188Asp + Tyr217Gly
	Gly157Asn + Phe189Met
	Ser188Asp + Ala216Asn
	Gly128Asn + Gly166Ser
	Leu126Asn + Ala216Ser
10	Gly127Asp + Gln206Asn
	Gln 59Glu + Leu 96His
	Ser132Asp + Tyr217Ala
	Gly166Ser + Gly219Glu
	Ser163Glu + Val203Met
15	Ala 98His + Tyr217Met
	Ala 98Pro + Ser130Asp
	Gly160Asn + Ser204Glu
	Gln206Asn + Gly215Asp
	Gln103Ser + Ser130Asp
20	Ala133Gly + Thr220Gly
	Ser132Glu + Ala216Gln
	Asn 61Gln + Ile107His
	Leu126Ala + Gly131Glu
	Gln206Asp + Thr220Gly
25	Gln206Glu + Tyr217Cys
	Gly157Ser + Pro210Asp
	Gly166Glu + Tyr214Gln
	Ser188Glu + Ala216His
	Thr 66Glu + Gly166Gln
30	Gly102Pro + Gly166Glu
	Val 95Gln + Tyr104Ile
	Ser191Glu + Gly219Ser
	Asp 99Glu + Asn218Gln
	Gly100Asn + Ser105Glu
35	Gly166Pro + Pro210Asn
	Gln 59Asn + Thr164Ser
	Leu126His + Tyr214Ala
	Thr 66Pro + Lys213Asp
	Trp106His + Gly211Ser
40	Tyr167Leu + Ser204Glu
	Val 95Thr + Ala133Gly
	Ile107Ser + Gln206Glu
	Phe189Tyr + Lys213Asp
	Gly 65Asn + Asn218Asp
45	Tyr167Val + Lys213Glu
	Gly 97Gln + Ser132Glu
	Asp 99Glu + Gly102Pro
	Leu126Cys + Ala216Asp
	Leu126Cys + Gly127Ser
50	Ser191Asp + Ala216Asn

5 Gly100Gln + Gly154Asp
Asn 61Asp + Gly211Ser
Ser161Asp + Phe189Leu
Ile205Gln + Ala216Glu
Asn 62Gln + Tyr217Leu
Ile107Met + Ser161Asp
Leu126Ile + Tyr217Ser
Ala 98His + Ser162Asp
10 Asn 61Asp + Gly128Ser
Asn155Glu + Gly215Gln
Asn155Gln + Ser204Asp
Asn155Glu + Thr220Gln
Lys213Asp + Tyr217His
Gly127Pro + Ser204Glu
15 Ser204Asp + Tyr217Ala
Glu156Asp + Val203Gly
Gly127Glu + Ala133His
Gly100Asn + Gly131Ser
Gly211Gln + Lys213Asp
20 Ala187Asp + Phe189Leu
Ala216Glu + Tyr217Cys
Ser204Asp + Ala216Thr
Gly131Ser + Thr158Asp
Gly100Asn + Gln206Asn
25 Ser105Asp + Gly131Gln
Ser204Asp + Tyr214Val
Tyr214Met + Tyr217Ile
Ser 63Glu + Thr164Asn
Ile107Cys + Ala216Pro
30 Trp106Gly + Gln206Asp
Gly102Asp + Thr164Pro
Asp 99Glu + Ala216Gln
Lys213Glu + Ala216Gln
Ala133Ser + Pro210Glu
35 Asp 60Glu + Tyr104Asn
Asn 62Gln + Ile107Cys
Tyr167Ala + Gly211Asp
Glu156Asp + Tyr217Ile
Gly131Pro + Leu209Pro
40 Lys213Glu + Asn218Gln
Gly160Ser + Val203Glu
Asn155Ser + Tyr167Ala
Asp 60Glu + Phe189Gly
Thr164Gln + Gly219Ser
45 Ser162Asp + Gln206Asn
Gly100Glu + Tyr104Asn
Gly160Pro + Gln206Ser
Thr 66Gly + Ala216Gly
Tyr104Ile + Gly215Pro
50 Pro201Gln + Ala216Thr

	Gln103Glu + Ala133Asn
	Ser163Glu + Phe189His
	Gly127Ser + Tyr217Ser
5	Gln206Asn + Leu209His
	Pro210Glu + Ala216Gln
	Asn 62Ser + Gln206Asn
	Ser161Glu + Gly219Asn
	Val203Gly + Asn212Glu
10	Ala 98Glu + Leu126Met
	Val165Gln + Ser204Asp
	Gly154Ser + Ala216His
	Pro201Gly + Gly211Glu
	Ser161Asp + Gly219Gln
15	Asn155Glu + Thr220Asn
	Leu 96Glu + Ile107Leu
	Thr158Ser + Gly215Ser
	Ser 63Glu + Pro129Ser
	Val 95Asn + Ser163Glu
20	Gly102Asn + Leu126Glu
	Thr 66Gly + Ala216Pro
	Gly157Ser + Thr158Glu
	Ala 98Asp + Ala187Ser
	Asp 99Glu + Thr164Gln
25	Thr 66Ser + Ser105Glu
	Gln103Asp + Gly154Pro
	Thr 66Glu + Tyr217His
	Gly127Gln + Ser204Glu
	Phe189Ile + Tyr217Thr
30	Ala133Gln + Lys213Asp
	Ser130Asp + Tyr217Thr
	Leu126Ile + Asn212Ser
	Gly154Asn + Gln206Asp
	Thr 66Pro + Glu156Asp
35	Gln103Asn + Lys213Asp
	Phe189Met + Gln206Asp
	Leu126Asn + Gly154Gln
	Pro210Gly + Gly215Glu
	Leu126Val + Ala216Pro
40	Gln206Ser + Tyr217His
	Leu 96Asn + Lys213Asp
	Leu126Pro + Ala216Ser
	Val203His + Gly211Asp
	Tyr167Ala + Tyr217Asp
	Trp106Asn + Gln206Asn
45	Gly127Ser + Ser161Glu
	Lys213Glu + Gly219Asn
	Val 95Thr + Thr208Gly
	Thr158Gly + Ser204Glu
	Gly 97Pro + Trp106Tyr
50	Phe189Ile + Val203His

	Leu 96Gln + Lys213Glu
	Gln206Glu + Ala216Thr
	Gly154Ser + Asn155Glu
5	Ser132Asp + Tyr214Asn
	Pro129Gln + Ala133Pro
	Ala 98Asn + Gly127Asp
	Gly211Gln + Asn218Asp
	Trp106Cys + Ser163Asp
10	Leu 96His + Ala216Gly
	Gly 97Asn + Ser204Asp
	Asn 61Ser + Gly157Asp
	Pro210Asn + Tyr217His
	Asp 60Glu + Tyr104Ala
15	Thr164Asn + Ala200Gly
	Tyr214Val + Ala216Asp
	Leu126His + Ala216Ser
	Gly128Gln + Asn212Asp
	Ser162Glu + Gln206Ser
20	Gln206Glu + Ala216Ser
	Thr164Pro + Thr220Asp
	Val203Ser + Gly219Asp
	Gln206Asn + Gly219Asp
	Ser 63Asp + Ile107Gln
25	Gly102Gln + Val203Ala
	Ser101Glu + Val165Gln
	Gln 59Ser + Gly166Glu
	Ser101Glu + Tyr217Ser
	Gly131Asn + Ala187Glu
30	Gly102Ser + Tyr214Gly
	Thr158Ser + Thr220Glu
	Asp 99Glu + Gly215Gln
	Val 95Gly + Thr220Asp
	Ala200Ser + Tyr214Val
35	Ser188Glu + Ala216Asn
	Tyr214His + Ala216Asp
	Thr158Glu + Phe189Asn
	Asn155Gln + Ser191Asp
	Thr 66Ser + Leu126Ser
40	Thr 66Gly + Gln206Asp
	Ser105Asp + Tyr214Thr
	Gly102Pro + Thr164Gln
	Trp106Gly + Pro210Gly
	Asn155Asp + Thr220Gln

TABLE 23

Multi-loop Triple Mutation Variants

Gln 59Ser + Leu 96Gly + Ser204Glu
 Asn 62Ser + Val 95Gln + Asn218Asp
 Tyr104Cys + Gly127Gln + Lys213Glu

5 Ser188Glu + Gly215Asn + Ala216Pro
Gly 97Gln + Ile107Ala + Gly157Glu
Ser162Glu + Pro210Gln + Gly215Asn
Thr 66Pro + Val203Cys + Tyr217Ser
Ser105Glu + Ala133Gly + Phe189Val
Leu 96Asn + Asn212Ser + Tyr214Glu
Gln 59Asp + Gly131Gln + Leu209Pro
Trp106Pro + Gly157Glu + Tyr217Ile
10 Thr 66Gln + Leu126Asn + Ser188Glu
Asn212Ser + Lys213Asp + Gly219Gln
Val 95Asp + Leu126Ser + Asn155Gln
Asn 61Glu + Thr 66Pro + Phe189Pro
Gly160Asp + Gly166Asn + Ala216Asn
Trp106Asn + Gly127Ser + Val203Asn
15 Ser101Asp + Ile107Ala + Gly202Ser
Ala133Thr + Phe189Ser + Tyr214Ile
Gln 59Asn + Gly 97Asp + Trp106Phe
Gly157Pro + Pro210Gly + Ala216Glu
Gly160Ser + Asn212Ser + Tyr217Thr
20 Asn 62Gln + Gln206Asn + Ala216Ser
Pro129Ser + Gly215Glu + Tyr217Pro
Ala 98Asn + Tyr217His + Thr220Gly
Val203Gly + Gly211Glu + Ala216Asn
Gly127Glu + Tyr214Asn + Ala216His
25 Trp106Pro + Ala133Pro + Gln206Asp
Val 95Ser + Gly128Glu + Tyr217Cys
Ser159Asp + Gly166Gln + Gly219Gln
Leu 96Val + Glu156Asp + Gly157Pro
Ala133Gly + Thr208Pro + Tyr214Pro
30 Trp106Asn + Gly128Pro + Val203Met
Gly 65Ser + Gly102Asn + Ala187His
Ala200Gln + Gln206Glu + Tyr217His
Gln103Ser + Glu156Asp + Ala216Ser
Gln 59Asn + Ala216Thr + Gly219Pro
35 Gly102Ser + Pro210Asp + Tyr217Ile
Gly100Glu + Ile107Ser + Thr158Gly
Ala 98Glu + Gly154Gln + Pro210Gln
Gln103Glu + Leu126Pro + Ala216His
Lys213Glu + Ala216His + Tyr217Leu
40 Gly154Glu + Tyr167Thr + Tyr217Ser
Gly 97Ser + Trp106Ile + Ala216Gly
Gly102Ser + Phe189Gly + Gly219Asn
Gly157Pro + Gly160Asp + Val203Cys
Leu 96Met + Ala 98Gly + Gly100Ser
45 Gly127Asn + Gly160Pro + Gln206Glu
Leu 96Thr + Tyr217Ala + Gly219Asn
Trp106Phe + Lys213Glu + Tyr217Thr
Gly102Glu + Gly127Asn + Gly128Gln
Ala133Asn + Gly154Asn + Ser161Asp
50 Asn 61Gln + Gln206Ser + Ala216Asn

	Ser204Asp + Gly219Ser + Thr220Gly
	Ala 98Gln + Ser159Glu + Tyr217Asn
	Gly 97Asp + Gly100Pro + Phe189Gln
	Gln206Ser + Gly211Asn + Tyr217His
5	Ala 98Gly + Ala187Asn + Ser188Asp
	Asp 99Glu + Thr164Asn + Phe189Cys
	Trp106Cys + Gly157Ser + Gln206Ser
	Gly157Asn + Ser188Asp + Tyr217Gly
	Gly166Ser + Ser188Asp + Ala216Asn
10	Leu126Asn + Gly128Asn + Ala216Ser
	Leu 96His + Ser132Asp + Tyr217Ala
	Ala 98His + Lys213Glu + Tyr217Met
	Ala 98Pro + Ser130Asp + Gly160Asn
	Ser130Asp + Ala133Gly + Thr220Gly
15	Asn 61Gln + Ile107His + Asn218Glu
	Gln206Glu + Tyr217Cys + Thr220Gly
	Gly157Ser + Pro210Asp + Tyr214Gln
	Val 95Gln + Gly102Pro + Gly166Glu
	Tyr104Ile + Ser191Glu + Gly219Ser
20	Asp 99Glu + Gly100Asn + Asn218Gln
	Gly131Glu + Gly166Pro + Pro210Asn
	Leu126His + Thr164Ser + Tyr214Ala
	Thr 66Pro + Gly211Ser + Lys213Asp
	Trp106His + Tyr167Leu + Ser204Glu
25	Val 95Thr + Ala133Gly + Gln206Glu
	Gly 97Gln + Gly102Pro + Ser132Glu
	Leu126Cys + Ser191Asp + Ala216Asn
	Gly100Gln + Gly154Asp + Gly211Ser
	Asn 62Gln + Ala216Glu + Tyr217Leu
30	Leu126Ile + Ser161Asp + Tyr217Ser
	Pro129Glu + Asn155Gln + Thr158Gln
	Gly127Glu + Ala133His + Val203Gly
	Gly131Ser + Gly211Gln + Lys213Asp
	Gly131Ser + Thr158Asp + Ala216Thr
35	Gly100Asn + Ser105Asp + Gln206Asn
	Gly 97Glu + Gly160Gln + Thr164Asn
	Ile107Cys + Lys213Asp + Ala216Pro
	Trp106Gly + Gln206Asp + Ala216His
	Ala133Ser + Lys213Glu + Ala216Gln
40	Asn 62Gln + Ile107Cys + Thr164Asp
	Gly131Pro + Leu209Pro + Tyr217Ile
	Asn155Ser + Tyr167Ala + Phe189Gly
	Asp 60Glu + Thr164Gln + Gly219Ser
	Gly160Pro + Ser204Glu + Gln206Ser
45	Thr 66Gly + Gly100Asp + Ala216Gly
	Tyr104Ile + Gly215Pro + Ala216Thr
	Gly127Ser + Lys213Asp + Tyr217Ser
	Ser188Glu + Gln206Asn + Leu209His
	Asn 62Ser + Gln206Asn + Pro210Glu
50	Ala 98Glu + Leu126Met + Val203Gly

5 Gly154Ser + Ser161Glu + Ala216His
Pro201Gly + Gly211Glu + Ala216Thr
Ser161Asp + Gly219Gln + Thr220Asn
Asn 62Glu + Thr158Ser + Gly215Ser
Gly102Asn + Leu126Glu + Ala216Pro
Gly127Gln + Ser204Glu + Tyr217Thr
Ala133Gln + Phe189Ile + Lys213Asp
Ser130Asp + Asn212Ser + Tyr217Thr
10 Leu126Ile + Gly154Asn + Gln206Asp
Thr 66Pro + Gln103Asn + Lys213Asp
Leu126Asn + Gly154Gln + Pro210Gly
Leu126Val + Gly215Glu + Ala216Pro
Gln206Ser + Lys213Asp + Tyr217His
15 Leu 96Asn + Leu126Pro + Ala216Ser
Ser 63Asp + Trp106Asn + Gln206Asn
Gly127Ser + Ser161Glu + Gly219Asn
Val 95Thr + Thr208Gly + Lys213Glu
Gly 97Pro + Trp106Tyr + Asn218Glu
Leu 96Gln + Phe189Ile + Val203His
20 Ser132Asp + Ala133Pro + Tyr214Asn
Ala 98Asn + Gly127Asp + Gly211Gln
Leu 96His + Gly 97Asn + Ala216Gly
Pro210Asn + Gly215Glu + Tyr217His
Asp 60Glu + Trp106Tyr + Pro129Gln
25 Gly157Asn + Phe189Val + Asn218Asp
Gly100Asp + Thr164Asn + Ala200Gly
Leu126His + Gln206Asp + Ala216Ser
Ser 63Asp + Ile107Gln + Val203Ala
Ser101Glu + Gly102Gln + Val165Gln
30 Asp 99Glu + Thr158Ser + Gly215Gln
Ala200Ser + Ser204Glu + Tyr214Val
Asn155Gln + Thr158Glu + Phe189Asn
Thr 66Gly + Ser105Asp + Tyr214Thr
Gly102Pro + Thr164Gln + Pro210Gly
35 Trp106Gly + Asn155Asp + Thr220Gln
Thr158Gly + Ala187Gln + Ser204Glu
Gly154Gln + Tyr167Cys + Ser204Glu
Asp 60Glu + Ala 98His + Gly102Pro
Gly131Ser + Ile205Val + Ala216Asp
40 Gly128Gln + Val165Cys + Gly211Gln
Gly 97Asn + Ile107Gln + Gly166Gln
Gly160Asp + Gly166Pro + Tyr214Ile
Gln 59Asp + Gly154Ser + Asn218Gln
Gly154Ser + Val165His + Ser204Glu
45 Ser 63Glu + Pro129Ser + Tyr217Gly
Gly157Pro + Thr158Ser + Lys213Glu
Thr164Glu + Gly215Ser + Ala216Asn
Thr 66Pro + Asp 99Glu + Tyr217Cys
Trp106Met + Ala187Ser + Tyr217Ile
50 Ile107Thr + Glu156Asp + Tyr217Cys

5
10
15
20
25
30
35
40
45
50

Leu126Pro + Gly131Asn + Tyr217Leu
Tyr167His + Gly219Pro + Thr220Glu
Val 95Pro + Trp106Ile + Tyr217Gly
Val 95His + Gln206Asn + Lys213Glu
Val 95Ala + Ala187Ser + Tyr217Glu
Asp 60Glu + Asn 62Gln + Tyr167Ile
Gly160Asn + Ala187Gly + Gln206Ser
Gly102Gln + Trp106His + Ser163Glu
Asn 62Gln + Ser188Glu + Pro210Gln
Gly100Pro + Gly202Gln + Ala216Ser
Ser105Glu + Ile107Thr + Gly131Pro
Thr 66Gly + Gly131Asp + Phe189Ser
Gln103Asn + Ala187Ser + Ser204Glu
Asp 60Glu + Thr164Pro + Ala216Ser
Gln 59Glu + Asn212Ser + Tyr217Ser
Asn 61Glu + Gly166Gln + Gly215Pro
Asn 62Gln + Gly160Gln + Gly219Ser
Ser105Glu + Tyr167Ala + Tyr217Ser
Gly100Ser + Asn155Ser + Tyr217Asn
Gly 97Pro + Leu126Ala + Gly157Gln
Gly100Ser + Gly131Gln + Phe189Glu
Ser132Asp + Ala187Pro + Gln206Asn
Gln 59Asp + Gln206Asn + Tyr217Ile
Gln103Asn + Ile107Asn + Ala133Ser
Gly128Gln + Pro129Asn + Ala216Asp
Thr 66Glu + Trp106Ala + Ala187Ser
Asp 60Glu + Gly 65Asn + Tyr214Ser
Ser132Asp + Gly157Asn + Ala216Ser
Asn 62Asp + Ile205Thr + Gln206Ser
Gln 59Asn + Gly 65Pro + Val 95Asp
Val 95Ser + Gly102Ser + Lys213Asp
Ala216Pro + Tyr217Pro + Asn218Ser
Ser 63Asp + Gly127Ser + Thr220Asn
Gly 97Asn + Gly154Gln + Ala216Asn
Ala 98His + Trp106Val + Ala216Gln
Gly102Asn + Ile107Gln + Ser162Asp
Ile107Val + Lys213Glu + Ala216Ser
Tyr104Leu + Gln206Glu + Thr220Asn
Pro201Asn + Pro210Asn + Gly211Gln
Gly166Asn + Ile205Asn + Ala216Thr
Ala 98Ser + Gln206Ser + Gly215Ser
Ala133His + Ser188Asp + Tyr217Gly
Ala 98Glu + Gly131Pro + Gly157Pro
Leu 96Ile + Ser188Asp + Val203His
Tyr167Thr + Gln206Ser + Tyr217His
Leu 96Gln + Ser161Glu + Ala216Thr
Gly127Glu + Thr158Pro + Pro201Gly
Gly160Ser + Lys213Glu + Ala216Ser
Tyr104Ser + Leu126His + Tyr214His
Asn 62Ser + Gly160Glu + Ala216His

	Leu 96Cys + Thr164Ser + Ser204Asp
	Gly131Gln + Phe189Ile + Val203Asp
	Asp 60Glu + Gly 65Gln + Thr 66Asn
	Gly102Glu + Gly128Ser + Ala216Gln
5	Asn 62Gln + Val 95Gly + Gln206Asn
	Gly 97Pro + Gly154Asp + Asn218Gln
	Thr 66Pro + Leu 96Val + Ala216Pro
	Gly 97Asn + Asn155Glu + Tyr214Val
	Tyr104Ala + Tyr167Glu + Ala216Pro
10	Gly157Asn + Asn218Glu + Thr220Gly
	Ala133His + Thr164Gln + Gly166Ser
	Leu126Gln + Ser159Glu + Gly160Asp
	Asn 61Asp + Asn 62Asp + Gly128Ser
	Thr 66Pro + Gly100Glu + Ser101Glu
15	Ser204Glu + Ile205Gln + Ala216Glu
	Ser204Asp + Ala216Glu + Tyr217Cys
	Ser204Asp + Ala216Asp + Thr220Gln
	Gln103Asn + Ser204Glu + Ala216Glu
	Gly202Gln + Ser204Glu + Asn218Asp
20	Ser204Glu + Gln206Asp + Ala216Asp
	Ser204Asp + Gln206Glu + Ala216Asp
	Tyr167Ala + Ser204Asp + Tyr217Asp
	Gly211Asp + Lys213Glu + Ala216Thr
	Gly211Asp + Lys213Glu + Tyr217Pro
25	Tyr167Val + Gly211Asp + Lys213Glu
	Asp 60Glu + Asn 62Asp + Tyr217Leu
	Gly160Glu + Ser162Glu + Ala216Thr
	Ser204Glu + Gln206Asp + Tyr217Leu
	Ser204Glu + Gln206Glu + Ala216Thr
30	Ile107Cys + Ser204Glu + Gln206Glu
	Ser204Glu + Gln206Glu + Gly215Asn
	Ser161Asp + Ser163Asp + Ala216His
	Thr164Pro + Gln206Glu + Tyr217Asp
	Asp 60Glu + Gln206Asn + Pro210Asp
35	Asp 60Glu + Tyr104Asn + Pro210Glu
	Ala187Glu + Val203Glu + Asn218Glu
	Ser130Glu + Gly166Glu + Phe189Tyr
	Thr158Asp + Ser162Glu + Gln206Ser
	Gly154Asp + Val203Ser + Gly219Asp
40	Ser188Glu + Ser191Asp + Ala216Asn
	Asp 60Glu + Gly 97Glu + Asp 99Glu
	Thr164Pro + Ser204Glu + Gly219Glu
	Asp 99Glu + Gly102Asp + Ala216Gln
	Ser204Glu + Gln206Asn + Gly215Asp
45	Ser204Asp + Gln206Asp + Tyr214Asp
	Thr 66Asp + Gly211Glu + Lys213Asp
	Ser101Glu + Leu126Glu + Tyr214His
	Asn 61Glu + Leu 96Glu + Ile107Leu
	Asp 60Glu + Leu 96Glu + Gly166Pro
50	Ser101Glu + Gly127Glu + Ala187Gln

5 Ser 63Glu + Gly131Asn + Lys213Glu
Ser 63Asp + Phe189Leu + Lys213Glu
Ser105Glu + Ser132Glu + Tyr167Gly
Ser204Asp + Ala216Glu + Thr220Glu
Ser204Glu + Lys213Asp + Gly215Asp
Asp 99Glu + Ser101Asp + Tyr104Asp
Ser 63Asp + Pro210Glu + Tyr217Glu
Thr158Gln + Gln206Asp + Lys213Asp
10 Gln206Glu + Lys213Glu + Ala216His
Gly157Asp + Tyr214Gly + Thr220Asp
Ser 63Glu + Gly100Ser + Tyr217Asp
Gly100Glu + Gln103Asp + Gln206Asn
Gly154Glu + Ser163Asp + Val203Met
Val 95Gly + Lys213Asp + Ala216Glu
15 Gln 59Asn + Leu126Glu + Pro129Glu
Ser204Glu + Gln206Asp + Lys213Glu
Ala187Asp + Ser204Glu + Gln206Glu
Ser 63Glu + Ser204Glu + Ala216Asp
Asn 61Asp + Ser 63Asp + Ala216Glu
20 Pro129Glu + Asn155Glu + Ser163Asp
Ser 63Asp + Ile107Leu + Asn212Asp
Gln206Asp + Pro210Asp + Asn212Asp
Glu156Asp + Ser163Glu + Gly219Asp
Ile107Glu + Gly131Ser + Ser132Asp
25 Gly100Asn + Gly211Asp + Gly215Glu
Gln103Asp + Gly127Glu + Ala216Gln
Ser130Asp + Gly131Asp + Lys213Glu
Gly100Asp + Ser101Glu + Ser163Asp
Pro129Asp + Ser130Asp + Tyr217Glu
30 Val203Asp + Ser204Glu + Lys213Glu
Ser132Asp + Ala216Glu + Tyr217Glu
Ser101Glu + Ala187Glu + Ser188Glu
Ala 98Asp + Asp 99Glu + Ser204Asp
Ser204Asp + Gln206Asp + Asn212Asp
35 Gln103Asp + Glu156Asp + Ser191Glu
Ser132Asp + Ser204Glu + Ala216Asp
Ala 98Glu + Ser204Glu + Ala216Glu
Ser204Asp + Lys213Asp + Asn218Glu
Ser204Glu + Gly211Asp + Tyr217Asp
40 Ser162Asp + Gly166Asp + Asn212Ser
Gly128Glu + Gly166Glu + Gln206Glu
Asp 60Glu + Asn 62Glu + Ser204Asp
Asp 99Glu + Ser101Asp + Gly154Glu
Gln103Ser + Gln206Glu + Gly219Asp
45 Phe189Asp + Pro210Asp + Lys213Glu
Asn 61Asp + Ser101Glu + Gly128Asp
Thr 66Glu + Gly166Gln + Ala216Glu
Ser101Glu + Ser204Glu + Gln206Asp
Gly157Glu + Ser204Glu + Gln206Glu
50 Asp 99Glu + Ser204Asp + Gln206Glu

	Gly 97Glu + Ser204Glu + Gln206Asp
	Ser101Asp + Gly102Ser + Ser105Asp
	Ser161Glu + Ser163Asp + Gln206Asp
	Ser130Asp + Ser132Glu + Asn212Glu
5	Ser130Glu + Ser132Glu + Gly160Asp
	Pro129Glu + Gly131Glu + Gly215Glu
	Asn 62Gln + Thr158Asp + Gly166Glu
	Ser132Glu + Gln206Glu + Tyr217Asp
	Asp 60Glu + Phe189His + Asn212Glu
10	Gly131Glu + Lys213Asp + Gly215Glu
	Ser159Glu + Ser163Glu + Ser204Glu
	Thr158Glu + Ser162Asp + Gly219Asp
	Tyr104Glu + Ser132Glu + Asn212Asp
	Asp 99Glu + Glu156Asp + Ser159Glu
15	Ser 63Glu + Ser188Asp + Ser191Asp
	Ser188Asp + Ser191Glu + Ala216Asp
	Gln 59Glu + Ser188Asp + Ser191Asp
	Ser204Glu + Lys213Glu + Gly219Glu
	Asp 60Glu + Ser204Asp + Gly219Asp
20	Leu126Asp + Gly166Asp + Ser204Asp
	Thr164Glu + Ser188Glu + Gln206Ser
	Asp 60Glu + Gln206Glu + Lys213Asp
	Ser105Asp + Leu126Glu + Thr220Asp
	Asp 99Glu + Glu156Asp + Ser188Asp
25	Gln 59Glu + Asn 62Asp + Ala187Glu
	Gly166Glu + Val203Asp + Gln206Glu
	Asn155Glu + Ala187Glu + Lys213Asp
	Thr 66Asp + Ser204Glu + Lys213Asp
	Ser 63Asp + Ser188Glu + Asn218Glu
30	Ser 63Asp + Ser105Asp + Lys213Asp
	Ser105Asp + Ser132Glu + Gln206Glu
	Ser 63Asp + Gly 97Asp + Asn155Asp
	Ser 63Glu + Ser101Asp + Ser105Asp
	Thr164Glu + Gln206Glu + Lys213Glu
35	Leu126Glu + Gln206Asp + Lys213Asp
	Gly131Glu + Gln206Asp + Lys213Asp
	Ser 63Asp + Trp106Asp + Tyr217Glu
	Gly160Glu + Lys213Glu + Ala216Glu
	Ala133Glu + Lys213Asp + Ala216Asp
40	Ser 63Glu + Gln206Asp + Gly215Gln
	Lys213Asp + Ala216Asn + Tyr217Glu
	Ser130Asp + Ala187Asp + Ser204Glu
	Asp 99Glu + Ser188Glu + Asn218Asp
	Asn 61Asp + Ser188Glu + Asn218Glu
45	Gly102Asp + Ser204Glu + Thr220Glu
	Gly127Asp + Ser191Glu + Lys213Asp
	Thr 66Glu + Gly 97Glu + Tyr217Cys
	Gly154Asp + Ala187Glu + Gly215Asp
	Gly102Asp + Gly154Glu + Ser188Glu
50	Gln103Asp + Ser132Asp + Gln206Glu

Tyr167His + Ser191Glu + Asn218Asp
 Asp 60Glu + Glu156Asp + Gly160Glu
 Gln103Glu + Gly154Glu + Asn218Asp
 Asp 60Glu + Asn155Glu + Ser159Asp
 5 Gln103Glu + Ser161Glu + Ser191Asp
 Ala 98Asp + Ser132Asp + Gly166Glu
 Ser188Asp + Ser204Asp + Tyr214Val

TABLE 24

	Multi-loop Quadruple Mutation Variants
10	Gln 59Ser + Asn 62Ser + Leu 96Gly + Ser204Glu
	Gly127Gln + Ser188Glu + Gly215Asn + Ala216Pro
	Asn 62Gln + Ile107Ala + Gln206Asp + Tyr217Thr
	Asn 61Ser + Leu 96His + Gly157Pro + Ala216Gly
15	Leu 96Gln + Gly127Gln + Glu156Asp + Thr220Asn
	Thr158Glu + Gly202Ser + Gln206Ser + Thr220Ser
	Gly 97Asn + Ser105Asp + Gly215Ser + Ala216Ser
	Leu126Thr + Gly211Gln + Lys213Asp + Ala216Ser
	Gly100Asp + Trp106Asn + Gly127Ser + Val203Asn
20	Ile107Ala + Gly160Asn + Gly166Asp + Gly202Ser
	Ala133Thr + Phe189Ser + Tyr214Ile + Ala216Glu
	Asn 62Ser + Ser163Asp + Phe189Ser + Pro201Gln
	Ala 98Gln + Gly102Asn + Pro201Asn + Gly219Asp
	Thr 66Ser + Leu126Glu + Gly127Gln + Ala216Thr
25	Pro129Ser + Thr164Gln + Ala216Asp + Tyr217Val
	Gly128Gln + Thr158Gln + Gln206Asn + Asn212Asp
	Gly157Ser + Gln206Glu + Tyr217Cys + Thr220Gly
	Val 95Gln + Tyr104Ile + Ser191Glu + Gly219Ser
	Gln 59Asn + Gly 97Asn + Gly154Pro + Asn218Ser
30	Pro129Gly + Thr158Asn + Gln206Asn + Gly211Pro
	Ala 98His + Trp106His + Gln206Asn + Lys213Asp
	Leu126Ile + Ser204Glu + Gln206Asn + Tyr217Thr
	Gln 59Glu + Asn 62Gln + Phe189Leu + Val203Ala
	Pro129Gln + Gly154Pro + Ala187Thr + Lys213Glu
35	Ser 63Glu + Thr164Asn + Gln206Ser + Pro210Asn
	Leu 96Met + Gln103Asn + Ala133Ser + Ser204Glu
	Trp106Ala + Gly154Pro + Ala187Asn + Gly219Pro
	Asn 62Glu + Gly102Pro + Gly160Asn + Asn218Ser
	Thr 66Gly + Gly100Asp + Tyr104Ile + Ala216Gly
40	Gly102Asp + Pro201Gln + Gly215Pro + Ala216Thr
	Leu126Met + Val203Gly + Asn212Glu + Gly219Asn
	Leu 96Glu + Ile107Leu + Thr158Ser + Gly215Ser
	Ser130Asp + Ala133Gln + Asn212Ser + Tyr217Thr
	Thr 66Gly + Gly100Ser + Leu126Gly + Ala216Glu
45	Gln103Asp + Tyr104Ile + Gly128Gln + Tyr217Cys
	Leu126Pro + Ser204Asp + Gln206Asn + Thr208Asn
	Pro129Ser + Gly157Asn + Thr164Glu + Ala200Ser
	Gly128Gln + Val165Cys + Gly211Gln + Lys213Glu
	Gly160Asp + Gly166Pro + Gly211Ser + Tyr214Ile

	Gln103Ser + Gly166Asn + Tyr214Ile + Gly215Pro
	Asn 61Asp + Tyr104Ser + Leu126His + Tyr214His
	Gly 65Gln + Gly131Gln + Phe189Ile + Val203Asp
5	Asn 62Gln + Thr 66Asp + Val 95Gly + Gln206Asn
	Thr 66Pro + Gly 97Pro + Gly154Asp + Ala216Pro
	Val 95Pro + Tyr104Gly + Gly127Ser + Gly215Asp
	Asp 99Glu + Trp106Ala + Pro201Gln + Ala216Gly
	Asn 61Gln + Val 95Asp + Gly102Asn + Ala187Asn
10	Ile107Gln + Val203Ser + Ser204Asp + Gly215Ser
	Val 95Thr + Gly202Gln + Ser204Asp + Ala216Asn
	Thr158Pro + Val203Gly + Lys213Glu + Tyr217Ser
	Trp106Pro + Asn155Asp + Gln206Ser + Tyr214Ala
	Gly102Asn + Gly157Ser + Tyr167Ala + Ala216Asn
15	Gly160Asn + Val203Thr + Pro210Glu + Asn218Gln
	Ile107Ser + Gly128Asn + Asn155Glu + Ala216Gly
	Gln103Asn + Pro129Gly + Gly166Gln + Thr220Gly
	Asn 61Ser + Ser 63Asp + Thr 66Gly + Gly154Ser
	Tyr104Gly + Pro129Ser + Gln206Ser + Gly219Ser
20	Gly102Pro + Gly131Asp + Asn155Ser + Tyr217His
	Asn 61Ser + Val 95Gln + Ser204Asp + Ala216Gln
	Thr158Asn + Ala187Gly + Tyr217Ala + Gly219Asp
	Gly 65Gln + Gly 97Pro + Ser130Glu + Pro210Asn
	Gly128Asn + Ser159Glu + Pro201Ser + Tyr217Val
25	Leu126Asn + Asn155Gln + Gly202Gln + Asn212Ser
	Thr 66Ser + Tyr104Val + Gly154Glu + Gly215Asn
	Gly102Asn + Gly128Gln + Ser161Glu + Tyr217Met
	Ser132Glu + Thr158Gln + Thr164Asn + Gln206Asn
	Asn 62Glu + Leu 96Ile + Gly211Ser + Gly219Ser
30	Thr208Pro + Pro210Gly + Ala216Thr + Tyr217Met
	Gly100Gln + Gly160Asn + Pro201Gly + Asn212Asp
	Tyr104Asp + Gly154Pro + Ala187Asn + Val203Ser
	Leu 96Gln + Leu126Thr + Ser162Glu + Tyr217Val
	Gly128Asn + Ala187Pro + Pro201Gly + Ser204Glu
35	Gln103Ser + Gly157Glu + Thr158Gln + Ala216Gln
	Leu126Ser + Thr164Glu + Val203Pro + Gly211Gln
	Thr164Gly + Val203Met + Ala216Asp + Tyr217Gln
	Ser159Asp + Val203Asn + Ile205Asn + Pro210Ser
	Gly 65Asn + Gln206Asp + Ala216Gly + Tyr217His
40	Gln103Asn + Ile107Cys + Thr164Asp + Val203Thr
	Gly128Glu + Asn155Gln + Thr158Ser + Gly160Ser
	Ala 98His + Ser162Glu + Gln206Asn + Tyr217Gly
	Gly128Ser + Thr164Asn + Ser204Glu + Tyr217Gly
	Gly127Gln + Gly157Ser + Ser159Asp + Tyr217Val
	Gly157Asn + Gln206Asn + Tyr217Val + Gly219Pro
45	Thr 66Ser + Ala133Thr + Ser163Asp + Thr208Gln
	Leu 96Thr + Gly131Asp + Gln206Asn + Ala216Gly
	Asn 61Ser + Ser132Glu + Gly211Ser + Asn218Gln
	Gly100Ser + Tyr104Ala + Ser204Asp + Gly211Gln
	Leu 96His + Ala 98Glu + Pro129Gln + Ala133Asn
50	Asn 62Glu + Gly128Gln + Ala187Asn + Gly215Ser

	Leu 96Ile + Gly157Ser + Val203Ala + Ala216Ser
	Asn 61Gln + Val 95Thr + Gly160Asp + Ala216His
	Leu 96Cys + Gly128Pro + Ser191Glu + Thr208Asn
5	Trp106Ala + Gly131Gln + Val203Ala + Tyr214Gln
	Asn 61Ser + Ala216Gln + Tyr217Leu + Gly219Asn
	Tyr104Gly + Ser105Glu + Thr158Ser + Leu209Thr
	Ala133Ser + Phe189Thr + Asn212Glu + Tyr217Thr
	Tyr104Ser + Thr158Gly + Thr164Glu + Ala216Pro
10	Gln 59Asn + Thr 66Asn + Thr164Gly + Ala187Pro
	Ile107His + Gly157Ser + Lys213Glu + Tyr217Asn
	Gly127Ser + Gln206Asp + Gly215Gln + Tyr217Leu
	Leu126Gly + Gly131Glu + Tyr167Met + Thr220Gln
	Thr158Gln + Lys213Glu + Gly215Ser + Tyr217Gly
15	Asn 61Gln + Leu126Gly + Thr164Ser + Asn218Asp
	Asn 62Asp + Pro129Gly + Gln206Ser + Ala216His
	Asp 60Glu + Val 95Gln + Leu126Pro + Val203Thr
	Gln103Glu + Ile107Val + Phe189Asn + Ala216Thr
	Ile107Thr + Pro129Gln + Lys213Glu + Tyr217Thr
20	Tyr104His + Gly154Gln + Gly157Asp + Tyr217Ser
	Gln 59Asn + Trp106Cys + Ala200Thr + Ala216Gln
	Thr 66Gln + Gly 97Ser + Gly127Pro + Tyr217Asp
	Gly100Asn + Ser204Asp + Pro210Ser + Tyr214Gly
	Asn 62Ser + Ile107Gly + Leu126Cys + Thr220Gly
25	Leu126His + Gly154Asp + Asn218Gln + Thr220Asn
	Ser101Glu + Gly157Gln + Tyr214Pro + Ala216His
	Asn 62Gln + Ser162Glu + Val203Ser + Ala216Thr
	Tyr104Gln + Trp106Gly + Leu126Asp + Asn212Gln
	Gln 59Ser + Val 95Pro + Gly202Asn + Tyr217Ser
30	Leu 96Pro + Gly160Asp + Ser161Glu + Gly166Asn
	Ser159Glu + Gly160Asp + Tyr167Gly + Phe189Val
	Asn212Glu + Lys213Glu + Ala216Ser + Tyr217Gln
	Thr158Asp + Ser159Asp + Gly215Asn + Ala216Thr
	Ala 98Asp + Asp 99Glu + Thr164Gln + Ala187Ser
35	Gly 97Pro + Gly131Pro + Gly154Asp + Asn155Asp
	Gly102Ser + Trp106Gln + Gly157Glu + Phe189Asp
	Gly100Gln + Ser204Glu + Tyr214Ile + Ala216Glu
	Val 95Pro + Ser204Glu + Ala216Gly + Asn218Glu
	Ser204Glu + Ile205Gln + Pro210Gly + Asn218Asp
40	Gly 97Ser + Gly154Asn + Gln206Asp + Gly215Asp
	Gly 97Asp + Ala 98Gln + Asp 99Glu + Gly154Ser
	Thr158Gln + Val165Met + Gly211Glu + Lys213Glu
	Gly160Glu + Ser162Asp + Tyr167Ile + Gly219Ser
	Asn 61Ser + Thr 66Ser + Asn155Glu + Gly157Asp
45	Thr158Asp + Ser159Asp + Thr164Asp + Gly211Asn
	Val 95Asp + Gly102Glu + Ala187Pro + Tyr217Pro
	Asn 62Glu + Gly100Asp + Thr208Asn + Tyr217His
	Ser204Asp + Gln206Glu + Gly211Gln + Ala216His
	Gly154Asn + Ser204Glu + Gln206Asp + Tyr217Thr
50	Thr 66Gln + Ser130Glu + Ser132Asp + Thr158Pro
	Asp 60Glu + Gly 65Asn + Thr 66Glu + Tyr214Ser

5 Asp 60Glu + Gln206Ser + Pro210Glu + Gly219Ser
Thr158Asp + Ser163Glu + Ser191Glu + Ile205Gly
Ser204Asp + Gly215Gln + Ala216Glu + Gly219Asp
Thr158Asp + Ala187Asp + Phe189Glu + Tyr217Met
Gly128Gln + Pro129Asn + Val203Asp + Ala216Asp
Gly 97Asn + Ile107Gln + Ser204Glu + Gly219Glu
Trp106Asn + Gly157Gln + Ser204Asp + Gly219Asp
Gly127Asp + Gly128Asn + Ser130Asp + Gly219Gln
Val 95Ser + Pro129Gly + Asn155Glu + Ser188Glu
10 Asn155Asp + Ser188Asp + Phe189Asn + Ala216Gly
Trp106Phe + Ser204Asp + Gln206Asp + Tyr214Asp
Asn 62Asp + Gly 97Gln + Pro210Asp + Gly211Glu
Val 95Asp + Tyr104Asp + Leu126Ser + Asn155Gln
Gly100Asn + Gln206Asp + Lys213Glu + Ala216Asp
15 Gln206Asp + Lys213Asp + Ala216Glu + Tyr217Asn
Gly102Gln + Asn155Glu + Val203Glu + Asn218Asp
Gln 59Glu + Thr 66Glu + Gly102Pro + Gly166Gln
Leu126Cys + Gly157Asp + Ser163Asp + Ala216His
Thr 66Asp + Gln206Asp + Ala216Asp + Gly219Pro
20 Asn 62Asp + Ser 63Glu + Gly131Asn + Lys213Glu
Leu126Asn + Pro129Asn + Ser191Asp + Gly219Glu
Thr 66Asp + Gly100Asn + Gly127Ser + Lys213Glu
Ile107Val + Phe189Asp + Val203Glu + Ala216Gln
Ser 63Asp + Val 95Ser + Lys213Asp + Ala216Ser
25 Ile107His + Val203Cys + Tyr214Glu + Tyr217Asp
Asn 62Ser + Ser105Asp + Trp106Gly + Ser132Asp
Ser 63Glu + Leu 96Cys + Pro210Glu + Ala216Glu
Ala187Gly + Gly215Asp + Tyr217Thr + Asn218Glu
Gly160Ser + Gln206Glu + Lys213Glu + Ala216Ser
30 Gly131Pro + Phe189Leu + Gln206Glu + Lys213Glu
Pro129Asn + Ala133Gln + Gln206Glu + Lys213Glu
Ala 98His + Gly154Glu + Ser163Asp + Tyr217Met
Val203His + Gln206Glu + Gly211Glu + Lys213Asp
Leu126Ala + Ser204Glu + Gln206Asp + Lys213Glu
35 Ile107Leu + Gly157Glu + Val203His + Gly219Glu
Ala 98Glu + Gly102Asp + Ser105Glu + Leu209Thr
Thr 66Gln + Lys213Glu + Ala216Glu + Asn218Glu
Ser204Glu + Gln206Asn + Pro210Glu + Gly215Asp
Gly127Asp + Ser132Asp + Gly154Asp + Val165Gln
40 Ser 63Glu + Val203His + Asn212Glu + Tyr217Leu
Gln206Glu + Lys213Glu + Tyr217Ala + Asn218Glu
Gln206Asp + Lys213Glu + Ala216Asn + Asn218Asp
Gly157Pro + Ser188Glu + Ser204Glu + Ala216Asp
Gln 59Glu + Thr 66Asp + Gly100Gln + Gly215Glu
45 Trp106Ser + Ala187Asp + Gln206Glu + Tyr217Asp
Ser159Glu + Asn212Gln + Gly215Asp + Ala216Glu
Gly160Asp + Ser161Asp + Gln206Asp + Tyr214Asn
Thr 66Glu + Tyr167Gln + Gln206Glu + Gly211Pro
Pro129Asn + Ser163Glu + Tyr217Glu + Asn218Glu
50 Asn155Glu + Glu156Asp + Ser204Glu + Tyr214Thr

5 Gln 59Asp + Ser162Asp + Ser163Glu + Ala216Thr
Leu126Pro + Ser162Glu + Ser163Glu + Tyr217Glu
Gly100Glu + Val203Cys + Asn212Asp + Lys213Glu
Ser105Glu + Ala187Ser + Val203Glu + Ser204Asp
Gln103Asp + Ser163Glu + Thr164Glu + Pro201Gln
Val 95Gln + Glu156Asp + Gly157Asp + Lys213Glu
Ser162Glu + Thr164Gln + Ala216Asp + Tyr217Glu
Asp 99Glu + Gly100Glu + Ser159Glu + Ala216Thr
Ala 98Glu + Asp 99Glu + Trp106Gly + Gly154Asp
10 Asn 62Glu + Ser 63Glu + Pro129Ser + Asn155Asp
Asn 61Glu + Gln206Glu + Ala216Glu + Tyr217Cys
Thr 66Pro + Gln103Asp + Glu156Asp + Ser191Asp
Asp 60Glu + Ser204Asp + Ala216Asp + Tyr217Ile
Ser105Asp + Ser204Asp + Gln206Ser + Ala216Glu
15 Thr158Asn + Ser162Asp + Ser204Asp + Asn218Asp
Gln 59Asp + Gly157Ser + Ser204Asp + Asn218Asp
Gly 97Ser + Gly128Glu + Gln206Glu + Gly215Asp
Trp106Asp + Val203Cys + Ser204Glu + Tyr217Glu
Ser105Glu + Ala187Thr + Ser204Glu + Tyr217Glu
20 Gly 97Asn + Asn155Glu + Ser163Glu + Tyr214Val
Val 95Asp + Trp106Glu + Ala187Pro + Val203Asp
Gln103Asp + Trp106Glu + Gly128Asn + Ser162Asp
Gly128Glu + Ser130Asp + Ser188Glu + Ala216Gln
Gln103Asp + Ser105Glu + Gly154Glu + Ala216Thr
25 Ser159Glu + Gly211Glu + Lys213Asp + Tyr217Gly
Gln 59Asn + Ser188Asp + Gly211Glu + Lys213Glu
Ile107Glu + Gly211Glu + Lys213Asp + Tyr217Gln
Ser159Asp + Ser162Glu + Pro210Glu + Ala216Asn
Asp 60Glu + Asn 62Asp + Ser191Asp + Tyr217Leu
30 Asp 60Glu + Ser 63Asp + Ile107Asn + Phe189Glu
Leu 96Cys + Gly166Asp + Pro210Asp + Lys213Asp
Val 95Glu + Ala 98Asn + Gly102Glu + Ser162Glu
Ser 63Asp + Tyr167His + Ala216Glu + Gly219Glu
Tyr104Asp + Thr158Asp + Ser191Glu + Asn218Ser
35 Gly154Pro + Ser159Glu + Ser204Asp + Gln206Asp
Gly102Glu + Ser204Asp + Gln206Glu + Tyr217His
Asn155Gln + Ser163Asp + Ser204Glu + Gln206Glu
Gly131Asp + Thr158Gln + Ser204Asp + Gln206Asp
Tyr167Asp + Ser204Glu + Gln206Glu + Tyr217Asn
40 Gly 97Asp + Ala133Gly + Ser204Asp + Gln206Asp
Gly127Asp + Ser204Glu + Gln206Glu + Tyr214Asn
Gly102Glu + Gly127Gln + Asn155Asp + Thr220Asp
Gly 97Glu + Ser130Glu + Tyr167Asp + Tyr217Val
Asn 62Glu + Ala187Gly + Pro210Asp + Ala216Glu
45 Ser101Asp + Ser105Asp + Ala216His + Tyr217His
Ser130Asp + Ser132Glu + Asn212Glu + Ala216Gln
Ser130Glu + Ser132Glu + Gly160Asp + Thr220Gly
Gly100Glu + Tyr104Thr + Ser130Asp + Ser132Asp
Gln 59Ser + Gly160Asp + Gln206Glu + Tyr217Asp
50 Gly127Asp + Pro129Glu + Ser188Asp + Gln206Asn

Ser159Asp + Thr164Glu + Phe189His + Lys213Glu
 Asn 61Asp + Gly 97Asp + Ser159Glu + Thr220Ser
 Ser159Glu + Ser163Glu + Ser204Glu + Tyr217Ser
 Thr158Asp + Ser162Glu + Ala187Pro + Ala216Glu
 5 Leu 96Val + Thr158Glu + Ser162Asp + Gly219Asp
 Asp 99Glu + Thr158Asp + Ser162Asp + Val203Met
 Val 95Asp + Gly131Asn + Ser163Asp + Ser191Glu
 Asn 61Glu + Asp 99Glu + Ser204Asp + Tyr217Gly
 Asn 62Asp + Gly166Ser + Ser204Asp + Gly215Glu
 10 Gly102Asp + Ser105Asp + Tyr167Ala + Gly211Glu
 Ser188Asp + Ser191Glu + Ala216Gly + Tyr217Glu
 Asp 60Glu + Gly 97Asp + Trp106Asn + Ser159Glu
 Thr 66Asp + Leu 96Glu + Phe189Gly + Gly215Asp
 Asn 62Glu + Thr 66Asp + Tyr104Pro + Gly166Asp
 15 Asn 61Ser + Ala 98Asp + Asn155Asp + Ser188Glu
 Gly100Glu + Tyr104Glu + Ser130Glu + Asn155Gln
 Asp 60Glu + Leu126Asn + Gln206Glu + Lys213Asp
 Ala 98Glu + Gly154Pro + Glul56Asp + Ser188Glu
 Gly128Gln + Ala133Glu + Ala187Glu + Ser191Asp
 20 Ser101Glu + Gly154Asn + Gly211Glu + Tyr214Glu
 Ser132Asp + Asn155Asp + Thr158Glu + Ala216Thr
 Asn 61Glu + Asn155Asp + Ala187Asp + Asn212Gln
 Gln103Glu + Gly160Asn + Gln206Glu + Asn218Glu
 Gln 59Glu + Gly100Glu + Thr164Pro + Gly211Asp
 25 Ser 63Glu + Ser101Asp + Gly131Ser + Val203Pro
 Gln 59Asp + Thr 66Asp + Tyr104Val + Ala133Asp
 Ser 63Glu + Ser101Glu + Ala133His + Ala216Glu
 Asp 60Glu + Val 95Ala + Lys213Glu + Tyr217Ala
 Trp106Met + Ser191Glu + Lys213Glu + Gly219Glu
 30 Ser 63Asp + Gly160Asp + Lys213Asp + Ala216His
 Gly102Asp + Gly157Asn + Ser162Glu + Ser191Glu
 Gln 59Ser + Ser105Asp + Ser162Asp + Ser191Asp
 Gly127Pro + Ser162Glu + Ser191Glu + Asn212Asp
 Ser 63Asp + Ser105Asp + Ser132Asp + Ala216His
 35 Thr 66Gln + Gly128Glu + Glul56Asp + Ala216Asp
 Gly128Asp + Gly157Asn + Pro210Gln + Thr220Glu
 Glul56Asp + Gln206Glu + Lys213Glu + Ala216Asn
 Asp 99Glu + Gly157Pro + Gln206Asp + Lys213Glu
 Ser163Asp + Gln206Asp + Lys213Glu + Tyr217Ala
 40 Gly154Glu + Ser163Glu + Pro210Gln + Tyr217Asp
 Gly154Asp + Gly157Asn + Ser163Asp + Ser204Glu
 Gly154Ser + Gly157Asp + Lys213Glu + Ala216Glu
 Gly157Ser + Thr158Glu + Lys213Asp + Ala216Asp
 Ser101Glu + Gly154Pro + Lys213Asp + Ala216Glu
 45 Gly100Asp + Lys213Glu + Ala216Asp + Tyr217Leu
 Asn 62Ser + Thr158Glu + Ser204Asp + Thr220Asp
 Thr 66Asn + Ile107Val + Lys213Asp + Tyr217Asp
 Gly157Asn + Pro201Gln + Lys213Glu + Tyr217Asp
 Gly127Glu + Thr158Pro + Ala187Asp + Ser204Glu
 50 Asp 99Glu + Ala133Gly + Ser188Glu + Thr220Glu

5 Asp 60Glu + Ser188Glu + Gln206Ser + Asn218Glu
Gln 59Asp + Leu 96Glu + Gly131Gln + Ser132Asp
Ser101Glu + Pro129Asp + Thr158Asn + Val203Ser
Ser 63Glu + Ser163Asp + Ala216Asp + Tyr217Gln
Gly102Gln + Gly160Glu + Ser191Glu + Lys213Glu
Val 95Glu + Asp 99Glu + Gly215Glu + Asn218Gln
Ser105Glu + Ala133Glu + Val203Glu + Asn218Gln
Gln103Asp + Ser132Glu + Ser162Glu + Gln206Ser
10 Asp 60Glu + Ser101Asp + Thr164Gly + Lys213Asp
Gln 59Asp + Asp 99Glu + Gln103Asn + Ala187Pro
Asp 60Glu + Ser159Asp + Tyr167Leu + Ser188Asp
Asn 62Glu + Ser163Glu + Gly211Glu + Ala216His
Asn 62Glu + Ser132Asp + Pro210Gly + Gly211Glu
Gly102Asn + Ser162Asp + Gln206Asp + Gly219Asp
15 Ser188Asp + Ser204Asp + Tyr217Leu + Thr220Gln
Ser 63Glu + Gly166Gln + Ala216Thr + Asn218Glu
Gln103Glu + Gly131Glu + Tyr217Thr + Thr220Glu
Asp 60Glu + Phe189His + Asn212Glu + Ala216Asp
Asn155Gln + Gly215Glu + Tyr217Pro + Gly219Asp
20 Gly102Asn + Leu126Glu + Ser130Glu + Lys213Asp
Ala 98Asp + Gly166Glu + Pro210Asp + Tyr214Gln
Asn 62Glu + Asn155Ser + Lys213Asp + Tyr217Leu
Asp 60Glu + Ser105Glu + Lys213Glu + Thr220Gln
Asp 60Glu + Gln206Ser + Lys213Asp + Asn218Asp
25 Ser 63Glu + Gly 97Gln + Gln103Asp + Gln206Asp
Ser 63Glu + Val 95Ala + Ser130Asp + Gln206Asp
Ser 63Asp + Ile107Met + Ser191Asp + Gln206Asp
Pro129Asn + Ser130Asp + Lys213Glu + Tyr217Glu
Pro129Asn + Ser191Glu + Lys213Asp + Tyr217Glu
30 Gly 97Gln + Gly102Asp + Pro129Glu + Phe189Gln
Gln 59Asn + Ser162Glu + Phe189Asp + Ser204Asp
Gly127Pro + Gly128Glu + Phe189Glu + Ser204Asp
Leu 96Pro + Ser105Asp + Ser130Glu + Ala133Gly
Tyr167His + Ser191Glu + Asn212Glu + Asn218Asp
35 Asn 61Glu + Thr158Gln + Lys213Asp + Tyr217Asn
Gln 59Asp + Gly157Asp + Gln206Ser + Asn218Asp
Gly154Ser + Ser163Glu + Ser188Glu + Ser204Asp
Leu 96Asn + Ser130Asp + Ser188Asp + Ser204Glu
Ile107Asp + Ser188Asp + Ser204Asp + Gln206Asn
40 Gln206Glu + Ala216Gly + Tyr217Leu + Thr220Asp
Gly102Glu + Leu126Cys + Ser130Glu + Tyr214Asp
Asn 62Glu + Gly160Asp + Lys213Glu + Ala216Gly
Ser101Asp + Trp106Met + Gly154Asp + Ser162Asp
Asp 60Glu + Gly102Glu + Gln206Asn + Ala216Asp
45 Glu156Asp + Gln206Ser + Pro210Asp + Tyr217Asp
Pro129Glu + Ser159Asp + Gln206Glu + Tyr217Pro
Pro129Asp + Ser159Glu + Lys213Asp + Tyr217His
Ser105Glu + Trp106Leu + Gly127Glu + Ser163Glu
Ser101Asp + Ala133Gln + Ser191Asp + Val203Asp
50 Ser 63Glu + Ser130Asp + Tyr217Gln + Gly219Asp

	Gly131Asp + Ser163Asp + Gly166Asn + Ser204Asp
	Ile107Asp + Gln206Ser + Asn212Glu + Ala216Asp
	Leu126Gly + Ser130Asp + Gly154Asn + Asn218Asp
5	Gln 59Asp + Ser105Asp + Gly166Gln + Ser204Asp
	Asn 61Asp + Ser105Glu + Ala187Gln + Ala216Gly
	Ser105Asp + Phe189Ile + Lys213Glu + Gly219Gln
	Ser 63Glu + Gly131Gln + Ser204Glu + Gly219Asn
	Gly157Pro + Thr164Glu + Gln206Asn + Lys213Asp
10	Leu 96Ile + Ser101Asp + Gln206Glu + Tyr214Ala
	Thr 66Gln + Leu 96Met + Tyr167Glu + Ser188Glu
	Tyr104Cys + Gly160Asp + Ile205Pro + Ala216Glu
	Asp 60Glu + Ser130Asp + Pro201Gln + Ala216Gly
	Ile107Asp + Ser191Asp + Gln206Asp + Ala216Thr
15	Gln 59Asp + Val 95Asn + Ser101Glu + Ser163Glu
	Val 95Gln + Tyr104Cys + Lys213Glu + Asn218Asp
	Asn 62Asp + Gly 97Asn + Ala 98Ser + Ser162Glu
	Gln103Glu + Ser204Asp + Gln206Asn + Ala216Pro
	Ser101Asp + Ser162Asp + Gly166Ser + Tyr217Thr
	Leu126Ile + Gly128Asp + Pro210Ser + Asn218Glu
20	Gly100Glu + Gly160Ser + Gly166Glu + Ala216Thr
	Gln103Asn + Ser132Asp + Ser163Glu + Ser188Asp

TABLE 25

Multi-loop Quintuple Mutation Variants	
25	Val 95Gln + Tyr104Cys + Gly127Gln + Lys213Glu + Ala216Pro
	Asn 61Ser + Leu 96His + Gly157Pro + Val203Asp + Ala216Gly
	Leu 96Gln + Gly127Gln + Glu156Asp + Tyr214Ala + Thr220Asn
	Gly100Gln + Tyr167Cys + Ser188Glu + Val203Gln + Ala216His
	Asn 62Ser + Trp106Gly + Ser132Asp + Ala187Ser + Phe189Ser
30	Thr 66Ser + Gly127Gln + Pro201Asn + Ala216Thr + Gly219Asp
	Gly 97Asn + Gly154Pro + Gln206Asn + Pro210Glu + Gly211Pro
	Pro129Gly + Ser132Glu + Thr158Asn + Val165Thr + Gln206Asn
	Gly 65Ser + Gly 97Gln + Gly128Ser + Lys213Asp + Gly219Gln
	Leu 96Met + Gln103Asn + Ala133Ser + Gly154Pro + Gly219Pro
35	Asn 61Gln + Trp106Ala + Gly211Pro + Asn218Asp + Gly219Asn
	Thr 66Gly + Tyr104Ile + Gly211Glu + Gly215Pro + Ala216Gly
	Leu126Ile + Ser130Asp + Gly154Asn + Asn212Ser + Tyr217Thr
	Leu126Val + Gln206Ser + Pro210Gly + Gly215Glu + Ala216Pro
	Leu 96Asn + Leu126Pro + Lys213Asp + Ala216Ser + Tyr217His
40	Trp106Asn + Gly127Ser + Ser161Glu + Gln206Asn + Gly219Asn
	Ser101Glu + Gly102Gln + Ile107Gln + Val165Gln + Val203Ala
	Asp 60Glu + Ala 98Gly + Ile107Ser + Gly157Ser + Thr164Ser
	Pro129Glu + Gly160Pro + Gly166Asn + Ala187Pro + Gly202Ser
	Leu 96Ile + Tyr167Thr + Ser188Asp + Val203His + Gln206Ser
45	Asn 61Gln + Val 95Asp + Gly102Asn + Gly131Asn + Ala187Asn
	Gly160Asn + Val203Thr + Pro210Glu + Asn218Gln + Thr220Gln
	Gly128Asn + Asn155Glu + Gly166Gln + Ala216Gly + Thr220Gly
	Gly 65Ser + Val 95Met + Gly100Asn + Gly131Asp + Tyr214Gly
	Tyr104Gly + Pro129Ser + Ser163Glu + Gln206Ser + Gly219Ser

Asn 61Ser + Val 95Gln + Ser204Asp + Pro210Gly + Ala216Gln
 Gly 65Gln + Gly 97Pro + Ser130Glu + Gly154Ser + Pro210Asn
 Trp106Ser + Gly128Asn + Ser159Glu + Pro201Ser + Tyr217Val
 Leu 96Met + Leu126Asn + Asn155Gln + Ser188Glu + Gly202Gln
 5 Gly100Glu + Thr158Gln + Thr164Asn + Gln206Asn + Ala216Thr
 Asn 62Glu + Leu 96Ile + Gly 97Ser + Gly211Ser + Gly219Ser
 Gly102Asp + Tyr167Ala + Pro210Gly + Ala216Thr + Tyr217Met
 Ser132Glu + Thr158Pro + Phe189Thr + Ala200Gln + Tyr214Ala
 Ala 98Pro + Trp106Pro + Gly160Pro + Ala216Asn + Tyr217Asp
 10 Gly127Pro + Ala133Asn + Thr164Glu + Gly211Gln + Tyr214Thr
 Gly100Asn + Trp106Pro + Gly127Ser + Lys213Glu + Tyr214Ala
 Gly157Asn + Ser204Asp + Gln206Asn + Tyr217Val + Gly219Pro
 Leu 96Thr + Gly131Asp + Ala133Thr + Gln206Asn + Ala216Gly
 Gly100Ser + Tyr104Ala + Thr164Asp + Gly211Gln + Thr220Ser
 15 Ser101Asp + Pro129Ser + Phe189Val + Pro201Asn + Ala216Ser
 Thr 66Gly + Gly102Asn + Tyr104His + Trp106Thr + Ala187Asn
 Thr 66Asn + Gly102Glu + Trp106Gly + Gly166Ser + Ala216Thr
 Gly128Gln + Gly154Asn + Tyr167Gly + Tyr217Leu + Asn218Glu
 Ala133Ser + Gly157Ser + Phe189Thr + Gly202Asn + Asn212Glu
 20 Tyr104Ser + Thr158Gly + Thr164Glu + Gln206Asn + Ala216Pro
 Gln 59Asn + Gln103Asn + Thr164Gly + Ala187Pro + Thr220Asp
 Gly 97Gln + Gly102Asp + Gly127Ser + Phe189Gln + Tyr217Leu
 Thr 66Asn + Gln206Glu + Tyr214Ile + Ala216Thr + Tyr217Cys
 Asp 60Glu + Thr 66Gly + Leu 96Gly + Ala216His + Tyr217Asn
 25 Ile107Asp + Gly160Asn + Val203Pro + Gly211Pro + Gly219Asn
 Val 95Ser + Trp106Cys + Val165Gln + Pro210Gln + Tyr217Glu
 Trp106Thr + Thr158Ser + Thr164Pro + Ser204Glu + Thr220Pro
 Gly128Pro + Ala187Ser + Gln206Asn + Asn212Ser + Gly215Asp
 Trp106Gln + Leu126Gly + Thr164Ser + Val203Gln + Asn218Asp
 30 Asp 60Glu + Val 95Gln + Leu126Pro + Gly157Asn + Val203Thr
 Gln 59Asn + Trp106Cys + Ala200Thr + Gly211Gln + Ala216Gln
 Asn 62Ser + Ile107Gly + Leu126Cys + Pro210Glu + Thr220Gly
 Asn 62Gln + Thr158Glu + Val203Ser + Gly215Ser + Ala216Thr
 Gln 59Asn + Asp 60Glu + Trp106Phe + Gly154Gln + Thr208Pro
 35 Thr 66Ser + Asn155Gln + Val203Gln + Gln206Glu + Tyr217His
 Gly128Pro + Phe189Met + Val203Gly + Ser204Glu + Ala216Glu
 Gln 59Ser + Asn 62Ser + Leu 96Gly + Ser204Glu + Asn218Asp
 Gln103Ser + Gly128Gln + Ser204Glu + Gly211Asn + Asn218Glu
 Gly 97Pro + Pro129Gln + Gly157Asn + Ser204Asp + Asn218Glu
 40 Leu126Asn + Thr158Gln + Val165Met + Gly211Glu + Lys213Glu
 Gly157Ser + Ser204Glu + Gln206Asp + Tyr217Cys + Thr220Gly
 Ala133Thr + Phe189Ser + Ser204Asp + Gln206Asp + Tyr214Ile
 Gly100Gln + Gly154Asn + Ser204Glu + Gln206Asp + Tyr217Thr
 Gly127Asp + Gly128Glu + Gly154Glu + Gly157Asn + Phe189Ser
 45 Gly100Gln + Trp106Thr + Ser130Asp + Tyr167Glu + Tyr217Thr
 Glu156Asp + Thr158Asp + Tyr167Gly + Pro201Gln + Gly215Ser
 Gly157Gln + Val203Asp + Ser204Asp + Ala216Pro + Gly219Asp
 Leu126Gly + Pro129Glu + Gly131Glu + Tyr167Met + Thr220Gln
 Leu 96Ser + Ser130Asp + Gly166Glu + Ala216Gln + Tyr217Ile
 50 Asn155Glu + Gly160Asn + Gly166Glu + Tyr217Cys + Thr220Asp

Asn 62Asp + Gly 97Gln + Trp106Gly + Pro210Asp + Asn212Gln
 Val 95Asp + Tyr104Glu + Leu126Ser + Asn155Gln + Gln206Ser
 Gly154Glu + Thr158Asp + Phe189Glu + Gly215Asn + Tyr217Met
 Ile107Leu + Gly154Asp + Gly157Glu + Val203His + Gly219Glu
 5 Trp106Ile + Asn155Ser + Ser159Asp + Ser191Glu + Ala216Thr
 Gly100Asp + Leu126Asp + Gly127Ser + Pro129Gln + Thr220Ser
 Ala133Pro + Gln206Glu + Tyr214Ala + Asn218Glu + Gly219Ser
 Thr 66Gly + Ser101Glu + Gly102Asn + Leu126Glu + Ala216Pro
 Gly100Glu + Gly102Glu + Tyr104Glu + Asn155Gln + Val203Ala
 10 Leu126His + Ala187Glu + Val203Glu + Gln206Asp + Asn218Glu
 Asp 60Glu + Leu 96Asn + Pro129Gln + Gly211Glu + Tyr217Met
 Leu 96Cys + Ile107Ala + Ala133Pro + Gly157Asp + Gly160Asp
 Ser 63Asp + Thr158Gly + Gln206Asp + Tyr214Asp + Tyr217Asp
 Gln 59Asp + Asn 62Asp + Gly100Glu + Phe189Tyr + Tyr214Met
 15 Ser101Glu + Gly127Glu + Ala187Gln + Gln206Asn + Tyr217Ile
 Asn 62Asp + Ser 63Glu + Gly100Asp + Gly131Asn + Lys213Glu
 Asp 60Glu + Gly 97Asp + Ala 98Glu + Phe189His + Gly211Glu
 Asp 60Glu + Val 95Glu + Asp 99Glu + Ser101Asp + Val165Thr
 Gly102Gln + Gly154Glu + Asn155Glu + Ser191Asp + Gln206Asp
 20 Asn 61Ser + Thr 66Ser + Leu126Glu + Asn155Glu + Gly157Asp
 Pro129Asn + Ala133Gln + Phe189Ile + Gln206Glu + Lys213Glu
 Asn 61Ser + Gln206Asp + Lys213Glu + Tyr217Ala + Gly219Asn
 Gln 59Asn + Gly128Asn + Ala200Thr + Gln206Glu + Lys213Glu
 Phe189Gln + Val203Gly + Gln206Asp + Lys213Asp + Tyr217Pro
 25 Ala 98His + Gly154Glu + Ser163Asp + Val203Met + Tyr217Met
 Leu 96Met + Pro129Gly + Gly154Glu + Ser163Glu + Tyr217Ser
 Gly 97Pro + Ser204Glu + Lys213Asp + Ala216Glu + Gly219Ser
 Val165Ser + Lys213Glu + Tyr214Cys + Ala216Glu + Tyr217Pro
 Ser191Glu + Ser204Glu + Gln206Asp + Tyr214His + Ala216Asp
 30 Gly102Pro + Asn155Asp + Ala216Glu + Tyr217His + Asn218Glu
 Asn155Asp + Gly215Pro + Ala216Glu + Tyr217Ser + Asn218Glu
 Gly160Ser + Ser204Glu + Gln206Glu + Lys213Glu + Ala216Ser
 Ala 98Thr + Ala187Ser + Ser204Glu + Gln206Glu + Lys213Asp
 Gly127Pro + Ser204Glu + Gln206Glu + Lys213Glu + Tyr217Ala
 35 Leu126Met + Pro129Glu + Ser163Glu + Phe189Thr + Asn218Ser
 Ser101Asp + Ser204Asp + Gln206Glu + Ala216Asn + Tyr217Glu
 Val 95Ala + Tyr167Asp + Ser204Glu + Gln206Glu + Tyr217Glu
 Asn155Glu + Glu156Asp + Thr164Asp + Ser204Glu + Tyr214Thr
 Trp106Pro + Gly127Asp + Ser130Asp + Asn155Asp + Gly219Gln
 40 Pro129Ser + Ser204Asp + Gln206Glu + Pro210Asp + Asn218Glu
 Tyr104Val + Leu126Asp + Gly157Asp + Ser163Asp + Thr164Asp
 Leu 96Asp + Gly 97Asp + Gln103Asp + Tyr217Cys + Gly219Asp
 Ser159Glu + Asn212Gln + Lys213Glu + Gly215Asp + Ala216Glu
 Gln 59Asp + Asn 62Glu + Ser 63Glu + Pro129Ser + Asn155Asp
 45 Gln103Ser + Tyr104Ala + Val203Asp + Gln206Asp + Lys213Glu
 Val 95Glu + Glu156Asp + Gly157Asp + Tyr214Gly + Thr220Asp
 Val 95Glu + Gly215Glu + Ala216Glu + Tyr217Leu + Gly219Ser
 Ser 63Asp + Gly160Asp + Ser161Glu + Val203Ser + Tyr217Cys
 Gly160Asp + Ser161Asp + Tyr167Met + Ser204Asp + Tyr217Ala
 50 Leu 96His + Trp106Asp + Gln206Asn + Asn218Asp + Gly219Asp

Gly100Glu + Ser101Asp + Trp106Met + Ser162Asp + Thr164Pro
 Ser105Glu + Ala187Ser + Val203Glu + Ser204Asp + Ala216Gly
 Asp 60Glu + Trp106Asn + Val203Glu + Ser204Glu + Ala216Gln
 Gln103Asp + Ser163Glu + Thr164Glu + Pro201Gln + Ala216Pro
 5 Val 95Gln + Gly100Asn + Glu156Asp + Gly157Asp + Lys213Glu
 Thr158Asp + Ser159Asp + Ser204Glu + Gly215Asn + Tyr217Cys
 Ser105Asp + Trp106Glu + Thr164Asn + Ala216Asp + Gly219Ser
 Gln 59Glu + Asp 60Glu + Tyr104Asn + Ser191Glu + Pro201Gln
 Gln103Asp + Ser161Glu + Ser162Asp + Gln206Ser + Tyr217His
 10 Ala 98Asp + Asp 99Glu + Ser105Glu + Thr164Gln + Ala187Ser
 Gly154Asp + Asn155Asp + Ser204Glu + Ala216Gln + Tyr217Ala
 Asn 61Glu + Tyr104Ser + Gln206Glu + Ala216Glu + Tyr217Cys
 Gly157Ser + Thr158Glu + Gln206Asp + Lys213Asp + Ala216Asp
 Val 95Thr + Gly157Glu + Ser188Glu + Ser204Glu + Ala216Asp
 15 Tyr104His + Asn155Glu + Gly157Asn + Tyr167Glu + Gly202Ser
 Gly128Asp + Gly157Asn + Pro210Gln + Asn218Glu + Thr220Glu
 Asn 62Glu + Val 95Ala + Gly100Asp + Lys213Glu + Tyr217His
 Gly166Asp + Gln206Ser + Gly215Pro + Tyr217Asp + Gly219Asp
 Ser130Asp + Ser163Asp + Tyr167Ser + Ser191Asp + Tyr217Met
 20 Gly 97Pro + Ser132Asp + Thr158Gly + Ser204Glu + Ala216Asp
 Gly154Asp + Ser191Asp + Lys213Asp + Tyr214Ala + Tyr217Asn
 Asn 61Gln + Ile107His + Ser204Glu + Lys213Glu + Asn218Glu
 Gln 59Asp + Ala 98Glu + Gly102Asp + Ser105Glu + Leu209Thr
 Ala133Gly + Gly154Asp + Gln206Glu + Gly215Glu + Thr220Gln
 25 Gly154Asn + Gly160Ser + Gly166Glu + Gln206Asp + Gly215Asp
 Leu 96Glu + Ala 98Asn + Tyr167Asn + Gln206Glu + Gly215Glu
 Ser162Glu + Thr164Glu + Thr208Gln + Ala216Asp + Tyr217Glu
 Val 95Asp + Ile107Asp + Tyr167His + Ser188Glu + Thr220Asn
 Gly154Glu + Gly166Asp + Lys213Asp + Ala216Ser + Tyr217Cys
 30 Gly 97Glu + Asp 99Glu + Glu156Asp + Tyr167Ala + Ala216Pro
 Thr 66Gly + Gln103Asp + Trp106Glu + Gly128Asn + Ser162Asp
 Gln103Glu + Ser105Glu + Thr158Ser + Leu209Thr + Lys213Glu
 Thr 66Gln + Thr164Asp + Val203His + Gly211Glu + Lys213Glu
 Pro129Asn + Gly131Gln + Thr164Glu + Gly211Glu + Lys213Asp
 35 Ser159Asp + Ser162Glu + Gln206Ser + Pro210Glu + Tyr214Ala
 Asp 99Glu + Ser101Asp + Gly131Asn + Lys213Glu + Gly215Ser
 Gln103Glu + Tyr104Gly + Thr164Pro + Pro210Asp + Asn212Glu
 Asn 62Ser + Ser132Asp + Gly160Glu + Ser162Glu + Ala216His
 Gly160Glu + Ser162Asp + Tyr167Ile + Ser204Glu + Gly219Ser
 40 Asp 60Glu + Ser 63Asp + Ser130Glu + Gly202Gln + Gly215Ser
 Gly154Glu + Glu156Asp + Pro210Glu + Lys213Asp + Asn218Gln
 Ser105Asp + Trp106Gly + Gly127Asp + Gly154Asp + Val165Gln
 Asn 62Glu + Gly100Glu + Gly157Asn + Gly166Glu + Tyr217Leu
 Asn 62Asp + Pro129Gly + Ala133Gly + Ser204Asp + Gln206Asp
 45 Asp 60Glu + Gly100Asn + Ser204Asp + Gln206Glu + Pro210Ser
 Ser162Glu + Thr164Glu + Val203Thr + Ser204Asp + Asn212Ser
 Gly 97Glu + Ser130Glu + Tyr167Asp + Tyr217Val + Gly219Ser
 Gly128Glu + Ser163Glu + Gly166Glu + Gln206Glu + Ala216Ser
 Asp 60Glu + Asn 61Glu + Ala187Gly + Lys213Glu + Ala216Glu
 50 Gly 97Asp + Ser101Asp + Tyr104Glu + Ser161Glu + Tyr217Val

Ser 63Glu + Ile107Gln + Gln206Asp + Ala216Asp + Thr220Glu
 Ser130Glu + Ser132Glu + Gly160Asp + Ala216Gln + Thr220Gly
 Val 95Glu + Ser130Asp + Ser132Glu + Ala200Gly + Tyr217His
 Thr 66Gly + Gly100Glu + Gln103Asp + Ser132Asp + Tyr217Asn
 5 Asp 60Glu + Gly128Glu + Gln206Asn + Pro210Glu + Ala216Gln
 Leu126Val + Thr158Glu + Val203Met + Lys213Asp + Gly215Glu
 Asp 99Glu + Ser159Glu + Thr164Glu + Tyr167Leu + Gln206Ser
 Val 95Asp + Pro129Asn + Thr164Gln + Ala216Glu + Asn218Glu
 Gly154Asp + Ala187Gly + Gly215Asp + Tyr217Thr + Asn218Glu
 10 Asn 62Glu + Gly 97Asp + Gly100Asn + Ser204Glu + Tyr217Cys
 Asn 62Glu + Gly 97Asp + Glul56Asp + Val203Cys + Ala216Gly
 Asn 62Asp + Gly 97Asp + Ser204Asp + Tyr214Leu + Tyr217Leu
 Glul56Asp + Ser163Asp + Gln206Ser + Gly215Asp + Ala216Asp
 Ser159Glu + Ser163Glu + Phe189His + Ser204Glu + Tyr217Ser
 15 Gly100Pro + Asn155Gln + Ser159Asp + Ser163Asp + Ser204Glu
 Gly102Asp + Ala187Asp + Ser188Asp + Val203His + Ser204Asp
 Asp 99Glu + Thr158Asp + Ser162Asp + Val203Met + Ala216Thr
 Val 95Cys + Gly 97Pro + Ser163Glu + Ser191Asp + Ser204Asp
 Leu 96Glu + Asp 99Glu + Ser159Glu + Gln206Asn + Ala216Thr
 20 Gly127Pro + Ser162Glu + Ser191Glu + Gly211Glu + Asn212Asp
 Ser 63Glu + Ser191Asp + Gln206Asp + Ala216Asp + Tyr217Gln
 Ser 63Glu + Phe189Ile + Val203Met + Gln206Asp + Gly211Glu
 Trp106Tyr + Phe189Asp + Pro210Asp + Lys213Glu + Asn218Glu
 Ser191Glu + Gln206Glu + Ala216Gly + Tyr217Leu + Thr220Asp
 25 Val 95Gly + Thr158Asp + Ser161Asp + Ala187Pro + Asn218Asp
 Thr 66Glu + Gly166Glu + Phe189Val + Ser191Glu + Gly219Ser
 Asp 60Glu + Asp 99Glu + Gln206Glu + Gly211Pro + Ala216Glu
 Asn 61Asp + Ser 63Asp + Gln103Glu + Lys213Asp + Tyr217Pro
 Tyr104Glu + Gly128Gln + Ser132Glu + Asn212Asp + Ala216Ser
 30 Asn 62Asp + Ser204Asp + Gly215Glu + Ala216Gln + Tyr217Leu
 Asn 61Asp + Gly100Asp + Trp106Ala + Asn212Gln + Lys213Asp
 Gly127Glu + Gly157Gln + Ser204Asp + Lys213Asp + Ala216Glu
 Leu 96Glu + Gly 97Ser + Gly100Glu + Gln206Asp + Lys213Asp
 Asp 60Glu + Leu 96Cys + Gly 97Glu + Ser204Glu + Gly215Asn
 35 Tyr167Pro + Ser204Asp + Lys213Glu + Ala216His + Gly219Glu
 Gly 97Ser + Ser105Asp + Asn155Glu + Gly166Asp + Val203Asn
 Gly102Asn + Gly160Asn + Thr164Glu + Gln206Asn + Thr220Asp
 Asn 61Ser + Ala 98Asp + Asn155Asp + Ser188Glu + Val203Ser
 Glul56Asp + Ser204Asp + Gln206Glu + Lys213Glu + Ala216Pro
 40 Asp 99Glu + Gly157Pro + Ser204Glu + Gln206Asp + Lys213Glu
 Ser130Asp + Gly160Asn + Ser204Glu + Gln206Asn + Gly215Asp
 Gly127Glu + Glul56Asp + Ser204Glu + Gln206Asp + Tyr214Pro
 Ala 98Glu + Asp 99Glu + Trp106Gly + Gly154Asp + Asn218Glu
 Gln 59Ser + Val 95Glu + Ala 98Asn + Ser105Glu + Gln206Glu
 45 Gly 97Pro + Gly128Glu + Lys213Asp + Ala216Glu + Asn218Glu
 Gln103Asp + Ile107Asp + Gly157Pro + Tyr167Glu + Ala216Glu
 Asp 60Glu + Gln206Glu + Lys213Asp + Gly215Pro + Asn218Glu
 Ser130Glu + Thr164Glu + Val203Met + Ser204Asp + Gln206Asp
 Asp 60Glu + Ser 63Glu + Gly154Asp + Gly166Ser + Ser188Asp
 50 Leu 96His + Ser130Glu + Glul56Asp + Tyr167Glu + Lys213Glu

Gln 59Ser + Glul56Asp + Glyl60Glu + Gly211Glu + Lys213Glu
 Glyl27Glu + Asn155Asp + Ala187His + Ala216Glu + Tyr217His
 Gln103Glu + Glyl60Asn + Gln206Glu + Tyr214Gly + Asn218Glu
 Ser 63Asp + Gly202Pro + Lys213Asp + Gly215Gln + Asn218Asp
 5 Asp 60Glu + Leu 96Glu + Thr158Gln + Glyl66Pro + Gln206Asp
 Gly 97Asp + Gln103Asp + Phe189Ala + Gln206Ser + Lys213Asp
 Asn 62Asp + Thr 66Glu + Tyr104Pro + Ser132Asp + Asn212Asp
 Ala 98Pro + Pro129Asp + Ser130Asp + Lys213Glu + Tyr217Glu
 Ser 63Asp + Glul56Asp + Gln206Glu + Lys213Glu + Ala216Pro
 10 Asp 60Glu + Glyl02Gln + Ser105Glu + Thr164Gln + Gly211Glu
 Asp 60Glu + Thr158Gln + Lys213Glu + Ala216Gln + Tyr217Val
 Ilel07Asp + Glyl31Asp + Ala216Asp + Tyr217His + Asn218Asp
 Ser 63Asp + Glyl00Glu + Gln103Asp + Gln206Asn + Gly219Asp
 Asn155Glu + Glyl57Glu + Gln206Asn + Pro210Asp + Ala216Glu
 15 Ser 63Asp + Ilel07Met + Pro129Asn + Ser191Asp + Gly219Glu
 Ser 63Asp + Val 95Ala + Asp 99Glu + Leul26Thr + Ser163Asp
 Thr 66Glu + Glyl00Gln + Gln103Asp + Lys213Asp + Ala216Asn
 Thr158Asp + Ser161Asp + Gln206Asp + Tyr217Cys + Gly219Asp
 Ser 63Glu + Ser162Asp + Ala187Gln + Gly211Asn + Lys213Asp
 20 Gly 97Ser + Ser101Asp + Val203Cys + Tyr214Glu + Tyr217Asp
 Val 95Glu + Asp 99Glu + Ser204Asp + Gly215Glu + Asn218Gln
 Gln 59Glu + Thr 66Asp + Ser163Asp + Pro201Gln + Gly215Glu
 Ala 98His + Ser101Glu + Glyl66Gln + Ser188Asp + Val203Asp
 Ser 63Asp + Glyl60Asp + Val203Ala + Ser204Asp + Gln206Glu
 25 Glyl27Glu + Ser162Glu + Ser163Glu + Lys213Asp + Ala216His
 Ser162Asp + Ala187Glu + Pro201Gln + Gln206Asp + Tyr217Glu
 Glyl57Glu + Phe189Tyr + Val203Glu + Ser204Glu + Lys213Glu
 Glyl60Glu + Ser161Asp + Tyr167Glu + Gly202Asn + Gln206Glu
 Asp 60Glu + Ser159Asp + Thr164Glu + Phe189His + Lys213Glu
 30 Tyr104Cys + Ser162Glu + Lys213Glu + Asn218Asp + Gly219Glu
 Tyr104Asp + Glyl28Asn + Ser130Asp + Glyl57Ser + Ser204Glu
 Ser132Glu + Glyl57Ser + Ser163Asp + Asn212Asp + Lys213Glu
 Gly 97Asp + Ala 98Asp + Pro129Glu + Tyr167Leu + Gln206Asp
 Ser101Glu + Thr158Gln + Ala187Glu + Ser188Glu + Gln206Glu
 35 Asp 99Glu + Glyl00Asp + Asn155Asp + Glyl66Gln + Ser204Glu
 Ser130Glu + Ser161Glu + Ser162Asp + Thr164Asn + Gly211Asp
 Gln 59Asn + Tyr104Asp + Thr158Asp + Ser191Glu + Asn218Glu
 Asp 60Glu + Ser101Glu + Ser204Glu + Gln206Ser + Pro210Asp
 Ser130Asp + Ser159Asp + Ser163Glu + Pro210Gln + Tyr217Asp
 40 Asn 61Asp + Glyl00Asp + Trp106Pro + Glyl28Glu + Tyr217Asp
 Glyl02Pro + Glyl31Asp + Ser188Asp + Ser204Glu + Gln206Glu
 Glul56Asp + Ser204Asp + Gln206Asp + Asn212Asp + Ala216His
 Thr 66Pro + Gln103Asp + Glul56Asp + Ser191Glu + Gln206Asp
 Glyl31Pro + Phe189Leu + Ser191Glu + Gln206Glu + Lys213Glu
 45 Ala 98Glu + Glyl57Ser + Gln206Asp + Lys213Asp + Gly215Gln
 Tyr104Leu + Thr158Glu + Gly202Ser + Gln206Glu + Lys213Glu
 Ser 63Glu + Ala 98Gln + Glyl02Asn + Ser130Asp + Tyr217Glu
 Thr158Glu + Glyl66Asn + Pro210Glu + Lys213Glu + Thr220Glu
 Trp106Thr + Glyl54Ser + Glyl57Asp + Lys213Glu + Ala216Glu
 50 Ala 98Ser + Ala187Glu + Lys213Asp + Gly215Gln + Ala216Asp

Tyr104Pro + Ser159Asp + Gly202Asn + Lys213Glu + Ala216Asp
 Leu126Asn + Asn155Glu + Thr164Asn + Lys213Asp + Ala216Glu
 Ser161Asp + Val203His + Ser204Asp + Gly211Asp + Tyr217Asp
 Asn 61Asp + Ser163Asp + Val203His + Ser204Glu + Tyr217Asp
 5 Val 95Asp + Trp106Glu + Ser161Glu + Ala187Pro + Ser204Asp
 Leu 96Glu + Gly100Asp + Trp106Cys + Ser188Glu + Gln206Asp
 Ser101Glu + Ser204Asp + Gly211Glu + Lys213Asp + Gly215Asn
 Asp 99Glu + Ser159Glu + Ser162Glu + Ser204Asp + Gly219Asn
 Leu 96Ala + Gln103Asp + Leu126Val + Gly128Asp + Ser204Asp
 10 Ala 98Glu + Ser105Glu + Gly154Glu + Glu156Asp + Phe189Pro
 Asn 61Glu + Ser159Glu + Gln206Ser + Pro210Glu + Ala216Glu
 Gly 97Asp + Ser101Asp + Ala133Glu + Gln206Glu + Gly219Pro
 Leu126Ala + Gly131Glu + Ser204Glu + Pro210Asp + Lys213Glu
 Val 95Glu + Ala 98Asn + Gly102Glu + Ser162Asp + Ser204Glu
 15 Asn 61Glu + Gly100Asn + Pro129Asp + Ser163Glu + Asn218Ser
 Gly102Asp + Gly127Ser + Thr158Asp + Gly160Glu + Lys213Glu
 Ser130Asp + Asn155Gln + Thr158Glu + Ser191Asp + Gly215Glu
 Ala133Asp + Ser159Glu + Ser161Asp + Ser204Asp + Ala216Gln
 Ser132Glu + Thr164Asp + Ser204Asp + Gln206Glu + Tyr217Pro
 20 Gly157Glu + Tyr167Asp + Ser204Glu + Gln206Glu + Ala216Asn
 Thr 66Ser + Ser130Glu + Thr158Glu + Ser204Glu + Gln206Glu
 Asp 99Glu + Ser159Glu + Ser204Glu + Gln206Glu + Tyr217Pro
 Thr 66Ser + Ser105Asp + Ser159Glu + Ser204Glu + Gln206Asp
 Asp 60Glu + Gly127Asp + Ser204Glu + Gln206Glu + Tyr214Asn
 25 Ser 63Glu + Ser130Asp + Gln206Asp + Ala216Gly + Asn218Asp
 Pro129Gly + Ser159Glu + Ser188Glu + Phe189Cys + Ser204Asp
 Gly131Asp + Glu156Asp + Ser162Glu + Ala187Pro + Tyr214Gly
 Gly102Asp + Trp106Glu + Ser159Glu + Pro210Gln + Thr220Asp
 Gly131Asp + Ser161Asp + Ser163Asp + Gly166Asn + Ser204Asp
 30 Gln 59Asn + Ser188Asp + Gln206Asp + Gly211Glu + Tyr217Glu
 Ala 98Glu + Gly157Asp + Thr164Asp + Phe189Thr + Lys213Asp
 Gln103Asp + Trp106Tyr + Gly160Asp + Lys213Glu + Gly215Asp
 Val 95Asp + Gly131Gln + Ser159Asp + Ala216Asp + Asn218Asp
 Ser101Asp + Gln103Glu + Ser161Glu + Gln206Glu + Ala216His
 35 Thr 66Glu + Gly128Pro + Gly154Asp + Thr164Asp + Ser204Glu
 Val 95Asp + Gly131Glu + Ser163Asp + Ser191Glu + Gln206Asn
 Val 95Ser + Ala 98Glu + Ser101Asp + Gly131Asp + Phe189Asp
 Asn 62Asp + Leu126His + Gly131Pro + Lys213Glu + Tyr217Asp
 Ser 63Asp + Ser130Glu + Thr158Pro + Ala216Glu + Tyr217Ile
 40 Gln 59Asp + Gly157Asp + Gln206Glu + Tyr214Val + Asn218Asp
 Val 95Glu + Asp 99Glu + Gly215Asp + Ala216Asn + Tyr217Ile
 Ser132Glu + Gly154Gln + Gly157Glu + Ser161Asp + Tyr214Ser
 Ser101Asp + Gly131Pro + Ser188Asp + Ser191Glu + Gln206Glu
 Thr 66Asp + Leu 96Glu + Glu156Asp + Val203His + Gly215Asp
 45 Asn 62Glu + Gly166Gln + Ser188Glu + Gly211Glu + Ala216His
 Ile107Asp + Ala187Asp + Ser191Asp + Gln206Asp + Ala216Thr
 Ser105Asp + Ser159Glu + Ser191Asp + Lys213Asp + Ala216Thr
 Asn155Asp + Ser163Asp + Val165Asn + Gln206Ser + Lys213Glu
 Ser101Glu + Gly131Asn + Asn155Glu + Ala187Glu + Lys213Asp
 50 Gln 59Glu + Gly160Asp + Ser188Asp + Val203Glu + Tyr217Ile

Ala133Asp + Ser161Glu + Thr164Asp + Ser204Asp + Asn218Ser
 Gln103Glu + Tyr104Cys + Ser161Glu + Thr164Asp + Lys213Glu
 Ser 63Glu + Gly160Asp + Tyr167Met + Lys213Asp + Asn218Asp
 Ser101Glu + Leu126Glu + Ser188Glu + Lys213Asp + Ala216Asn
 5 Asp 60Glu + Leu 96Glu + Gly128Asn + Ser130Glu + Gln206Glu
 Gln103Ser + Ser130Asp + Ala133Gly + Gln206Glu + Gly219Asp
 Gly102Asn + Ser162Asp + Gln206Asp + Tyr217Gly + Gly219Asp
 Thr 66Gln + Asp 99Glu + Gln103Glu + Val203Ser + Tyr217Asp
 Asp 99Glu + Gln103Asp + Gly157Asn + Lys213Asp + Ala216Gln
 10 Thr 66Asp + Pro129Asp + Ser159Glu + Lys213Asp + Tyr217His
 Ser 63Asp + Gly 97Asp + Tyr167Ala + Ser188Asp + Ser204Glu
 Gly102Pro + Tyr104Ala + Glul56Asp + Tyr167Glu + Ser204Glu
 Gln 59Glu + Asn 62Gln + Gln103Glu + Gly131Glu + Phe189Leu
 Asp 60Glu + Ser162Glu + Ala200Gln + Val203Glu + Gly211Asp
 15 Asp 60Glu + Ile107Glu + Gly157Asp + Gly160Glu + Phe189Ser
 Ser101Asp + Gly102Ser + Tyr104Glu + Phe189Asp + Lys213Glu
 Ser101Asp + Ser105Asp + Val203Asp + Ala216His + Tyr217His
 Ser132Asp + Asn155Glu + Gly211Pro + Lys213Glu + Asn218Asp
 Gln103Asp + Gly128Asp + Ser163Asp + Ala187Glu + Tyr217Ile
 20 Leu 96Ile + Gly128Asp + Ser191Glu + Gly202Asn + Gln206Glu
 Thr 66Glu + Gln103Asp + Ser204Glu + Lys213Asp + Gly219Ser
 Ala 98Asp + Ser132Asp + Gly166Glu + Pro210Asp + Tyr214Gln
 Ser 63Glu + Pro129Glu + Val203Met + Lys213Glu + Gly219Asp
 Gln 59Glu + Gly 97Asp + Gly128Asp + Ser159Glu + Ala216Ser
 25 Ser 63Glu + Gln103Glu + Ile107Ser + Glul56Asp + Lys213Asp
 Gly102Asp + Gly157Asn + Ser162Glu + Ser191Glu + Ser204Glu
 Ser105Asp + Ser162Asp + Ser191Asp + Pro210Gly + Gly211Glu
 Asp 60Glu + Val 95Glu + Trp106Gly + Pro129Glu + Ser159Asp
 Ser101Glu + Trp106Asp + Thr164Glu + Ser204Asp + Pro210Ser
 30 Gln 59Glu + Gly100Gln + Gly157Asp + Gly211Asp + Tyr217Glu
 Gly 97Asp + Ser130Asp + Gln206Asp + Lys213Asp + Ala216Asn
 Tyr104Asp + Gly154Asp + Gly160Asn + Ser163Asp + Ser204Glu
 Ser132Glu + Gly154Glu + Ser163Glu + Pro210Gly + Asn212Asp
 Leu 96Thr + Ala133Glu + Asn155Glu + Lys213Asp + Ala216Asp
 35 Asp 60Glu + Asp 99Glu + Leu126Gly + Ser130Asp + Ser162Glu

II. Cleaning Compositions

In another embodiment of the present invention, an effective amount of
 one or more of the enzyme variants are included in compositions useful for
 40 cleaning a variety of surfaces in need of proteinaceous stain removal. Such
 cleaning compositions include detergent compositions for cleaning hard
 surfaces, unlimited in form (e.g., liquid and granular); detergent compositions for
 cleaning fabrics, unlimited in form (e.g., granular, liquid and bar formulations);
 dishwashing compositions (unlimited in form); oral cleaning compositions,
 45 unlimited in form (e.g., dentifrice, toothpaste and mouthwash formulations);
 dentur cleaning compositions, unlimited in form (e.g., liquid, tablet); and contact

lens cleaning compositions, unlimited in form (e.g., liquid, tablet).

The cleaning compositions also comprise, in addition to the BPN' variants described hereinbefore, one or more cleaning composition materials compatible with the protease enzyme. the term "cleaning composition material", as used
5 herein, means any liquid, solid or gaseous material selected for the particular type of cleaning composition desired and the form of the product (e.g., liquid, granule, bar, spray, stick, paste, gel), which materials are also compatible with the BPN' variant used in the composition. the specific selection of cleaning
10 composition materials are readily made by considering the surface material to be cleaned, the desired form of the composition for the cleaning condition during use (e.g., through the wash detergent use). The term "compatible", as used herein, means the cleaning composition materials do not reduce the proteolytic activity of the BPN' variant to such an extent that the protease is not effective as
15 are exemplified in detail hereinafter.

As used herein, "effective amount of enzyme variant" refers to the quantity of enzyme variant necessary to achieve the enzymatic activity necessary in the specific cleaning composition. Such effective amounts are readily ascertained by one of ordinary skill in the art and is based on many factors, such as the
20 particular enzyme variant used, the cleaning application, the specific composition of the cleaning composition, and whether a liquid or dry (e.g., granular, bar) composition is required, and the like. Preferably the cleaning compositions comprise from about 0.0001% to about 10% of one or more enzyme variants of the present invention, more preferably from about 0.001% to
25 about 1%, more preferably still from about 0.01% to about 0.1%. Several examples of various cleaning compositions wherein the enzyme variants may be employed are discussed in further detail below. All parts, percentages and ratios used herein are by weight unless otherwise specified.

As used herein, "non-fabric cleaning compositions" include hard surface
30 cleaning compositions, dishwashing compositions, oral cleaning compositions, denture cleaning compositions and contact lens cleaning compositions.

A. Cleaning Compositions for Hard Surfaces, Dishes and Fabrics

The enzyme variants of the present invention can be used in a variety of detergent compositions where high sudsing and good insoluble substrate
35 removal are desired. Thus the enzyme variants can be used with various

conventional ingredients to provide fully-formulated hard-surface cleaners, dishwashing compositions, fabric laundering compositions and the like. Such compositions can be in the form of liquids, granules, bars and the like. Such compositions can be formulated as modern "concentrated" detergents which
5 contain as much as 30%-60% by weight of surfactants.

The cleaning compositions herein can optionally, and preferably, contain various anionic, nonionic, zwitterionic, etc., surfactants. Such surfactants are typically present at levels of from about 5% to about 35% of the compositions.

Nonlimiting examples of surfactants useful herein include the
10 conventional C₁₁-C₁₈ alkyl benzene sulfonates and primary and random alkyl sulfates, the C₁₀-C₁₈ secondary (2,3) alkyl sulfates of the formulas $\text{CH}_3(\text{CH}_2)_x(\text{CHOSO}_3^-\text{M}^+)\text{CH}_3$ and $\text{CH}_3(\text{CH}_2)_y(\text{CHOSO}_3^-\text{M}^+)\text{CH}_2\text{CH}_3$ wherein x and (y+1) are integers of at least about 7, preferably at least about 9, and M is a water-solubilizing cation, especially sodium, the C₁₀-C₁₈ alkyl alkoxy
15 sulfates (especially EO 1-5 ethoxy sulfates), C₁₀-C₁₈ alkyl alkoxy carboxylates (especially the EO 1-5 ethoxycarboxylates), the C₁₀-C₁₈ alkyl polyglycosides, and their corresponding sulfated polyglycosides, C₁₂-C₁₈ alpha-sulfonated fatty acid esters, C₁₂-C₁₈ alkyl and alkyl phenol alkoxylates (especially ethoxylates and mixed ethoxy/propoxy), C₁₂-C₁₈ betaines and sulfobetaines ("sultaines"),
20 C₁₀-C₁₈ amine oxides, and the like. The alkyl alkoxy sulfates (AES) and alkyl alkoxy carboxylates (AEC) are preferred herein. (Use of such surfactants in combination with the aforesaid amine oxide and/or betaine or sultaine surfactants is also preferred, depending on the desires of the formulator.) Other conventional useful surfactants are listed in standard texts. Particularly useful
25 surfactants include the C₁₀-C₁₈ N-methyl glucamides disclosed in US Patent 5, 194,639, Connor et al., issued March 16, 1993, incorporated herein by reference.

A wide variety of other ingredients useful in detergent cleaning compositions can be included in the compositions herein, including other active
30 ingredients, carriers, hydrotropes, processing aids, dyes or pigments, solvents for liquid formulations, etc. If an additional increment of sudsing is desired, suds boosters such as the C₁₀-C₁₆ alkalamides can be incorporated into the compositions, typically at about 1% to about 10% levels. The C₁₀-C₁₄ monoethanol and diethanol amides illustrate a typical class of such suds
35 boosters. Use of such suds boosters with high sudsing adjunct surfactants such

as the amine oxides, betaines and sultaines noted above is also advantageous. If desired, soluble magnesium salts such as $MgCl_2$, $MgSO_4$, and the like, can be added at levels of, typically, from about 0.1% to about 2%, to provide additionally sudsing.

5 The liquid detergent compositions herein can contain water and other solvents as carriers. Low molecular weight primary or secondary alcohols exemplified by methanol, ethanol, propanol, and isopropanol are suitable. Monohydric alcohols are preferred for solubilizing surfactants, but polyols such as those containing from about 2 to about 6 carbon atoms and from about 2 to
10 about 6 hydroxy groups (e.g., 1,3-propanediol, ethylene glycol, glycerine, and 1,2-propanediol) can also be used. The compositions may contain from about 5% to about 90%, typically from about 10% to about 50% of such carriers.

 The detergent compositions herein will preferably be formulated such that during use in aqueous cleaning operations, the wash water will have a pH
15 between about 6.8 and about 11.0. Finished products thus are typically formulated at this range. Techniques for controlling pH at recommended usage levels include the use of buffers, alkalis, acids, etc., and are well known to those skilled in the art.

 When formulating the hard surface cleaning compositions and fabric
20 cleaning compositions of the present invention, the formulator may wish to employ various builders at levels from about 5% to about 50% by weight. Typical builders include the 1-10 micron zeolites, polycarboxylates such as citrate and oxydisuccinates, layered silicates, phosphates, and the like. Other conventional builders are listed in standard formularies.

25 Likewise, the formulator may wish to employ various additional enzymes, such as cellulases, lipases, amylases and proteases in such compositions, typically at levels of from about 0.001% to about 1% by weight. Various deterative and fabric care enzymes are well-known in the laundry detergent art.

 Various bleaching compounds, such as the percarbonates, perborates
30 and the like, can be used in such compositions, typically at levels from about 1% to about 15% by weight. If desired, such compositions can also contain bleach activators such as tetraacetyl ethylenediamine, nonanoyloxybenzene sulfonate, and the like, which are also known in the art. Usage levels typically range from about 1% to about 10% by weight.

35 Various soil release agents, especially of the anionic oligoester type,

various chelating agents, especially the aminophosphonates and ethylenediaminedisuccinates, various clay soil removal agents, especially ethoxylated tetraethylene pentamine, various dispersing agents, especially polyacrylates and polyasparatates, various brighteners, especially anionic
5 brighteners, various suds suppressors, especially silicones and secondary alcohols, various fabric softeners, especially smectite clays, and the like can all be used in such compositions at levels ranging from about 1% to about 35% by weight. Standard formularies and published patents contain multiple, detailed descriptions of such conventional materials.

10 Enzyme stabilizers may also be used in the cleaning compositions. Such enzyme stabilizers include propylene glycol (preferably from about 1% to about 10%), sodium formate (preferably from about 0.1% to about 1%) and calcium formate (preferably from about 0.1% to about 1%).

1. Hard surface cleaning compositions

15 As used herein "hard surface cleaning composition" refers to liquid and granular detergent compositions for cleaning hard surfaces such as floors, walls, bathroom tile, and the like. Hard surface cleaning compositions of the present invention comprise an effective amount of one or more enzyme variants of the present invention, preferably from about 0.001% to about 10%, more preferably
20 from about .01% to about 5%, more preferably still from about .05% to about 1% by weight of active enzyme of the composition. In addition to comprising one or more of the enzyme variants, such hard surface cleaning compositions typically comprise a surfactant and a water-soluble sequestering builder. In certain specialized products such as spray window cleaners, however, the surfactants
25 are sometimes not used since they may produce a filmy/streaky residue on the glass surface.

The surfactant component, when present, may comprise as little as 0.1% of the compositions herein, but typically the compositions will contain from about 0.25% to about 10%, more preferably from about 1% to about 5% of surfactant.

30 Typically the compositions will contain from about 0.5% to about 50% of a detergency builder, preferably from about 1% to about 10%.

Preferably the pH should be in the range of about 8 to 12. Conventional pH adjustment agents such as sodium hydroxide, sodium carbonate or hydrochloric acid can be used if adjustment is necessary.

35 Solvents may be included in the compositions. Useful solvents include,

but are not limited to, glycol ethers such as diethyleneglycol monohexyl ether, diethyleneglycol monobutyl ether, ethyleneglycol monobutyl ether, ethyleneglycol monohexyl ether, propyleneglycol monobutyl ether, dipropyleneglycol monobutyl ether, and diols such as 2,2,4-trimethyl-1,3-pentanediol and 2-ethyl-1,3-hexanediol. When used, such solvents are typically present at levels of from about 0.5% to about 15%, preferably from about 3% to about 11%.

Additionally, highly volatile solvents such as isopropanol or ethanol can be used in the present compositions to facilitate faster evaporation of the composition from surfaces when the surface is not rinsed after "full strength" application of the composition to the surface. When used, volatile solvents are typically present at levels of from about 2% to about 12% in the compositions.

The hard surface cleaning composition embodiment of the present invention is illustrated by the following examples.

Examples 7-12

Liquid Hard Surface Cleaning Compositions

		Example No.					
Component		7	8	9	10	11	12
	Ser105Glu	0.05	0.50	0.02	0.03	0.10	0.03
	Gly127Gln + Ala216Pro	—	—	—	—	0.20	0.02
	Na ₂ DIDA*						
	EDTA**	—	—	2.90	2.90	—	—
	Na Citrate	—	—	—	—	2.90	2.90
	NaC ₁₂ Alkyl-benzene	1.95	—	1.95	—	1.95	—
	sulfonate						
	NaC ₁₂ Alkylsulfate	—	2.20	—	2.20	—	2.20
	NaC ₁₂ (ethoxy)***	—	2.20	—	2.20	—	2.20
	sulfate						
	C ₁₂ Dimethylamine	—	0.50	—	0.50	—	0.50
	oxide						
	Na Cumene sulfonate	1.30	—	1.30	—	1.30	—
	Hexyl Carbitol***	6.30	6.30	6.30	6.30	6.30	6.30
	Water****	balance to 100%					

*Disodium N-diethyleneglycol-N,N-iminodiacetate

**Na₄ ethylenediamine diacetic acid

***Diethyleneglycol monohexyl ether

****All formulas adjusted to pH 7

In Examples 7-10, the BPN' variants recited in Tables 2-25, among others, are substituted for Ser105Glu, with substantially similar results.

- 5 In Examples 11-12, any combination of the BPN' variants recited in Tables 2-25, among others, are substituted for Gly127Gln + Ala216Pro, with substantially similar results.

Examples 13-18

Spray Compositions for Cleaning Hard Surfaces and Removing Household Mildew

Component	Example No.					
	13	14	15	16	17	18
Tyr104Ile + Gly215Pro	0.50	0.05	0.60	0.30	0.20	0.30
Asp99Glu	-	-	-	-	0.30	0.10
15 Sodium octyl sulfate	2.00	2.00	2.00	2.00	2.00	2.00
Sodium dodecyl sulfate	4.00	4.00	4.00	4.00	4.00	4.00
Sodium hydroxide	0.80	0.80	0.80	0.80	0.80	0.80
Silicate (Na)	0.04	0.04	0.04	0.04	0.04	0.04
Perfume	0.35	0.35	0.35	0.35	0.35	0.35
20 Water	balance to 100%					

Product pH is about 7.

In Examples 13-16, the BPN' variants recited in Tables 2-25, among others, are substituted for Tyr104Ile + Gly215Pro, with substantially similar results.

- 25 In Examples 17-18, any combination of the BPN' variants recited in Tables 2-25, among others, are substituted for Tyr104Ile + Gly215Pro and Asp99Glu, with substantially similar results.

2. Dishwashing Compositions

- 30 In another embodiment of the present invention, dishwashing compositions comprise one or more enzyme variants of the present invention. As used herein, "dishwashing composition" refers to all forms for compositions for cleaning dishes, including but not limited to, granular and liquid forms. The dishwashing composition embodiment of the present invention is illustrated by the following examples.

Examples 19-24
Dishwashing Composition

Component	Example No.					
	19	20	21	22	23	24
5 Glu59Ser + Leu96Gly						
+ Ser204Glu	0.05	0.50	0.02	0.40	0.10	0.03
Lys96Gly + Ser204Glu	-	-	-	-	0.40	0.02
C ₁₂ -C ₁₄ N-methyl- glucamide	0.90	0.90	0.90	0.90	0.90	0.90
10 C ₁₂ ethoxy (1) sulfate	12.00	12.00	12.00	12.00	12.00	12.00
2-methyl undecanoic acid	4.50	4.50	4.50	4.50	4.50	4.50
C ₁₂ ethoxy (2) carboxylate	4.50	4.50	4.50	4.50	4.50	4.50
C ₁₂ alcohol ethoxylate (4)	3.00	3.00	3.00	3.00	3.00	3.00
C ₁₂ amine oxide	3.00	3.00	3.00	3.00	3.00	3.00
15 Sodium cumene sulfonate	2.00	2.00	2.00	2.00	2.00	2.00
Ethanol	4.00	4.00	4.00	4.00	4.00	4.00
Mg ⁺⁺ (as MgCl ₂)	0.20	0.20	0.20	0.20	0.20	0.20
Ca ⁺⁺ (as CaCl ₂)	0.40	0.40	0.40	0.40	0.40	0.40
Water	balance to 100%					

20 Product pH is adjusted to 7.

In Examples 19-22, the BPN' variants recited in Tables 2-25, among others, are substituted for Gln59SSer + Leu96Gly + Ser204Glu, with substantially similar results.

25 In Examples 23-24, any combination of the BPN' variants recited in Tables 2-25, among others, are substituted for Gln59SSer + Leu96Gly + Ser204Glu and Lys96Gly + Ser204Glu, with substantially similar results.

3. Fabric cleaning compositions

In another embodiment of the present invention, fabric cleaning compositions comprise one or more enzyme variants of the present invention.

30 As used herein, "fabric cleaning composition" refers to all forms for detergent compositions for cleaning fabrics, including but not limited to, granular, liquid and bar forms. Preferred fabric cleaning compositions are those in the liquid form.

a. Granular fabric cleaning compositions

35 The granular fabric cleaning compositions of the present invention contain

an effective amount of one or more enzyme variants of the present invention, preferably from about 0.001% to about 10%, more preferably from about 0.005% to about 5%, more preferably from about 0.01% to about 1% by weight of active enzyme of the composition. In addition to one or more enzyme variants, the
 5 granular fabric cleaning compositions typically comprise at least one surfactant, one or more builders, and, in some cases, a bleaching agent.

The granular fabric cleaning composition embodiment of the present invention is illustrated by the following examples.

Examples 25-28

Granular Fabric Cleaning Composition				
Component	Example No.			
	25	26	27	28
Ser101Asp	0.10	0.20	0.03	0.05
Thr66Glu	-	-	0.02	0.05
15 C ₁₃ linear alkyl benzene sulfonate	22.00	22.00	22.00	22.00
Phosphate (as sodium tripolyphosphates)	23.00	23.00	23.00	23.00
Sodium carbonate	23.00	23.00	23.00	23.00
Sodium silicate	14.00	14.00	14.00	14.00
20 Zeolite	8.20	8.20	8.20	8.20
Chelant (diethylenetriamine-pentaacetic acid)	0.40	0.40	0.40	0.40
Sodium sulfate	5.50	5.50	5.50	5.50
Water	balance to 100%			

25 In Examples 25-26, the BPN' variants recited in Tables 2-25, among others, are substituted for Ser101Asp, with substantially similar results.

In Examples 27-28, any combination of the BPN' variants recited in Tables 2-25, among others, are substituted for Ser101Asp and Thr66Glu, with substantially similar results.

Examples 29-32
Granular Fabric Cleaning Composition

		Example No.			
Component		29	30	31	32
5	Val95Asp + Leu126Ser + Asn155Gln	0.10	0.20	0.03	0.05
	Gly65Ser + Gly102Asn + Val203Glu	-	-	0.02	0.05
	C ₁₂ alkyl benzene sulfonate	12.00	12.00	12.00	12.00
	Zeolite A (1-10 micrometer)	26.00	26.00	26.00	26.00
	2-butyl octanoic acid	4.00	4.00	4.00	4.00
10	C ₁₂ -C ₁₄ secondary (2,3) alkyl sulfate, Na salt	5.00	5.00	5.00	5.00
	Sodium citrate	5.00	5.00	5.00	5.00
	Optical brightener	0.10	0.10	0.10	0.10
	Sodium sulfate	17.00	17.00	17.00	17.00
15	Water and minors	balance to 100%			

In Examples 29-30, the BPN' variants recited in Tables 2-25, among others, are substituted for Val95Asp + Leu126Ser + Asn155Gln, with substantially similar results.

In Examples 31-32, any combination of the BPN' variants recited in
 20 Tables 2-25, among others, are substituted for Val95Asp + Leu126Ser + Asn155Gln and Gly65Ser + Gly102Asn + Val203Glu, with substantially similar results.

Examples 33-36
Granular Fabric Cleaning Composition

		Example No.			
Component		33	34	35	36
5	Ser63Glu	0.10	0.20	0.03	0.05
	Leu96Asn + Lys213Asp	-	-	0.02	0.05
	C ₁₃ linear alkyl benzene sulfonate	22.00	22.00	22.00	22.00
	Phosphate (as sodium tripolyphosphates)	23.00	23.00	23.00	23.00
10	Sodium carbonate	23.00	23.00	23.00	23.00
	Sodium silicate	14.00	14.00	14.00	14.00
	Zeolite	8.20	8.20	8.20	8.20
	Chelant (diethylenetriamine-pentaacetic acid)	0.40	0.40	0.40	0.40
15	Sodium sulfate	5.50	5.50	5.50	5.50
	Water	balance to 100%			

In Examples 33-34, the BPN' variants recited in Tables 2-25, among others, are substituted for Ser63Glu, with substantially similar results.

In Examples 35-36, any combination of the BPN' variants recited in Tables 2-25, among others, are substituted for Ser63Glu and Leu96Asn + Lys213Asp, with substantially similar results.

Examples 37-40
Granular Fabric Cleaning Composition

		Example No.			
Component		37	38	39	40
5	Asn62Ser + Ser163Asp + Phe189Ser + Ala216Glu	0.10	0.20	0.03	0.05
	Gly97Ser + Trp106Ile + Tyr217Leu	-	-	0.02	0.05
	C ₁₂ alkyl benzene sulfonate	12.00	12.00	12.00	12.00
	Zeolite A (1-10 micrometer)	26.00	26.00	26.00	26.00
10	2-butyl octanoic acid	4.00	4.00	4.00	4.00
	C ₁₂ -C ₁₄ secondary (2,3) alkyl sulfate, Na salt	5.00	5.00	5.00	5.00
	Sodium citrate	5.00	5.00	5.00	5.00
	Optical brightener	0.10	0.10	0.10	0.10
15	Sodium sulfate	17.00	17.00	17.00	17.00
	Water and minors	balance to 100%			

In Examples 37-38, the BPN' variants recited in Tables 2-25, among others, are substituted for Asn62Ser + Ser163Asp + Phe189Ser + Ala216Glu, with substantially similar results.

- 20 In Examples 39-40, any combination of the BPN' variants recited in Tables 2-25, among others, are substituted for Asn62Ser + Ser163Asp + Phe189Ser + Ala216Glu and Gly97Ser + Trp106Ile + Tyr217Leu, with substantially similar results.

Examples 41-42
Granular Fabric Cleaning Composition

		Example No.	
Component		41	42
5	Linear alkyl benzene sulphonate	11.4	10.70
	Tallow alkyl sulphate	1.80	2.40
	C ₁₄₋₁₅ alkyl sulphate	3.00	3.10
	C ₁₄₋₁₅ alcohol 7 times ethoxylated	4.00	4.00
	Tallow alcohol 11 times ethoxylated	1.80	1.80
10	Dispersant	0.07	0.1
	Silicone fluid	0.80	0.80
	Trisodium citrate	14.00	15.00
	Citric acid	3.00	2.50
	Zeolite	32.50	32.10
15	Maleic acid acrylic acid copolymer	5.00	5.00
	Diethylene triamine penta methylene phosphonic acid	1.00	0.20
	Ala98Asp + Ala187Ser	0.30	0.30
	Lipase	0.36	0.40
20	Amylase	0.30	0.30
	Sodium silicate	2.00	2.50
	Sodium sulphate	3.50	5.20
	Polyvinyl pyrrolidone	0.30	0.50
	Perborate	0.5	1
25	Phenol sulphonate	0.1	0.2
	Peroxidase	0.1	0.1
	Minors	Up to 100	Up to 100

Examples 43-44
Granular Fabric Cleaning Composition

		Example No.	
Component		43	44
5	Sodium linear C ₁₂ alkyl benzene-sulfonate	6.5	8.0
	Sodium sulfate	15.0	18.0
	Zeolite A	26.0	22.0
	Sodium nitrilotriacetate	5.0	5.0
	Polyvinyl pyrrolidone	0.5	0.7
10	Tetraacetylene diamine	3.0	3.0
	Boric acid	4.0	-
	Perborate	0.5	1
	Phenol sulphonate	0.1	0.2
	Gln59Ser + Asn62Ser + Leu96Gly	0.4	0.4
15	+ Ser204Gln		
	Fillers (e.g., silicates; carbonates; perfumes; water)	Up to 100	Up to 100

Example 45
Compact Granular Fabric Cleaning Composition

20	Component	Weight %
	Alkyl Sulphate	8.0
	Alkyl Ethoxy Sulphate	2.0
	Mixture of C ₂₅ and C ₄₅ alcohol 3 and 7 times ethoxylated	6.0
	Polyhydroxy fatty acid amide	2.5
	Zeolite	17.0
	Layered silicate/citrate	16.0
	Carbonate	7.0
	Maleic acid acrylic acid copolymer	5.0
	Soil release polymer	0.4
	Carboxymethyl cellulose	0.4
	Poly (4-vinylpyridine) -N-oxide	0.1
	Copolymer of vinylimidazole and vinylpyrrolidone	0.1
	PEG2000	0.2
	Val95Gln + Tyr104Glu + Gly127Gln + Lys213Glu	0.5
	+ Ala216Asp	
	Lipase	0.2

Cellulase	0.2
Tetracetylene diamine	6.0
Percarbonate	22.0
Ethylene diamine disuccinic acid	0.3
Suds suppressor	3.5
Disodium-4,4'-bis (2-morpholino -4-anilino-s-triazin-6-ylamino) stilbene-2,2'-disulphonate	0.25
Disodium-4,4'-bis (2-sulfostyryl) biphenyl	0.05
Water, Perfume and Minors	Up to 100

Example 46

Granular Fabric Cleaning Composition

Component	Weight %
Linear alkyl benzene sulphonate	7.6
C ₁₆ -C ₁₈ alkyl sulfate	1.3
C ₁₄₋₁₅ alcohol 7 times ethoxylated	4.0
Coco-alkyl-dimethyl hydroxyethyl ammonium chloride	1.4
Dispersant	0.07
Silicone fluid	0.8
Trisodium citrate	5.0
Zeolite 4A	15.0
Maleic acid acrylic acid copolymer	4.0
Diethylene triamine penta methylene phosphonic acid	0.4
Perborate	15.0
Tetraacetylene diamine	5.0
Smectite clay	10.0
Poly (oxy ethylene) (MW 300,000)	0.3
Ser63Glu + Thr104Asn + Gln206Ser + Tyr217Thr	0.4
Lipase	0.2
Amylase	0.3
Cellulase	0.2
Sodium silicate	3.0
Sodium carbonate	10.0
Carboxymethyl cellulose	0.2
Brighteners	0.2
Water, perfume and minors	Up to 100

Example 47
Granular Fabric Cleaning Composition

Component	Weight %
Linear alkyl benzene sulfonate	6.92
Tallow alkyl sulfate	2.05
C ₁₄₋₁₅ alcohol 7 times ethoxylated	4.4
C ₁₂₋₁₅ alkyl ethoxy sulfate - 3 times ethoxylated	0.16
Zeolite	20.2
Citrate	5.5
Carbonate	15.4
Silicate	3.0
Maleic acid acrylic acid copolymer	4.0
Carboxymethyl cellulase	0.31
Soil release polymer	0.30
Asn62Ser + Trp106Gly + Ser132Asp + Ala187Ser + Phe189Ser	0.2
Lipase	0.36
Cellulase	0.13
Perborate tetrahydrate	11.64
Perborate monohydrate	8.7
Tetraacetylene diamine	5.0
Diethylene tramine penta methyl phosphonic acid	0.38
Magnesium sulfate	0.40
Brightener	0.19
Perfume, silicone, suds suppressors	0.85
Minors	Up to 100

b. Liquid fabric cleaning compositions

- 5 Liquid fabric cleaning compositions of the present invention comprise an effective amount of one or more enzyme variants of the present invention, preferably from about 0.005% to about 5%, more preferably from about 0.01% to about 1%, by weight of active enzyme of the composition. Such liquid fabric cleaning compositions typically additionally comprise an anionic surfactant, a
- 10 fatty acid, a water-soluble detergency builder and water.

Th liquid fabric cleaning composition embodiment of the present invention is illustrated by the following examples.

Examples 48-52
Liquid Fabric Cleaning Compositions

		Example No.				
Component		48	49	50	51	52
5	Ser161Glu + Gly219Asn	0.05	0.03	0.30	0.03	0.10
	Asn62Ser + Ile107Ala + Glu206Asp - + Tyr217Thr		-	-	0.01	0.20
	C ₁₂ - C ₁₄ alkyl sulfate, Na	20.00	20.00	20.00	20.00	20.00
	2-butyl octanoic acid	5.00	5.00	5.00	5.00	5.00
10	Sodium citrate	1.00	1.00	1.00	1.00	1.00
	C ₁₀ alcohol ethoxylate (3)	13.00	13.00	13.00	13.00	13.00
	Monethanolamine	2.50	2.50	2.50	2.50	2.50
	Water/propylene glycol/ethanol (100:1:1)	balance to 100%				

In Examples 48-50 the BPN' variants recited in Tables 2-25, among others, are substituted for Ser161Glu + Gly219Asn, with substantially similar results.

In Examples 51-52, any combination of the BPN' variants recited in Tables 2-25, among others, are substituted for Ser161Glu + Gly219Asn and Asn62Ser + Ile107Ala + Glu206Asp + Tyr217Thr, with substantially similar results.

Examples 53-57
Liquid Fabric Cleaning Compositions

		Example No.				
Component		53	54	55	56	57
25	Ser101Asp + Ile 107Ala + Gly202Ser	0.05	0.03	0.30	0.03	0.10
	Val95Thr + Thr208Gly	-	-	-	0.01	0.20
	C ₁₂ - C ₁₄ alkyl sulfate, Na	20.00	20.00	20.00	20.00	20.00
	2-butyl octanoic acid	5.00	5.00	5.00	5.00	5.00
30	Sodium citrate	1.00	1.00	1.00	1.00	1.00
	C ₁₀ alcohol ethoxylate (3)	13.00	13.00	13.00	13.00	13.00
	Monethanolamine	2.50	2.50	2.50	2.50	2.50
	Water/propylene glycol/ethanol (100:1:1)	balance to 100%				

In Examples 53-55 the BPN' variants recited in Tables 2-25, among others, are substituted for Ser101Asp + Ile 107Ala + Gly202Ser, with

substantially similar results.

In Examples 56-57, any combination of the BPN' variants recited in Tables 212, among others, are substituted for Ser101Asp + Ile 107Ala + Gly202Ser and Val95Thr + Thr208Gly, with substantially similar results.

5

Examples 58-59

Granular Fabric Cleaning Composition

	Component	Example No.	
		58	59
	C ₁₂₋₁₄ alkenyl succinic acid	3.0	8.0
10	Citric acid monohydrate	10.0	15.0
	Sodium C ₁₂₋₁₅ alkyl sulphate	8.0	8.0
	Sodium sulfate of C ₁₂₋₁₅ alcohol 2 times ethoxylated	-	3.0
	C ₁₂₋₁₅ alcohol 7 times ethoxylated	-	8.0
	C ₁₂₋₁₅ alcohol 5 times ethoxylated	8.0	-
15	Diethylene triamine penta (methylene phosphonic acid)0.2	-	-
	Oleic acid	1.8	-
	Ethanol	4.0	4.0
	Propanediol	2.0	2.0
	Asp60Glu + Gln206Asn	0.2	0.2
20	Polyvinyl pyrrolidone	1.0	2.0
	Suds suppressor	0.15	0.15
	NaOH	up to pH 7.5	
	Perborate	0.5	1
	Phenol sulphonate	0.1	0.2
25	Peroxidase	0.4	0.1
	Waters and minors	up to 100 parts	

In each of Examples 58 and 59 herein, the BPN' variants recited in Tables 2-25, among others, are substituted for Asp60Glu + Gln206Asn, with substantially similar results.

Examples 60-62
Liquid Fabric Cleaning Composition

		Example No.		
Component		60	61	62
5	Citric Acid	7.10	3.00	3.00
	Fatty Acid	2.00	-	2.00
	Ethanol	1.93	3.20	3.20
	Boric Acid	2.22	3.50	3.50
	Monoethanolamine	0.71	1.09	1.09
10	1,2 Propanediol	7.89	8.00	8.00
	NaCumene Sulfonate	1.80	3.00	3.00
	NaFormate	0.08	0.08	0.08
	NaOH	6.70	3.80	3.80
	Silicon anti-foam agent	1.16	1.18	1.18
15	Asn61Glu	0.0145	-	-
	Gly97Glu + Thr164Pro	-	0.0145	-
	Asn62Glu + Thr158Ser + Gly215Ser	-	-	0.0145
	Lipase	0.200	0.200	0.200
	Cellulase	-	7.50	7.50
20	Soil release polymer	0.29	0.15	0.15
	Anti-foaming agents	0.06	0.085	0.085
	Brightener 36	0.095	-	-
	Brightener 3	-	0.05	0.05
	C ₁₂ alkyl benzenesulfonic acid	9.86	-	-
25	C ₁₂₋₁₅ alkyl polyethoxylate (2.5) sulfate	13.80	18.00	18.00
	C ₁₂ glucose amide	-	5.00	5.00
	C ₁₂₋₁₃ alkyl polyethoxylate (9)	2.00	2.00	2.00
	Water, perfume and minors	balance to 100%		

c. Bar fabric cleaning compositions

30 Bar fabric cleaning compositions of the present invention suitable for hand-washing soiled fabrics contain an effective amount of one or more enzyme variants of the present invention, preferably from about 0.001% to about 10%, more preferably from about 0.01% to about 1% by weight of the composition.

35 The bar fabric cleaning composition embodiment of the present invention is illustrated by the following examples.

Examples 63-66
Bar Fabric Cleaning Compositions

		Example No.			
Component		63	64	65	66
5	Gly97Glu + Thr164Pro	0.3	-	0.1	0.02
	Ala98Ser + Gly154Asn	-	-	0.4	0.03
	C ₁₂ -C ₁₆ alkyl sulfate, Na	20.0	20.0	20.0	20.00
	C ₁₂ -C ₁₄ N-methyl glucamide	5.0	5.0	5.0	5.00
	C ₁₁ -C ₁₃ alkyl benzene sulfonate, Na	10.0	10.0	10.0	10.00
10	Sodium carbonate	25.0	25.0	25.0	25.00
	Sodium pyrophosphate	7.0	7.0	7.0	7.00
	Sodium tripolyphosphate	7.0	7.0	7.0	7.00
	Zeolite A (0.1-.10 μ)	5.0	5.0	5.0	5.00
	Carboxymethylcellulose	0.2	0.2	0.2	0.20
15	Polyacrylate (MW 1400)	0.2	0.2	0.2	0.20
	Coconut monethanolamide	5.0	5.0	5.0	5.00
	Brightener, perfume	0.2	0.2	0.2	0.20
	CaSO ₄	1.0	1.0	1.0	1.00
	MgSO ₄	1.0	1.0	1.0	1.00
20	Water	4.0	4.0	4.0	4.00
	Filler*	balance to 100%			

*Can be selected from convenient materials such as CaCO₃, talc, clay, silicates, and the like.

In Examples 63-64 the BPN' variants recited in Tables 2-25, among others, are substituted for Gly97Glu + Thr164Pro, with substantially similar results.

In Examples 65-66, any combination of the BPN' variants recited in Tables 2-25, among others, are substituted for Gly97Glu + Ghr164Pro and Ala98Ser + Gly154Asn, with substantially similar results.

Examples 67-70
Bar Fabric Cleaning Compositions

		Example No.			
Component		67	68	69	70
5	Val203Glu	0.3	-	0.1	0.02
	Gly100Glu + Ile107Ser	-	0.3	0.4	0.03
	C ₁₂ -C ₁₆ alkyl sulfate, Na	20.0	20.0	20.0	20.00
	C ₁₂ -C ₁₄ N-methyl glucamide	5.0	5.0	5.0	5.00
	C ₁₁ -C ₁₃ alkyl benzene sulfonate, Na	10.0	10.0	10.0	10.00
10	Sodium carbonate	25.0	25.0	25.0	25.00
	Sodium pyrophosphate	7.0	7.0	7.0	7.00
	Sodium tripolyphosphate	7.0	7.0	7.0	7.00
	Zeolite A (0.1-.10 μ)	5.0	5.0	5.0	5.00
	Carboxymethylcellulose	0.2	0.2	0.2	0.20
15	Polyacrylate (MW 1400)	0.2	0.2	0.2	0.20
	Coconut monethanolamide	5.0	5.0	5.0	5.00
	Brightener, perfume	0.2	0.2	0.2	0.20
	CaSO ₄	1.0	1.0	1.0	1.00
	MgSO ₄	1.0	1.0	1.0	1.00
20	Water	4.0	4.0	4.0	4.00
	Filler*	balance to 100%			

*Can be selected from convenient materials such as CaCO₃, talc, clay, silicates, and the like.

In Example 67, the BPN' variants recited in Tables 2-25, among others,
25 are substituted for Val203Glu, with substantially similar results.

In Example 68, the BPN' variants recited in Tables 2-25, among others,
are substituted for Gly100Glu + Ile107Ser, with substantially similar results.

In Examples 69-70, any combination of the BPN' variants recited in
Tables 2-25, among others, are substituted for Val203Glu and Gly100Glu +
30 Ile107Ser, with substantially similar results.

B. Additional Cleaning Compositions

In addition to the hard surface cleaning, dishwashing and fabric cleaning
compositions discussed above, one or more enzyme variants of the present
invention may be incorporated into a variety of other cleaning compositions
35 wher hydrolysis of an insoluble substrate is desired. Such additional cleaning

compositions include but are not limited to, oral cleaning compositions, denture cleaning compositions, and contact lens cleaning compositions.

1. Oral cleaning compositions

In another embodiment of the present invention, a pharmaceutically-
5 acceptable amount of one or more enzyme variants of the present invention are included in compositions useful for removing proteinaceous stains from teeth or dentures. As used herein, "oral cleaning compositions" refers to dentifrices, toothpastes, toothgels, toothpowders, mouthwashes, mouth sprays, mouth gels, chewing gums, lozenges, sachets, tablets, biogels, prophylaxis pastes, dental
10 treatment solutions, and the like. Preferably, the oral cleaning compositions comprise from about 0.0001% to about 20% of one or more enzyme variants of the present invention, more preferably from about 0.001% to about 10%, more preferably still from about 0.01% to about 5%, by weight of the composition, and a pharmaceutically-acceptable carrier. As used herein, "pharmaceutically-
15 acceptable" means that drugs, medicaments or inert ingredients which the term describes are suitable for use in contact with the tissues of humans and lower animals without undue toxicity, incompatibility, instability, irritation, allergic response, and the like, commensurate with a reasonable benefit/risk ratio.

Typically, the 'pharmaceutically-acceptable oral cleaning carrier
20 components of the oral cleaning components of the oral cleaning compositions will generally comprise from about 50% to about 99.99%, preferably from about 65% to about 99.99%, more preferably from about 65% to about 99%, by weight of the composition.

The pharmaceutically-acceptable carrier components and optional
25 components which may be included in the oral cleaning compositions of the present invention are well known to those skilled in the art. A wide variety of composition types, carrier components and optional components useful in the oral cleaning compositions are disclosed in U.S. Patent 5,096,700, Seibel, issued March 17, 1992; U.S. Patent 5,028,414, Sampathkumar, issued July 2, 1991; and U.S. Patent 5,028,415, Benedict, Bush and Sunberg, issued July 2,
30 1991; all of which are incorporated herein by reference.

The oral cleaning composition embodiment of the present invention is illustrated by the following examples.

Examples 71-74
Dentifrice Composition

Component		Example No.			
		71	72	73	74
5	Gln59Asp + Ala98Glu + Gly102Asp +Ser105Glu + Leu109Thr	2.000	3.500	1.500	2.000
	Sorbitol (70% aqueous solution)	35.000	35.000	35.000	35.000
	PEG-6*	1.000	1.000	1.000	1.000
	Silica dental abrasive**	20.000	20.000	20.000	20.000
10	Sodium fluoride	0.243	0.243	0.243	0.243
	Titanium dioxide	0.500	0.500	0.500	0.500
	Sodium saccharin	0.286	0.286	0.286	0.286
	Sodium alkyl sulfate (27.9% aqueous solution)	4.000	4.000	4.000	4.000
15	Flavor	1.040	1.040	1.040	1.040
	Carboxyvinyl Polymer***	0.300	0.300	0.300	0.300
	Carrageenan****	0.800	0.800	0.800	0.800
	Water	balance to 100%			

*PEG-6 = Polyethylene glycol having a molecular weight of 600.

20 **Precipitated silica identified as Zeodent 119 offered by J.M. Huber.

***Carbopol offered by B.F. Goodrich Chemical Company.

****Iota Carrageenan offered by Hercules Chemical Company.

In Examples 71-74 the BPN' variants recited in Tables 2-25, among
others, are substituted for Gln59Asp + Ala98Glu + Gly102Asp + Ser105Glu +
25 Leu209Thr, with substantially similar results.

Examples 75-78
Mouthwash Composition

		Example No.			
Component		75	76	77	78
5	Leu96Thr + Gly128Asp + Ala133Glu + Asn155Glu + Lys213Asp + Ala216Asp	3.00	7.50	1.00	5.00
	SDA 40 Alcohol	8.00	8.00	8.00	8.00
	Flavor	0.08	0.08	0.08	0.08
10	Emulsifier	0.08	0.08	0.08	0.08
	Sodium Fluoride	0.05	0.05	0.05	0.05
	Glycerin	10.00	10.00	10.00	10.00
	Sweetener	0.02	0.02	0.02	0.02
	Benzoic acid	0.05	0.05	0.05	0.05
15	Sodium hydroxide	0.20	0.20	0.20	0.20
	Dye	0.04	0.04	0.04	0.04
	Water	balance to 100%			

In Examples 75-78, the BPN' variants recited in Tables 2-25, among others, are substituted for Leu96Thr + Gly128Asp + Ala133Glu + Asn155Glu + Lys213Asp + Ala216Asp, with substantially similar results.

Examples 79-82
Lozenge Composition

		Example No.			
Component		79	80	81	82
25	Ser132Asp + Tyr217Leu	0.01	0.03	0.10	0.02
	Sorbitol	17.50	17.50	17.50	17.50
	Mannitol	17.50	17.50	17.50	17.50
	Starch	13.60	13.60	13.60	13.60
	Sweetener	1.20	1.20	1.20	1.20
30	Flavor	11.70	11.70	11.70	11.70
	Color	0.10	0.10	0.10	0.10
	Corn Syrup	balance to 100%			

In Examples 79-82, the BPN' variants recited in Tables 2-25, among others, are substituted for Ser132Asp + Tyr217Leu, with substantially similar results.

Examples 83-86
Chewing Gum Composition

	Component	Example No.			
		83	84	85	86
5	Thr66Pro + Gln103Asn + Lys213Asp	0.03	0.02	0.10	0.05
	Sorbitol crystals	38.44	38.40	38.40	38.40
	Paloja-T gum base*	20.00	20.00	20.00	20.00
	Sorbitol (70% aqueous solution)	22.00	22.00	22.00	22.00
	Mannitol	10.00	10.00	10.00	10.00
10	Glycerine	7.56	7.56	7.56	7.56
	Flavor	1.00	1.00	1.00	1.00

*Supplied by L.A. Dreyfus Company.

In Examples 83-86, the BPN' variants recited in Tables 2-25, among others, are substituted for Thr66Pro + Gln103Asn + Lys213Asp, with substantially similar results.

2. Denture cleaning compositions

In another embodiment of the present invention, denture cleaning compositions for cleaning dentures outside of the oral cavity comprise one or more enzyme variants of the present invention. Such denture cleaning compositions comprise an effective amount of one or more of the enzyme variants, preferably from about 0.0001% to about 50% of one or more of the enzyme variants, more preferably from about 0.001% to about 35%, more preferably still from about 0.01% to about 20%, by weight of the composition, and a denture cleansing carrier. Various denture cleansing composition formats such as effervescent tablets and the like are well known in the art (see for example U.S. Patent 5,055,305, Young, incorporated herein by reference), and are generally appropriate for incorporation of one or more of the enzyme variants for removing proteinaceous stains from dentures.

The denture cleaning composition embodiment of the present invention is illustrated by the following examples.

Examples 87-90
Two-layer Effervescent Denture Cleansing Tablet

		Example No.			
Component		87	88	89	90
5	<u>Acidic Layer</u>				
	Gln59Glu + Ser63Glu + Val95Met + Gly97Pro + Tyr217Ala	1.0	1.5	0.01	0.05
	Tartaric acid	24.0	24.0	24.00	24.00
	Sodium carbonate	4.0	4.0	4.00	4.00
10	Sulphamic acid	10.0	10.0	10.00	10.00
	PEG 20,000	4.0	4.0	4.00	4.00
	Sodium bicarbonate	24.5	24.5	24.50	24.50
	Potassium persulfate	15.0	15.0	15.00	15.00
	Sodium acid pyrophosphate	7.0	7.0	7.00	7.00
15	Pyrogenic silica	2.0	2.0	2.00	2.00
	TAED*	7.0	7.0	7.00	7.00
	Ricinoleylsulfosuccinate	0.5	0.5	0.50	0.50
	Flavor	1.0	1.0	1.00	1.00
	<u>Alkaline Layer</u>				
20	Sodium perborate monohydrate	32.0	32.0	32.00	32.00
	Sodium bicarbonate	19.0	19.0	19.00	19.00
	EDTA	3.0	3.0	3.00	3.00
	Sodium tripolyphosphate	12.0	12.0	12.00	12.00
	PEG 20,000	2.0	2.0	2.00	2.00
25	Potassium persulfate	26.0	26.0	26.00	26.00
	Sodium carbonate	2.0	2.0	2.00	2.00
	Pyrogenic silica	2.0	2.0	2.00	2.00
	Dye/flavor	2.0	2.0	2.00	2.00

*Tetraacetylene diamine

30 In Examples 87-90, the BPN' variants recited in Tables 2-25, among others, are substituted for Gln59Glu + Ser63Glu + Val95Met + Gly97Pro + Tyr217Ala, with substantially similar results.

3. Contact Lens Cleaning Compositions

35 In another embodiment of the present invention, contact lens cleaning compositions comprise one or more nzyme variants of the pr sent invention.

Such contact lens cleaning compositions comprise an effective amount of one or more of the enzyme variants, preferably from about 0.01% to about 50% of one or more of the enzyme variants, more preferably from about 0.01% to about 20%, more preferably still from about 1% to about 5%, by weight of the composition, and a contact lens cleaning carrier. Various contact lens cleaning composition formats such as tablets, liquids and the like are well known in the art (see for example U.S. Patent 4,863,627, Davies, Meaken and Rees, issued September 5, 1989; U.S. Patent Re. 32,672, Huth, Lam and Kirai, reissued May 24, 1988; U.S. Patent 4,609,493, Schäfer, issued September 2, 1986; U.S. Patent, 4,690,793, Ogunbiyi and Smith, issued September 1, 1987; U.S. Patent 4,614,549, Ogunbiyi, Riedhammer and Smith, issued September 30, 1986; and U.S. Patent 4,285,738, Ogata, issued August 25, 1981; each of which are incorporated herein by reference), and are generally appropriate for incorporation of one or more enzyme variants of the present invention for removing proteinaceous stains from contact lens.

The contact lens cleaning composition embodiment of the present invention is illustrated by the following examples.

Examples 91-94

Enzymatic Contact Lens Cleaning Solution

Component	Example No.			
	91	92	93	94
Ser191Glu + Gly219Ser	0.01	0.5	0.1	2.0
Glucose	50.00	50.0	50.0	50.0
Nonionic surfactant (polyoxyethylene-polyoxypropylene copolymer)	2.00	2.0	2.0	2.0
Anionic surfactant (polyoxyethylene-alkylphenylether sodium sulfricester)	1.00	1.0	1.0	1.0
Sodium chloride	1.00	1.0	1.0	1.0
Borax	0.30	0.3	0.3	0.3
Water	balance to 100%			

In Examples 91-94, the BPN' variants recited in Tables 2-25, among others, are substituted for Ser191Glu + Gly219Ser, with substantially similar results.

While particular embodiments of the subject invention have been described, it will be obvious to those skilled in the art that various changes and

modifications of the subject invention can be made without departing from the spirit and scope of the invention. It is intended to cover, in the appended claims, all such modifications that are within the scope of the invention.

SEQUENCE LISTING

(1) GENERAL INFORMATION:

- 5 (i) APPLICANT: BRODE, PHILIP F. et al.
- (ii) TITLE OF INVENTION: BPN' VARIANTS HAVING DECREASED
10 ADSORPTION AND INCREASED HYDROLYSIS WHEREIN ONE
OR MORE LOOP REGIONS ARE SUBSTITUTED
- (iii) NUMBER OF SEQUENCES: 1
- 15 (iv) CORRESPONDENCE ADDRESS:
(A) ADDRESSEE: THE PROCTER & GAMBLE COMPANY
(B) STREET: 11810 EAST MIAMI RIVER ROAD
(C) CITY: ROSS
(D) STATE: OH
20 (E) COUNTRY: USA
(F) ZIP: 45061
- (v) COMPUTER READABLE FORM:
(A) MEDIUM TYPE: Floppy disk
(B) COMPUTER: IBM PC compatible
25 (C) OPERATING SYSTEM: PC-DOS/MS-DOS
(D) SOFTWARE: PatentIn Release #1.0, Version #1.25
- (vi) CURRENT APPLICATION DATA:
(A) APPLICATION NUMBER:
30 (B) FILING DATE:
(C) CLASSIFICATION:
- (vii) ATTORNEY/AGENT INFORMATION:
(A) NAME: CORSTANJE, BRAHM J.
35 (B) REGISTRATION NUMBER: 34,804
(C) ATTORNEY DOCKET NO. 5597
- (ix) TELECOMMUNICATION INFORMATION:
(A) TELEPHONE: 513-627-2858
40 (B) TELEFAX: 513-627-0260

(2) INFORMATION FOR SEQ ID NO:1:

- 45 (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 275 amino acids
(B) TYPE: amino acid
(D) TOPOLOGY: linear
- 50 (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:
- 55 Ala Gln Ser Val Pro Tyr Gly Val Ser Gln Ile Lys Ala Pro Ala Leu
1 5 10 15
- His Ser Gln Gly Tyr Thr Gly Ser Asn Val Lys Val Ala Val Ile Asp
60 20 25 30
- Ser Gly Il Asp Ser Ser His Pro Asp Leu Lys Val Ala Gly Gly Ala
35 40 45

Ser Met Val Pro Ser Glu Thr Asn Pro Phe Gln Asp Asn Asn Ser His
 50 55 60
 5 Gly Thr His Val Ala Gly Thr Val Ala Ala Leu Asn Asn Ser Ile Gly
 65 70 75 80
 Val Leu Gly Val Ala Pro Ser Ala Ser Leu Tyr Ala Val Lys Val Leu
 85 90 95
 10 Gly Ala Asp Gly Ser Gly Gln Tyr Ser Trp Ile Ile Asn Gly Ile Glu
 100 105 110
 Trp Ala Ile Ala Asn Asn Met Asp Val Ile Asn Met Ser Leu Gly Gly
 115 120 125
 15 Pro Ser Gly Ser Ala Ala Leu Lys Ala Ala Val Asp Lys Ala Val Ala
 130 135 140
 20 Ser Gly Val Val Val Val Ala Ala Ala Gly Asn Glu Gly Thr Ser Gly
 145 150 155 160
 Ser Ser Ser Thr Val Gly Tyr Pro Gly Lys Tyr Pro Ser Val Ile Ala
 165 170 175
 25 Val Gly Ala Val Asp Ser Ser Asn Gln Arg Ala Ser Phe Ser Ser Val
 180 185 190
 Gly Pro Glu Leu Asp Val Met Ala Pro Gly Val Ser Ile Gln Ser Thr
 195 200 205
 30 Leu Pro Gly Asn Lys Tyr Gly Ala Tyr Asn Gly Thr Ser Met Ala Ser
 210 215 220
 35 Pro His Val Ala Gly Ala Ala Ala Leu Ile Leu Ser Lys His Pro Asn
 225 230 235 240
 Trp Thr Asn Thr Gln Val Arg Ser Ser Leu Glu Asn Thr Thr Thr Lys
 245 250 255
 40 Leu Gly Asp Ser Phe Tyr Tyr Gly Lys Gly Leu Ile Asn Val Gln Ala
 260 265 270
 Ala Ala Gln
 275
 45

What is claimed is:

1. A BPN' variant having a modified amino acid sequence of wild-type amino acid sequence, the wild-type amino acid sequence comprising a first loop region, a second loop region, a third loop region, a fourth loop region and a fifth loop region; characterized in that the modified amino acid sequence comprises a substitution at one or more positions in one or more of the loop regions; wherein

- A. when a substitution occurs in the first loop region, the substitution occurs at one or more of positions 59, 60, 61, 62, 63, 65 or 66; wherein
 - a. when a substitution occurs at position 59, the substituting amino acid is Asn, Asp, Glu or Ser;
 - b. when a substitution occurs at position 60, the substituting amino acid is Glu;
 - c. when a substitution occurs at position 61, the substituting amino acid is Asp, Gln, Glu or Ser;
 - d. when a substitution occurs at position 62, the substituting amino acid is Asp, Gln, Glu or Ser;
 - e. when a substitution occurs at position 63, the substituting amino acid is Asp or Glu;
 - f. when a substitution occurs at position 65, the substituting amino acid is Asn, Asp, Gln, Glu, Pro or Ser; and
 - g. when a substitution occurs at position 66, the substituting amino acid is Asn, Asp, Gln, Glu, Gly, Pro or Ser;
- B. when a substitution occurs in the second loop region, the substitution occurs at one or more of positions 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106 or 107; wherein
 - a. when a substitution occurs at position 95, the substituting amino acid is Ala, Asn, Asp, Cys, Gln, Glu, Gly, His, Met, Pro, Ser or Thr;
 - b. when a substitution occurs at position 96, the substituting amino acid is Ala, Asn, Asp, Cys, Gln, Glu, Gly, His, Ile, Met, Pro, Ser, Thr or Val;
 - c. when a substitution occurs at position 97, the substituting amino acid is Asn, Asp, Gln, Glu, Pro or Ser;

- d. when a substitution occurs at position 98, the substituting amino acid is Asn, Asp, Gln, Glu, Gly, His, Pro, Ser or Thr;
 - e. when a substitution occurs at position 99, the substituting amino acid is Glu;
 - f. when a substitution occurs at position 100, the substituting amino acid is Asn, Asp, Gln, Glu, Pro or Ser;
 - g. when a substitution occurs at position 101, the substituting amino acid is Asp or Glu;
 - h. when a substitution occurs at position 102, the substituting amino acid is Asn, Asp, Gln, Glu, Pro or Ser;
 - i. when a substitution occurs at position 103, the substituting amino acid is Asn, Asp, Glu or Ser;
 - j. when a substitution occurs at position 104, the substituting amino acid is Ala, Asn, Asp, Cys, Gln, Glu, Gly, His, Ile, Leu, Met, Pro, Ser, Thr or Val;
 - k. when a substitution occurs at position 105, the substituting amino acid is Asp or Glu;
 - l. when a substitution occurs at position 106, the substituting amino acid is Ala, Asn, Asp, Cys, Gln, Glu, Gly, His, Ile, Leu, Met, Phe, Pro, Ser, Thr, Tyr or Val; and
 - m. when a substitution occurs at position 107, the substituting amino acid is Ala, Asn, Asp, Cys, Gln, Glu, Gly, His, Leu, Met, Pro, Ser, Thr or Val;
- C. when a substitution occurs in the third loop region, the substitution occurs at one or more of positions 126, 127, 128, 129, 130, 131, 132 or 133; wherein
- a. when a substitution occurs at position 126, the substituting amino acid is Ala, Asn, Asp, Cys, Gln, Glu, Gly, His, Ile, Met, Pro, Ser, Thr or Val;
 - b. when a substitution occurs at position 127, the substituting amino acid is Asn, Asp, Gln, Glu, Pro or Ser;
 - c. when a substitution occurs at position 128, the substituting amino acid is Asn, Asp, Gln, Glu, Gly or Ser;
 - d. when a substitution occurs at position 129, the substituting amino acid is Asn, Asp, Gln, Glu, Gly or Ser;
 - e. when a substitution occurs at position 130, the substituting amino acid is Asp or Glu;

100

- f. when a substitution occurs at position 131, the substituting amino acid is Asn, Asp, Gln, Glu, Gly or Ser;
- g. when a substitution occurs at position 132, the substituting amino acid is Asp or Glu; and
- h. when a substitution occurs at position 133, the substituting amino acid is Asn, Asp, Gln, Glu, Gly, His, Pro, Ser or Thr;
- D. when a substitution occurs in the fourth loop region, the substitution occurs at one or more of positions 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166 or 167; wherein
 - a. when a substitution occurs at position 154, the substituting amino acid is Asn, Asp, Gln, Glu, Pro or Ser;
 - b. when a substitution occurs at position 155, the substituting amino acid is Asp, Gln, Glu or Ser;
 - c. when a substitution occurs at position 156, the substituting amino acid is Asp;
 - d. when a substitution occurs at position 157, the substituting amino acid is Asn, Asp, Gln, Glu, Pro or Ser;
 - e. when a substitution occurs at position 158, the substituting amino acid is Asn, Asp, Gln, Glu, Gly, Pro or Ser;
 - f. when a substitution occurs at position 159, the substituting amino acid is Asp or Glu;
 - g. when a substitution occurs at position 160, the substituting amino acid is Asn, Asp, Gln, Glu, Pro or Ser;
 - h. when a substitution occurs at position 161, the substituting amino acid is Asp or Glu;
 - i. when a substitution occurs at position 162, the substituting amino acid is Asp or Glu;
 - j. when a substitution occurs at position 163, the substituting amino acid is Asp or Glu;
 - k. when a substitution occurs at position 164, the substituting amino acid is Asn, Asp, Gln, Glu, Gly, Pro or Ser;
 - l. when a substitution occurs at position 165, the substituting amino acid is Ala, Asn, Asp, Cys, Gln, Glu, Gly, His, Met, Pro, Ser or Thr;
 - m. when a substitution occurs at position 166, the substituting amino acid is Asn, Asp, Gln, Glu, Pro or Ser; and

- n. when a substitution occurs at position 167, the substituting amino acid is Ala, Asn, Asp, Cys, Gln, Glu, Gly, His, Ile, Leu, Met, Pro, Ser, Thr or Val; and
- E. when a substitution occurs in the fifth loop region, the substitution occurs at one or more of positions 187, 188, 189, 190 or 191; wherein
 - a. when a substitution occurs at position 187, the substituting amino acid is Asn, Asp, Gln, Glu, Gly, His, Pro, Ser and Thr;
 - b. when a substitution occurs at position 188, the substituting amino acid is Asp or Glu;
 - c. when a substitution occurs at position 189, the substituting amino acid is Ala, Asn, Asp, Cys, Gln, Glu, Gly, His, Ile, Leu, Met, Pro, Ser, Thr, Tyr or Val;
 - d. when a substitution occurs at position 190, the substituting amino acid is Asp or Glu; and
 - e. when a substitution occurs at position 191, the substituting amino acid is Asp or Glu;

whereby the BPN' variant has decreased adsorption to, and increased hydrolysis of, an insoluble substrate as compared to wild-type subtilisin BPN'.

- 2. The BPN' variant of Claim 1, wherein one or more substitutions occur in the first loop region.
- 3. The BPN' variant of Claim 1, wherein one or more substitutions occur in the second loop region.
- 4. The BPN' variant of Claim 1, wherein one or more substitutions occur in the third loop region.
- 5. The BPN' variant of Claim 1, wherein one or more substitutions occur in the fourth loop region.
- 6. The BPN' variant of Claim 1, wherein one or more substitutions occur in the fifth loop region.
- 7. The BPN' variant of any of Claims 1-6, wherein the wild-type amino acid sequence further comprises a sixth loop region, characterized in that the

modified amino acid sequence further comprises one or more substitutions in the sixth loop region; wherein the substitution(s) in the sixth loop region occurs at one or more of positions 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219 or 220; wherein

- a. when a substitution occurs at position 199, the substituting amino acid for position 199 is Cys, Ala, His, Thr, Pro, Gly, Gln, Asn, Ser, Asp or Glu;
- b. when a substitution occurs at position 200, the substituting amino acid for position 200 is His, Thr, Pro, Gly, Gln, Asn, Ser, Asp or Glu;
- c. when a substitution occurs at position 201, the substituting amino acid for position 201 is Gly, Gln, Asn, Ser, Asp or Glu;
- d. when a substitution occurs at position 202, the substituting amino acid for position 202 is Pro, Gln, Asn, Ser, Asp or Glu;
- e. when a substitution occurs at position 203, the substituting amino acid for position 203 is Met, Cys, Ala, His, Thr, Pro, Gly, Gln, Asn, Ser, Asp or Glu;
- f. when a substitution occurs at position 204, the substituting amino acid for position 204 is Asp, or Glu;
- g. when a substitution occurs at position 205, the substituting amino acid for position 205 is Leu, Val, Met, Cys, Ala, His, Thr, Pro, Gly, Gln, Asn, Ser, Asp or Glu;
- h. when a substitution occurs at position 206, the substituting amino acid for position 206 is Pro, Asn, Ser, Asp, or Glu;
- i. when a substitution occurs at position 207, the substituting amino acid for position 207 is Asp or Glu;
- j. when a substitution occurs at position 208, the substituting amino acid for position 208 is Pro, Gly, Gln, Asn, Ser, Asp or Glu;
- k. when a substitution occurs at position 209, the substituting amino acid for position 209 is Ile, Val, Met, Cys, Ala, His, Thr, Pro, Gly, Gln, Asn, Ser, Asp or Glu;
- l. when a substitution occurs at position 210, the substituting amino acid for position 210 is Ala, Gly, Gln, Asn, Ser, Asp or Glu;
- m. when a substitution occurs at position 211, the substituting amino acid for position 211 is Ala, Pro, Gln, Asn, Ser, Asp or Glu;
- n. when a substitution occurs at position 212, the substituting amino acid for position 212 is Gln, Ser, Asp or Glu;

- o. when a substitution occurs at position 213, the substituting amino acid for position 213 is Trp, Phe, Tyr, Leu, Ile, Val, Met, Cys, Ala, His, Thr, Pro, Gly, Gln, Asn, Ser, Asp or Glu;
 - p. when a substitution occurs at position 214, the substituting amino acid for position 214 is Phe, Leu, Ile, Val, Met, Cys, Ala, His, Thr, Pro, Gly, Gln, Asn, Ser, Asp or Glu;
 - q. when a substitution occurs at position 215, the substituting amino acid for position 215 is Thr, Pro, Gln, Asn, Ser, Asp or Glu;
 - r. when a substitution occurs at position 216, the substituting amino acid for position 216 is His, Thr, Pro, Gly, Gln, Asn, Ser, Asp or Glu;
 - s. when a substitution occurs at position 217, the substituting amino acid for position 217 is Leu, Ile, Val, Met, Cys, Ala, His, Thr, Pro, Gly, Gln, Asn, Ser, Asp or Glu;
 - t. when a substitution occurs at position 218, the substituting amino acid for position 218 is Gln, Ser, Asp or Glu;
 - u. when a substitution occurs at position 219, the substituting amino acid for position 219 is Pro, Gln, Asn, Ser, Asp or Glu; and
 - v. when a substitution occurs at position 220, the substituting amino acid for position 220 is Pro, Gly, Gln, Asn, Ser Asp or Glu.
8. A cleaning composition selected from the group consisting of a hard surface cleaning composition, a dishwashing composition, an oral cleaning composition, a denture cleansing composition, a contact lens cleaning composition and a fabric cleaning composition, characterized in that the cleaning composition comprises the BPN' variant of any of Claims 1-7 and a cleaning composition carrier.
9. The cleaning composition of Claim 8, wherein the cleaning composition is a hard surface cleaning composition.
10. The cleaning composition of Claim 8, wherein the cleaning composition is a fabric cleaning composition.
11. A mutant BPN' gene encoding the BPN' variant of any of Claims 1-7.

INTERNATIONAL SEARCH REPORT

Int. Appl. No.
PCT/US 95/03176

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 C12N15/57 C11D3/386 C12N9/54

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 6 C12N C11D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP-A-0 405 901 (UNILEVER PLC ; UNILEVER NV (NL)) 2 January 1991 see claims ---	1-5, 7-11
X	WO-A-94 02618 (GIST BROCADES NV ; MULLENERS LEONARDUS JOHANNES S (NL); MISSET ONNO) 3 February 1994 see tables II , III ---	1, 3-5, 7-11
X	WO-A-89 09830 (GENEX CORP) 19 October 1989 see claims; table 2 ---	1, 3, 7-11
X	WO-A-87 05050 (GENEX CORP) 27 August 1987 see page 18; claims ---	1, 4, 5, 7-11
	-/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

& document member of the same patent family

Date of the actual completion of the international search

27 July 1995

Date of mailing of the international search report

16.08.95

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Van der Schaal, C

INTERNATIONAL SEARCH REPORT

Int. l. Application No
PCT/US 95/03176

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP-A-0 328 229 (GIST BROCADES NV) 16 . August 1989 see example 12 ---	1,5,7-11
A	CHEMICAL ABSTRACTS, vol. 116, no. 23, 8 June 1992 Columbus, Ohio, US; abstract no. 230623, P. BRODE AND D. RAUCH 'Subtilisin BPN' activity on an immobilized substrate' cited in the application see abstract & LANGMUIR, vol. 8, no. 5, 1992 pages 1325-1329, -----	

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 95/03176

Patent document cited in search report	Publication date	Patent family member(s)	Publication date	
EP-A-0405901	02-01-91	WO-A-	9100334	10-01-91
		JP-T-	4500385	23-01-92
		EP-A-	0405902	02-01-91
		WO-A-	9100335	10-01-91
		JP-T-	4500384	23-01-92

WO-A-9402618	03-02-94	AU-B-	4700693	14-02-94
		CA-A-	2139928	03-02-94
		FI-A-	950168	10-03-95

WO-A-8909830	19-10-89	US-A-	5013657	07-05-91
		EP-A-	0409878	30-01-91
		JP-T-	3503602	15-08-91
		US-A-	4990452	05-02-91
		US-A-	5246849	21-09-93

WO-A-8705050	27-08-87	EP-A-	0260299	23-03-88
		JP-T-	63502959	02-11-88
		US-A-	4980288	25-12-90
		US-A-	4990452	05-02-91

EP-A-0328229	16-08-89	AU-B-	629814	15-10-92
		AU-A-	3050189	06-09-89
		DE-D-	68912359	03-03-94
		DE-T-	68912359	09-06-94
		EP-A-	0571049	24-11-93
		ES-T-	2061929	16-12-94
		JP-T-	2503986	22-11-90
		WO-A-	8907642	24-08-89
		PT-B-	89702	29-04-94
		US-A-	5336611	09-08-94
		US-A-	5324653	28-06-94
